

# Berry Petroleum Company

Brundage Canyon Field

4000 South 4028 West  
Route 2 Box 7735  
Roosevelt, UT 84066

Ph. (435) 722-1325  
Fax: (435) 722-1321  
[www.bry.com](http://www.bry.com)

May 18, 2007

State Of Utah  
Division of Oil, Gas & Mining  
1594 W. North Temple,  
Suite 1210 Box 145801  
Salt Lake City, Utah 84114-5801

Re: Applications for Permit to Drill

Attached please find one (1) original copy of an *Application for Permit to Drill* on the following Ute Tribal wells:

**UTE TRIBAL 8-20D-55**  
**UTE TRIBAL 9-20D-55**  
**UTE TRIBAL 8-13D-55**  
**UTE TRIBAL 14-26D-54**

**LC TRIBAL 10-26D-46**  
**LC TRIBAL 11-17-56**

If you have any questions regarding this "APD" please call me at (435) 722-1325 or (435) 823-1808.

Thank you,

Shelley E. Crozier  
Regulatory & Permitting Specialist  
[sec@bry.com](mailto:sec@bry.com)

**RECEIVED**  
**MAY 21 2007**  
DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT ☐  
(highlight changes)

APPLICATION FOR PERMIT TO DRILL

1A. TYPE OF WORK: DRILL <input checked="" type="checkbox"/> REENTER <input type="checkbox"/> DEEPEN <input type="checkbox"/>		5. MINERAL LEASE NO: <b>14-20-H62-4954</b>	6. SURFACE: <b>INDIAN</b>
B. TYPE OF WELL: OIL <input checked="" type="checkbox"/> GAS <input type="checkbox"/> OTHER _____ SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		7. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>UTE</b>	
2. NAME OF OPERATOR: <b>BERRY PETROLEUM COMPANY</b>		8. UNIT or CA AGREEMENT NAME: <b>N/A</b>	
3. ADDRESS OF OPERATOR: <b>RT. 2 BOX 7735</b> CITY <b>ROOSEVELT</b> STATE <b>UTAH</b> ZIP <b>84066</b>		9. WELL NAME and NUMBER: <b>UTE TRIBAL 14-26D-54</b>	
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: <b>176' FSL, 2473' FWL</b> AT PROPOSED PRODUCING ZONE: <b>(SE/SW) 751' FSL 1887' FWL</b>		10. FIELD AND POOL, OR WILDCAT: <b>BRUNDAGE CANYON</b>	
11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <b>(SE/SW) SEC. 26, T.5S., R.4W. U.S.B.&amp;M.</b>		12. COUNTY: <b>DUCHESNE</b>	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE: <b>21.6 MILES FROM MYTON, UTAH</b>		13. STATE: <b>UTAH</b>	
15. DISTANCE TO NEAREST PROPERTY OR LEASE LINE (FEET) <b>176'</b>	16. NUMBER OF ACRES IN LEASE: <b>640</b>	17. NUMBER OF ACRES ASSIGNED TO THIS WELL: <b>40</b>	
18. DISTANCE TO NEAREST WELL (DRILLING, COMPLETED, OR APPLIED FOR) ON THIS LEASE (FEET) <b>2000'</b>	19. PROPOSED DEPTH: <b>5870'</b>	20. BOND DESCRIPTION: <b>RLB0005651</b>	
21. ELEVATIONS (SHOW WHETHER DF, RT, GR, ETC.): <b>6476' GR</b>	22. APPROXIMATE DATE WORK WILL START: <b>REFER TO BPC SOP PLAN</b>	23. ESTIMATED DURATION: <b>REFER TO BPC SOP PLAN</b>	

24. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	CASING SIZE, GRADE, AND WEIGHT PER FOOT	SETTING DEPTH	CEMENT TYPE, QUANTITY, YIELD, AND SLURRY WEIGHT
REFER TO BERRY PETROLEUM COMPANY SOP'S DRILLING PROGRAM/CASING DESIGN			

25. ATTACHMENTS

VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES:

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER     | <input checked="" type="checkbox"/> COMPLETE DRILLING PLAN (BPC SOP ON FILE WITH STATE)      |
| <input checked="" type="checkbox"/> EVIDENCE OF DIVISION OF WATER RIGHTS APPROVAL FOR USE OF WATER | <input type="checkbox"/> FORM 5, IF OPERATOR IS PERSON OR COMPANY OTHER THAN THE LEASE OWNER |

NAME (PLEASE PRINT) SHELLEY E. CROZIER TITLE REGULATORY & PERMITTING SPECIALIST  
SIGNATURE Shelley E. Crozier DATE 05/17/07

(This space for State use only)

API NUMBER ASSIGNED: 43-013-33613

(11/2001)


Federal Approval of this  
Action is Necessary

(See Instructions on Reverse Side)

Approved by the  
Utah Division of  
Oil, Gas and Mining  
Date: 05-22-07  
By: [Signature]

RECEIVED  
MAY 21 2007  
DIVISION OF OIL, GAS & MINING

T5S, R4W, U.S.B.&M.



**LEGEND:**

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(NAD 83)  
 LATITUDE = 40°00'38.98" (40.010828)  
 LONGITUDE = 110°18'12.87" (110.303575)  
 (NAD 27)  
 LATITUDE = 40°00'39.12" (40.010867)  
 LONGITUDE = 110°18'10.32" (110.302867)

**BERRY PETROLEUM COMPANY**


Well location, UTE TRIBAL #14-26D-54, located as shown in the SE 1/4 SW 1/4 of Section 26, T5S, R4W, U.S.B.&M. Duchesne County, Utah.

**BASIS OF ELEVATION**

BENCH MARK (M67) LOCATED IN THE SW 1/4 OF SECTION 9, T5S, R4W, U.S.B.&M. TAKEN FROM THE DUCHESNE SE QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED ON CAP AS BEING 6097 FEET.

**BASIS OF BEARINGS**

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



**CERTIFICATE**

THIS IS TO CERTIFY THAT THE MAP AND PLAT PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME UNDER MY SUPERVISION AND THAT THE MEASUREMENTS ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



**UINTAH ENGINEERING & LAND SURVEYING**  
 85 SOUTH 200 EAST - VERNAL, UTAH 84078  
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 11-03-06	DATE DRAWN: 01-03-07
PARTY S.H. B.C. C.G.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE BERRY PETROLEUM COMPANY	

SELF-CERTIFICATION STATEMENT

The following self-certification statement is provided per federal requirements dated June 15, 1988.

Please be advised that Berry Petroleum Company is considered to be the operator of the following well.

Ute Tribal 14-26D-54

SE 1/4, SW 1/4, 176' FSL 2473' FWL, Section 26, T. 5 S., R. 4 W., U.S.B. & M.

BHL: SE 1/4, SW 1/4, 751' FSL, 1887' FWL

Lease BIA 14-20-H62-4954

Duchesne, County, Utah

Berry Petroleum Company is responsible under the terms of the lease for the operations conducted upon the lease lands.



Shelley E. Crozier  
Regulatory & Permitting Specialist  
Berry Petroleum Company  
4000 South 4028 West  
Route 2, Box 7735  
Roosevelt, Utah 84066  
435-722-1325



BERRY PETROLEUM COMPANY

Ute Tribal 14-26D-54

Surface location SE 1/4, SW 1/4, 176' FSL 2473' FWL, Section 26, T. 5 S., R. 4 W., U.S.B. & M.

BHL: SE 1/4, SW 1/4, 751' FSL, 1887' FWL

Duchesne County, Utah

ONSHORE ORDER NO. 1

DRILLING PROGRAM

**1,2 Estimated Tops of Geological Markers and Formations Expected to Contain Water, Oil and Gas and Other Minerals**

<u>Formation</u>	<u>Depth@BHL</u>	<u>Depth@SHL</u>
Uinta	On Surface	On Surface
Green River	1,214'	1,202'
Green River Upper Marker	1,807'	1,794'
Mahogany	2,469'	2,456'
Tgr3 Marker	3,476'	3,458'
Douglas Creek	4,238'	4,222'
*Black Shale	4,851'	4,835'
*Castle Peak	5,131'	5,117'
Uteland Butte Ls.	5,585'	5,567'
Wasatch	5,785'	5,768'
TD	5,885'	5,870'
Base of Moderately Saline Water (less than 10,000 ppm)	208'	192'

**\*PROSPECTIVE PAY**

**Berry is locating the well at the surface location and directionally drilling from this location to minimize surface disturbance and Berry will be able to utilize the existing road and pipelines in the area.**

**Furthermore, Berry hereby certifies that it is the sole working interest owner with 460 feet of the entire directional well bore and the remainder of the Ute Tribal section.**

**3 Pressure Control Equipment**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**4 Proposed Casing and Cementing Program**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**5 Drilling Fluids Program**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING  
PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**6 Evaluation Program**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING  
PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**7 Abnormal Conditions**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING  
PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**8 Anticipated Starting Dates and Notification of Operations**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING  
PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**9 Other information**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING  
PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**BERRY PETROLEUM COMPANY**

Ute Tribal 14-26D-54

Surface location SE 1/4, SW 1/4, 176' FSL 2473' FWL, Section 26, T. 5 S., R. 4 W., U.S.B. & M.

BHL: SE 1/4, SW 1/4, 751' FSL, 1887' FWL

Duchesne County, Utah

ONSHORE ORDER NO. 1

**MULTI POINT SURFACE USE & OPERATIONS PLAN**

**1 Existing Roads**

To reach the Berry Petroleum Company well, Ute Tribal 14-26D-54 location, in Section 26-T5S-R4W:

Start in Myton, Utah. Proceed west on US Highway 40, 8.6 miles to the Antelope Creek/Sowers Canyon Road at the Bridgeland turnoff. Turn south and proceed 6.5 miles to the Brundage Canyon Road. Turn southwest on the Brundage Canyon road and proceed west 5.7 miles. Keep proceeding southwest 0.65 miles to the Ute Tribal 14-26D-54 access road. Proceed southwest 0.1 +/- miles to the Ute Tribal 14-26D-54 location.

The existing oilfield service road may need some surface material to prevent or repair holes in the road due to heavy truck traffic during the drilling and completion operation. If repairs are made the operator will secure material from private sources.

Please see the attached map for additional details.

**2 Planned Access Road**

See Topographic Map "B" for the location of the proposed access road.

**3 Location of Existing Wells**

See Topographic Map "C" for the location of existing wells within a 1 mile radius.

**4 Location of Tank Batteries, Production Facilities and Production Gathering and Service Lines**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**5 Location and Type of Water Supply**

Water for the drilling and completion will be pumped or trucked from the Berry source wells located in Sec. 23, T5S, R5W or Sec. 24, T5S, R5W, permit # 43-11041, or from Duchesne City Culinary Water Dock located in Sec. 1, T4S, R5W or from East Duchesne Water, Arcadia Feedlot, Sec. 28, T3S, R3W or Myton (Moon) Pit, SE/NE Sec. 27, T3S, R2W or from Petroglyph Operating Company 08-04 Waterplant, Sec. 8, T5S, R3W or from Kenneth V. & Barbara U. Richens source well located in Sec. 34, T3S, R2W, permit # 43-1723 or Brundage Canyon Field produced water or Leo Foy source well located in Sec. 34, T5S, R5W, permit # 43-11324. A water use agreement is also in place with the Ute Tribe.

**6 Source of Construction Materials**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**7 Methods of Handling Waste Materials**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**8 Ancillary Facilities**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**9 Wellsite Layout**

The attached Location Layout diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, pipe racks, trailer parking, spoil dirt stockpile(s) and surface material stockpile(s)

**10 Plans for Restoration of the Surface**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006). If an Archaeological Study is preformed, all seed mixture will match Archaeological recommendation.

**11 Surface Ownership**

Ute Indian Tribe

**12 Other information**

PLEASE REFER TO BERRY PETROLEUM COMPANY STANDARD OPERATING PROCEDURE (SOP VERSION: SEPTEMBER 21, 2006).

**13 Operator's Representative and Certification**

A) Representative

NAME: Shelley E. Crozier

ADDRESS: Berry Petroleum Company  
4000 South 4028 West  
Route 2, Box 7735  
Roosevelt, Utah 84066

PHONE: 435-722-1325

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations and onshore oil and gas orders. The operator is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

The drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

**B) Certification:**

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge and belief, true and correct; and that the work associated with the operations proposed herein will be performed by Berry Petroleum Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

May 17, 2007  
DATE

Shelley E. Crozier  
Shelley E. Crozier  
Regulatory & Permitting Specialist  
Berry Petroleum Company

## APPLICATION FOR GRANT OF CORRIDOR RIGHT-OF-WAY

BERRY PETROLEUM COMPANY, having a resident or principal place of business at Route 2 Box 7735, Roosevelt, Utah, 84066, hereby files an application with the Bureau of Indian Affairs, pursuant to the terms and provisions of the Act of February 5, 1948 (62 Stat. 17; 25 U.S.C. 323), and to the regulations of the Department of the Interior contained in Title 25, Code of Federal Regulations, Part 169, for the grant of a Right-of-Way for the following purposes and reasons:

To construct a Drill Site & Corridor Right-of-Way for the Ute Tribal #14-26D-54

Across the following described Indian Lands SE 1/4 SW 1/4 & SW 1/4 SE 1/4 OF SECTION 26 & NE 1/4 NW 1/4 OF SECTION 35, T5S, R4W, U.S.B.&M.

Drill Site = 1.993

Corridor R-O-W = 0.395 Ac.  
(Access Road & Pipeline)

Total Acreage = 2.388 Acres

### **4" to 6" SDR-11 POLY PIPELINE**

Said Right-of-Way to be approximately 574.21 feet in length, 30 feet in width, and 0.395 Acres, and more particularly described and shown on the map of definite location to be attached and made a part hereof.

The applicant understands and hereby expressly agrees to the following stipulations:

- (a) To construct and maintain the Right-of-Way in a workmanlike manner.
- (b) To pay promptly all damages and compensation, in addition to the deposit made pursuant to 169.4 determined by the Secretary to be due the landowners and authorized users and occupants of the land on account of the survey, granting, construction and maintenance of the Right-of-Way.
- (c) To indemnify the landowners and authorized users and occupants against any liability for loss of life, personal injury and property damage arising from the construction, maintenance, occupancy or use of the lands by the applicant, his employees, contractors and their employees or subcontractors and their employees.
- (d) To restore the lands as nearly as may be possible to their original condition upon the completion of the construction to the extent compatible with the purpose for which the Right-of-Way was granted.
- (e) To clear and keep clear the lands within the Right-of-Way to the extent compatible with the purpose of the Right-of-Way; and to dispose of all vegetative and other material cut, uprooted, or otherwise accumulated during the construction and maintenance of the project.
- (f) To take soil and resource conservation and protection measures, including weed control, on the land covered by the Right-of-Way.

- (g) To do everything reasonable within its power to prevent and suppress fires on or near the lands to be occupied under the Right-of-Way.
- (h) To build and repair such roads, fences, and trails as may be destroyed or injured by construction work and to build and maintain necessary and suitable crossings for all roads and trails that intersect the works constructed, maintained, or operated under the Right-of-Way.
- (I) That upon revocation or termination of the Right-of-Way, the applicant shall, so far as is reasonably possible, restore the land to its original condition.
- (j) To at all times keep the Secretary informed of its address, and in case of corporations of the address of its principal officers.
- (k) That the applicant will not interfere with the use of the lands by or under the authority of the landowners for any purpose not inconsistent with the primary purpose for which the Right-of-Way is granted.

IN WITNESS THEREOF, BERRY PETROLEUM COMPANY. has caused this instrument to be executed this 12 day of Feb., 2007.

Rebekka Bingham  
WITNESS

Dwayne P. Beyer  
WITNESS

BERRY PETROLEUM COMPANY  
APPLICANT

Ed Courtright  
Ed Courtright/Production Supervisor  
Route 2 Box 7735  
Roosevelt, Utah 84066  
Phone:(435)722-1325

SUPPORTING DOCUMENTS:

- ( ) Written consent of the landowners.
- ( ) Evidence of good faith and financial responsibility.
- (x) \$21.00 estimated damages, 0.015 acres @ \$1,400.00 per acre. (Section 35)
- (x) \$0 as per the terms of the Exploration and Development Agreement (14-20-H62-4728) (Section 26)
- ( ) State certified copy of corporate charter or articles of corporation.
- ( ) Certified copy of resolution or bylaws of the corporation authorizing the filing of the stipulation
- ( ) State certification that the applicant is authorized to do business in the State where the land is located.
- ( ) Certified copy of the articles of partnership or association.
- (x) Map of definite location.
- ( ) Other:

BERRY PETROLEUM COMPANY  
UTE TRIBAL #14-26D-54  
DAMAGE AREA & CORRIDOR RIGHT-OF-WAY  
SECTIONS 26 & 35, T5S, R4W, U.S.B.&M.


TOTAL CORRIDOR RIGHT-OF-WAY ON UTE TRIBAL LANDS

TOTAL LENGTH OF RIGHT-OF-WAY IS 574.21' OR 0.109 MILES. WIDTH OF  
RIGHT-OF-WAY IS 30' (15' PERPENDICULAR ON EACH SIDE OF THE CENTERLINE).  
CONTAINS 0.395 ACRES MORE OR LESS.

ENGINEER'S AFFIDAVIT

STATE OF UTAH        }  
COUNTY OF UTAH    } SS

ROBERT L. KAY, BEING FIRST DULY SWORN DEPOSES AND STATES THAT HE IS THE REGISTERED LAND SURVEYOR, FOR BERRY PETROLEUM COMPANY, THAT THESE SURVEYS WERE MADE BY HIM (OR UNDER HIS SUPERVISION): THAT HE HAS EXAMINED THE FIELD NOTES OF THE SURVEYS OF THE DAMAGE AREA AND CORRIDOR RIGHT-OF-WAY AS DESCRIBED AND SHOWN ON THIS MAP, THAT THIS MAP WAS PREPARED UNDER HIS DIRECTION FROM SAID FIELD NOTES; AND THAT SAID RIGHT-OF-WAY, 0.109 MILES IN LENGTH BEGINNING AND ENDING AS SHOWN ON THIS MAP IS ACCURATELY REPRESENTED.



ACKNOWLEDGEMENT

SUBSCRIBED AND SWORN BEFORE ME THIS 12 DAY OF Feb 2007.

MY COMMISSION EXPIRES Aug 17, 2010.

NOTARY PUBLIC  
VERNAL, UTAH

APPLICANT'S CERTIFICATE



I, ED COURTRIGHT, DO HEREBY CERTIFY THAT I AM THE AGENT FOR BERRY PETROLEUM COMPANY, HEREINAFTER DESIGNATED THE APPLICANT; THAT ROBERT L. KAY WHO SUBSCRIBED TO THE FOREGOING AFFIDAVIT, IS EMPLOYED BY THE APPLICANT AS A LAND SURVEYOR AND THAT HE WAS DIRECTED BY THE APPLICANT TO SURVEY THE LOCATION OF THIS DAMAGE AREA AND CORRIDOR RIGHT-OF-WAY, 0.109 MILES IN LENGTH BEGINNING AT STA. 0+00 AND ENDING AT STA. 5+74.21, THAT SAID DAMAGE AREA AND CORRIDOR RIGHT-OF-WAY ARE ACCURATELY REPRESENTED ON THIS MAP; THAT SUCH SURVEY AS REPRESENTED ON THIS MAP HAS BEEN ADOPTED BY THE APPLICANT AS THE DEFINITE LOCATION OF THE RIGHT-OF-WAY THEREBY SHOWN; AND THAT THE MAP HAS BEEN PREPARED TO BE FILED WITH THE SECRETARY OF THE INTERIOR OR HIS DULY AUTHORIZED REPRESENTATIVE AS PART OF THE APPLICATION FOR SAID RIGHT-OF-WAY TO BE GRANTED THE APPLICANT, ITS SUCCESSORS AND ASSIGNS, WITH THE RIGHT TO CONSTRUCT, MAINTAIN, AND REPAIR IMPROVEMENTS, THEREON AND THEREOVER, FOR SUCH PURPOSES, AND WITH THE FURTHER RIGHT IN THE APPLICANT, ITS SUCCESSORS AND ASSIGNS TO TRANSFER THIS RIGHT-OF-WAY BY ASSIGNMENT, GRANT, OR OTHERWISE.

APPLICANT


PRODUCTION SUPERVISOR

TITLE



LOCATION DAMAGE AREA &  
CORRIDOR RIGHT-OF-WAY  
ON UTE TRIBAL LANDS

(For UTE TRIBAL #14-26D-54)  
LOCATED IN  
SECTIONS 26 & 35, T5S, R4W, U.S.B.&M.  
DUCHESNE COUNTY, UTAH




DAMAGE AREA DESCRIPTION

BEGINNING AT A POINT IN THE SE 1/4 SW 1/4 OF SECTION 26, T5S, R4W, U.S.B.&M. WHICH BEARS N30°22'49"W 397.17' FROM THE SOUTH 1/4 CORNER OF SAID SECTION 26, THENCE S64°18'15"E 303.88'; THENCE S25°41'45"W 234.44' TO A POINT ON THE SOUTH LINE OF THE SE 1/4 SW 1/4 OF SAID SECTION 26, WHICH BEARS S89°13'43"W 28.69' FROM THE SOUTH 1/4 CORNER OF SAID SECTION 26, THENCE S25°41'45"W 25.56'; THENC N64°18'15"W 51.33' TO A POINT ON THE NORTH LINE OF THE NE 1/4 NW 1/4 OF SECTION 35, T5S, R4W, U.S.B.&M. WHICH BEARS S89°13'43"W 86.03' FROM THE NORTH 1/4 CORNER OF SAID SECTION 35, THENCE N64°18'15"W 178.67'; THENCE N34°02'52"W 138.92'; THENCE N25°41'45"E 190.00'; THENCE S64°18'15"E 46.12' TO THE POINT OF BEGINNING. BASIS OF BEARINGS IS A G.P.S. OBSERVATION. CONTAINS 1.993 ACRES MORE OR LESS.

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY AND UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



UNTAH ENGINEERING & SURVEYING	
85 SOUTH - 200 EAST • (435) 789-1017	
VERNAL, UTAH - 84078	
SCALE 1" = 400'	DATE 01-03-07
PARTY S.L. B.C. C.G.	REFERENCES G.L.O. PLAT
WEATHER COLD	FILE 4 8 1 2 8

Sec. 26

1/4 Section Line

Set Marked Stone,  
Pile of Stones

LINE TABLE		
LINE	DIRECTION	LENGTH
L1	S84°44'10"W	105.71'
L2	S82°31'35"W	112.74'
L3	S55°56'38"W	95.95'
L4	S83°22'10"W	141.90'
L5	N89°36'51"W	69.41'
L6	S43°17'45"W	48.50'
L7	S64°18'15"E	303.88'
L8	S25°41'45"W	234.44'
L9	S25°41'45"W	25.56'
L10	N64°18'15"W	51.33'
L11	N64°18'15"W	178.67'
L12	N34°02'52"W	138.92'
L13	N25°41'45"E	190.00'
L14	S64°18'15"E	46.12'

CORRIDOR RIGHT-OF-WAY DESCRIPTION

A 30' WIDE RIGHT-OF-WAY 15' ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE.

BEGINNING AT A POINT IN THE SW 1/4 SE 1/4 OF SECTION 26, T5S, R4W, U.S.B.&M. WHICH BEARS N35°42'51"E 581.26' FROM THE SOUTH 1/4 CORNER OF SAID SECTION 26, THENCE S84°44'10"W 105.71'; THENCE S82°31'35"W 112.74'; THENCE S55°56'38"W 95.95'; THENCE S83°22'10"W 141.90'; THENCE N89°36'51"W 69.41'; THENCE S43°17'45"W 48.50' TO A POINT IN THE SE 1/4 SW 1/4 OF SAID SECTION 26, WHICH BEARS N30°22'49"W 397.17' FROM THE SOUTH 1/4 CORNER OF SAID SECTION 26. THE SIDE LINES OF SAID DESCRIBED RIGHT-OF-WAY BEING SHORTENED OR ELONGATED TO MEET THE GRANTOR'S PROPERTY LINES. BASIS OF BEARINGS IS A G.P.S. OBSERVATION. CONTAINS 0.395 ACRES MORE OR LESS.

SW 1/4

SE 1/4

1/16 Section Line

N00°02'35"W - 2629.40' (Meas.)

Ute Tribal

Ute Tribal

END OF PROPOSED  
CORRIDOR RIGHT-OF-WAY  
STA. 5+74.21  
(At Edge of Damage Area)

DAMAGE AREA  
UTE TRIBAL #14-26D-54  
Contains 1.993 Acres

SW Cor. Sec. 26  
1/2" Rebar, Steel

S89°13'43"W - 2611.11' (Meas.)

Ute Tribal

BEGINNING OF PROPOSED  
CORRIDOR RIGHT-OF-WAY  
STA. 0+00  
(At Edge of #15-26 Pad)

Section Line

Set Stone, Rebar

N89°44'23"W - 2629.30' (Meas.)

NOTE:  
BEGINNING STA. 0+00 BEARS N35°42'51"E 581.26' FROM THE SOUTH 1/4 CORNER OF SECTION 26, T5S, R4W, U.S.B.&M.  
  
END STA. 5+74.21 BEARS N30°22'49"W 397.17' FROM THE SOUTH 1/4 CORNER OF SECTION 26, T5S, R4W, U.S.B.&M.  
  
P.O.S.L. #1 BEARS S89°13'43"W 28.69' FROM THE SOUTH 1/4 CORNER OF SECTION 26, T5S, R4W, U.S.B.&M.  
  
P.O.S.L. #2 BEARS S89°13'43"W 86.03' FROM THE SOUTH 1/4 CORNER OF SECTION 26, T5S, R4W, U.S.B.&M.

RIGHT-OF-WAY LENGTHS			
PROPERTY OWNER	FEET	ACRES	RODS
UTE TRIBAL	574.21	0.395	34.801

BASIS OF BEARINGS



BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

▲ = SECTION CORNERS LOCATED.

NW 1/4

Sec. 35

NE 1/4



Company: Berry Petroleum  
Well: Ute Tribal 14-26D-54  
Location: Duchesne County  
State: Utah  
Rig: Unknown  
Correction:  
North: Referenced to True North



Subject: Prop Rev 0  
File Name: P06616r0.dwg  
Date: 12/28/2006  
Drawn By: Allen Slack  
Planning: (936) 442-2455  
Fax: (936) 441-6620  
Operations: (936) 441-6630  
Fax: (936) 539-1075

**MULTI-SHOT**  
WWW.MULTI-SHOTLLC.COM

The customer should only rely on this document after independently verifying all paths, targets, coordinates, lease and hard lines represented. Any decisions made or wells drilled utilizing this or any other information supplied by Multi-Shot, LLC are at the sole risk and responsibility of the customer. Multi-Shot, LLC is not responsible for the accuracy of this schematic or the information contained herein.



Job Number: P06-616  
 Company: Berry Petroleum  
 Lease/Well: Ute Tribal 14-26D-54  
 Location: Duchesne County  
 Rig Name: Unknown  
 RKB: 14'  
 G.L. or M.S.L.: 6479'


State/Country: Utah  
 Declination:  
 Grid: Referenced to True North  
 File name: F:\WELLPL~1\2006\IP06610\SIP06616\06616.SVY  
 Date/Time: 27-Dec-06 / 16:52  
 Curve Name: Prop Rev 0

WINSERVE SURVEY CALCULATIONS  
 Minimum Curvature Method  
 Vertical Section Plane 314.47  
 Vertical Section Referenced to Wellhead  
 Rectangular Coordinates Referenced to Wellhead

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE Distance FT	Direction Deg	Dogleg Severity Deg/100
KOP, 2.50°/100' Build									
827.61	.00	314.47	827.61	.00	.00	.00	.00	.00	.00
927.61	2.50	314.47	927.58	1.53	-1.56	2.18	2.18	314.47	2.50
1027.61	5.00	314.47	1027.36	6.11	-6.22	8.72	8.72	314.47	2.50
1127.61	7.50	314.47	1126.76	13.74	-13.99	19.61	19.61	314.47	2.50
Green River									
1193.55	9.15	314.47	1192.00	20.42	-20.80	29.15	29.15	314.47	2.50
Hold 9.61° Inc									
1211.98	9.61	314.47	1210.18	22.53	-22.95	32.16	32.16	314.47	2.50
Green River Upper Marker									
1791.94	9.61	314.47	1782.00	90.35	-92.03	128.97	128.97	314.47	.00
Mahogany									
2461.33	9.61	314.47	2442.00	168.63	-171.76	240.70	240.70	314.47	.00
Tgr3 Marker									
3485.70	9.61	314.47	3452.00	288.42	-293.78	411.70	411.70	314.47	.00
Douglas Creek									
4259.56	9.61	314.47	4215.00	378.92	-385.96	540.87	540.87	314.47	.00
Black Shale									
4890.41	9.61	314.47	4837.00	452.69	-461.11	646.18	646.18	314.47	.00
Castle Peak									
5158.17	9.61	314.47	5101.00	484.00	-493.00	690.87	690.87	314.47	.00

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE Distance FT	Direction Deg	Dogleg Severity Deg/100
<b>Uteland Butte Ls.</b>									
5626.74	9.61	314.47	5563.00	538.80	-548.81	769.09	769.09	314.47	.00
<b>Wasatch</b>									
5837.70	9.61	314.47	5771.00	563.47	-573.94	804.30	804.30	314.47	.00
<b>PBHL</b>									
5938.11	9.61	314.47	5870.00	575.21	-585.90	821.06	821.06	314.47	.00





Berry Petroleum Company

## Brundage Canyon Project

Directional Drilling Plat

Ute Tribal #14-26D-54

Sec 26 T5S R4W - Duchesne Co, Utah



POSTED WELL DATA

Well Label

ATTRIBUTE MAP



Any Raster Log IS PRESENT


Any Digital Log IS PRESENT

WELL SYMBOLS

- ▲ Approved APD
- ▲ W/O BLM
- ▲ W/O Onsite
- APD - W/O Survey
- ◆ Geologic Prognosis Prepared
- Oil Well
- Location Only
- ⬆ Drilled 2007
- ⬆ W/O Arch
- ◆ Working on APD

May 9, 2007

T5S, R4W, U.S.B.&M.



**LEGEND:**

- └ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(NAD 83)  
 LATITUDE = 40°00'38.98" (40.010828)  
 LONGITUDE = 110°18'12.87" (110.303575)  
 (NAD 27)  
 LATITUDE = 40°00'39.12" (40.010867)  
 LONGITUDE = 110°18'10.32" (110.302867)

**BERRY PETROLEUM COMPANY**


Well location, UTE TRIBAL #14-26D-54, located as shown in the SE 1/4 SW 1/4 of Section 26, T5S, R4W, U.S.B.&M. Duchesne County, Utah.

**BASIS OF ELEVATION**

BENCH MARK (M67) LOCATED IN THE SW 1/4 OF SECTION 9, T5S, R4W, U.S.B.&M. TAKEN FROM THE DUCHESNE SE QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED ON CAP AS BEING 6097 FEET.

**BASIS OF BEARINGS**

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.




**CERTIFICATE**

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*[Signature]*  
 REGISTERED LAND SURVEYOR  
 REGISTRATION NO. 161319  
 STATE OF UTAH

**UINTAH ENGINEERING & LAND SURVEYING**  
 85 SOUTH 200 EAST - VERNAL, UTAH 84078  
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 11-03-06	DATE DRAWN: 01-03-07
PARTY S.H. B.C. C.G.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE BERRY PETROLEUM COMPANY	



Berry Petroleum Company,  
Ute Tribal #14-26D-54 well:  
A Cultural Resource Inventory for a well pad,  
its access and pipeline,  
Uintah-Ouray Ute Reservation,  
Duchesne County, Utah

By

James A. Truesdale

James A. Truesdale  
Principle Investigator

Prepared For  
Berry Petroleum Co.  
1614 South 2000 West  
Roosevelt, Utah  
84066

Prepared By  
AN INDEPENDENT ARCHAEOLOGIST  
P.O.Box 153  
Laramie, Wyoming  
82073

Utah Project # U-07-AY-0096(i)

May 3, 2007

## Table of Contents

Table of Contents - - - - -	i
List of Figures - - - - -	ii
Introduction - - - - -	1
File Search - - - - -	1
Environment - - - - -	3
Ute Tribal #14-26D-54 - - - - -	4
Field Methods - - - - -	6
Results - - - - -	7
Recommendations - - - - -	7
References Cited - - - - -	8



## List of Figures

- Figure 1. Location of the Berry Petroleum Co.'s proposed Ute Tribal #14-26D-54 well, its access and pipeline on 7.5'/1964 USGS quadrangle map Duchesne SE, Duchesne County, Utah. - - - - - 2
- Figure 2. View to northeast at the proposed Ute Tribal #14-26D-54 well centerstake and well pad area. - - - - - 4
- Figure 3. Overhead view of colluvial sediments that are located on and surround the proposed Ute Tribal #14-26D-54 well centerstake and well pad area. - - - - - 5

## Introduction

An Independent Archaeologist (AIA) was contacted by a representative of Berry Petroleum Co., to conduct a cultural resource investigation of the Ute Tribal #14-26D-54 well, its access and pipeline. The location of the project area is in the SW/SW/SE 1/4 of Section 26, T5S, R4W, Duchesne County, Utah (Figure 1).

The proposed Ute Tribal #14-26D-54 well's centerstake (Alternate #1) footage is 176' FSL, 2473' FWL. The Universal Transverse Mercator (UTM) coordinate for the proposed Ute Tribal #14-26D-54 well is Zone 12, North American Datum (NAD) 83, 5/69/436.92 mE 44/29/192.60 mN.

From an existing oil and gas field service road and pipeline, the Ute Tribal #14-26D-54 well's proposed access and pipeline trend north 600 feet (182.9 m) to the well pad.

The land surface is administered by the United States, Bureau of Indian Affairs, Phoenix Area Office, Uintah-Ouray Agency, and the Uintah-Ouray Ute tribe, Fort Duchesne, Utah. A total of 12.74 acres (10 block, 2.74 linear) was surveyed. Fieldwork was authorized through an access permit issued by the Energy and Minerals Resource Division of the Uintah-Ouray Ute tribe. The fieldwork was conducted on April 25, 2007 by AIA archaeologists James Truesdale, and accompanied by Audie Appawoo (technician, Energy and Minerals Resource Division, Uintah-Ouray Ute tribe). All the field notes and maps are located in the AIA office in Laramie, Wyoming.

## File Search

A GIS file search was conducted at the Utah Division of State History (UDSH), Antiquities Section, Records Division on February 22, 2007. In addition, AIA's USGS quadrangle Duchesne SE base map was updated from UDSH Records division Duchesne SE base map in November of 2003 and again on February 2, 2004. The UDSH SHPO GIS file search indicated that nine previous projects (U-04-MQ-408, U-04-MQ-506, U-04-MQ-852, U-05-AY-159, U-05-AY-160, U-05-AY-335, U-05-MQ-433, U-05-MQ-434 and U-05-AY-861) have been conducted in the general area (Section 26, T5S R4W). In addition, nine sites (42DC1745, 42DC1747, 42UN1849, 42DC1850, 42DC1851, 42DC1852, 42DC1989 and 42DC2014) have been previously recorded in Section 26 of T5S R4W

In addition, review of AIA records and maps indicates that three additional surveys (U-06-AY-838, U-06-AY-1602 and U-06-AY-




Figure 1. Location of Berry Petroleum Co.'s proposed Ute Tribal #14-26D-54 well, its access and pipeline on 7.5'/1996 USGS quadrangle map Duchesne SE, Duchesne County, Utah.

1602i) had been previously conducted and one site (42DC2189) previously recorded in Section 26 of T5S R4W.

None of these past project and/or sites are located along the large southwest to northeast trending ridge that the present project is located.

### Environment

Physiographically, the project is located in the Uinta Basin, approximately 25 miles southwest of Myton, Utah. The Uinta Basin is structurally the lowest part of the Colorado Plateau geographical province (Thornbury 1965:425). The Uinta Basin is a large, relatively flat, bowl shaped, east-west asymmetrical syncline near the base of the Uinta Mountains (Stokes 1986:231). The topography is characteristic of sloping surfaces that incline northward and are mainly dip slopes on the harder layers of Green River and Uinta Formations. The terrain is characterized as having steep ridges and/or buttes of Uintah Formation sandstones and clays dissected by seasonal drainages and washes with wide flat alluvial plains. The basin contains a thick section of more than 9000 feet (2743.9 m) of early Tertiary rocks (Childs 1950). These rocks are mainly Paleocene and Eocene in age and consist of sandstone, clay and shale lacustrine, fluviatile, and deltaic continental deposits, most famous of which are the lacustrine Green River Beds.

The project area is located on a southwest to northeast trending ridge whose slopes are located directly east of Nutters Canyon. The ridge is part of a much larger ridge system that is located between the Nutters Canyon to the west and the Right Fork of Antelope Canyon to the east. Portions of the desert hardpan and bedrock in the project area are covered with aeolian sand that may reach a depth of over 50 to 100 centimeters in areas. Nutters Canyon trends northeast approximately 1 1/2 miles to Sowers Creek, which then trends about 2 miles northeast to Antelope Creek that continues 10 miles north to the Duchesne River.

Vegetation in the project area is characteristic of a Pinyon/Juniper community. Species observed in the project area include; Pinyon pine (Pinus Edulis), juniper (Juniperus Osteosperma), curl-leaf mountain mahogany (Cercocarpus ledifolius), shadscale (Atriplex confertifolia), sand sage, (Artemesia filifolia), saltbush (Atriplex nuttallii), rabbitbrush (Chrysothamnus viscidiflorus), winterfat (Eurotia lanata), greasewood (Sarcobatus baileyi), Indian ricegrass (Oryzopsis hymenoides), desert needlegrass (Stipa speciosa), wild buckwheat (Eriogonum ovalifolium), silky lupine (Lupinus sericeus), desert globemallow (Bromus tectorum), sky rocket (Gilia aggregata), Tansy leaved evening primrose (Oenothera tanacetifolia), Rydberg's Penstemon (Penstemon rydbergi), Stemless Hymenoxys

(Hymenoxys acaulis), Sego Lily (Calochortus nuttallii), peppergrass (Lepidium perfoliatum), Russian thistle (Salsola kali), Simpson's Hedgehog cactus (Pediocactus simpsonii) and prickly pear cactus (Opuntia spp.).

Ute Tribal #14-26D-54

The immediate Berry Petroleum Co. Ute Tribal #14-26D-54 well centerstake and well pad area is situated on a small bench that is located along the southeastern slope of a small southwest to northeast trending ridge. (Figure 1). This small ridge is a part of the eastern drainage slope of a much larger southwest to northeast trending ridge system that is located between the



Figure 2. View to northeast at the proposed Ute Tribal #14-26D-54 well centerstake and well pad area.

Right Fork of Antelope Canyon to the east and Nutters Canyon to the northwest. Vegetation on and surrounding the well location is dominated by a Pinion/Juniper forest with an under story of mountain mahogany, big sagebrush, bud sage, buckwheat, yucca, prickly pear cactus, wild buckwheat and bunchgrasses (crested wheatgrass, Indian rice grass). A low sagebrush community consisting of sagebrush, saltbush, rabbitbrush, bunchgrasses and prickly pear cactus can be found in the open areas along the broad open flats on top of the ridge. Sediments are colluvial in



nature. These colluvial deposits consists of shallow (<5 cm), poorly sorted, loosely compacted, tan to light brown sandy clay loam mixed with small to medium sized angular pieces of sandstone, clay and shale (Figure 3). The elevation is 6478 feet (1975 m) AMSL.

From an existing oil and gas field service road and pipeline, the Ute Tribal #14-26D-54 well's proposed access and pipeline parallel each other and trend 600 feet (182.9 m) along the base of the southeastern talus slope of a small southwest to northeast trending ridge to the well pad. Sediments along the access and pipeline are colluvial in nature. These colluvial deposits consist of shallow (<5 to 20 cm), poorly sorted, loosely compacted, tan to light brown, sandy clay loam colluvium mixed with small to large sized flat angular pieces of Uinta formation sandstones, clay and shales. Exposures of sandstone, clay and shale bedrock can be found eroding from the ridge's talus slopes. Vegetation along the access and pipeline is dominated by Pinyon and Juniper trees with an understory of mountain mahogany, low sage, yucca and prickly pear cactus.




Figure 3. Overhead view of the colluvial sediments that are located on and surrounding the proposed Ute Tribal #14-26D-54 centerstake and well pad area.

The surrounding landscape exhibits exposures relatively thick

ledges of sandstone with thinner layers of clay and shale. The surrounding vegetation is dominated by a Pinyon/Juniper community with a understory of mountain mahogany, low sagebrush, yucca, bunchgrasses along the hill and ridge slopes, and low sagebrush community in the ridge top flats and open parks.

### Field Methods

A total of 10 acres was surveyed on and around the proposed Ute Tribal #14-26D-54 well centerstake Alternate #1 location to allow for relocation of the pad if necessary. The proposed access and pipeline parallel each other. Each of these linear corridors surveyed are 600 feet (182.9 m) long and 100 feet (30.4 m) wide, 1.37 acres. Thus, 2.74 linear acres was surveyed.

Geologic landforms (rockshelters, alcoves, ridge tops and saddles) and areas of subsurface exposure (ant hills, blowouts, rodent holes and burrow, eroding slopes and cutbanks) were examined with special care in order to locate cultural resources (sites, isolates) and possibly help assess a site's sedimentary integrity and potential for the presence and/or absence of buried intact cultural deposits. The entire surface area of ridge tops was covered. All exposures of sandstone cliff faces, alcoves or rockshelter, and talus slopes were surveyed.

When cultural materials are discovered, a more thorough survey of the immediate vicinity is conducted in order to locate any associated artifacts and to determine the horizontal extent (surface area) of the site. If no other artifacts are located during the search then the initial artifact was recorded as an isolated find. At times, isolated formal tools (typical end scrapers, projectile points) were drawn and measured. The isolate was then described and its location plotted on a U.S.G.S. topographic map and UTM coordinates are recorded.

When sites are found an Intermountain Antiquities Computer System (IMACS) form was used to record the site. At all sites, selected topographic features, site boundaries, stone tools and cultural features (hearths, foundations, trash dumps and trails) are mapped. Sites were mapped with a Brunton compass and pacing off distances from a mapping station (datum). All debitage is inventoried using standard recording techniques (Truesdale et al 1995:7) according to material type, basic flake type, and so on. Selected (mostly complete) stone tools and projectile points are drawn and measured. All features (rockart panel(s), hearths, foundations, trash dumps and trails) are measured and described, while selected features are either drawn or photographed.

Site location data is recorded by a GARMIN Global Positioning System (GPS III Plus) and/or an E-Trex GPS. Site elevation and Universal Transverse Mercator (UTM) grid data, its Estimated

Position Error (EPE) and Dilution of Precision (DOP) were recorded. Using the GPS data, the site location was then placed on a USGS 7.5' quadrangle map.

### Results

A total of 12.74 acres (10 block, 2.74 linear) were surveyed for cultural resources on and around the Berry Petroleum Co.'s Ute Tribal #14-26D-54 (Alternate #1) well location, and along its access and pipeline. No cultural resources (sites, isolates) were recorded during the survey.

Modern trash (plastic soda pop, oil and antifreeze bottles, clear, green, and brown bottle glass, wire, foam insulation and sanitary food cans) can be found throughout the Brundage Canyon, Nutters Canyon, Sowers Canyon and Antelope Canyon oil and gas fields, especially along the service roads.

### Recommendations

A total of 12.74 acres (10 block, 2.74 linear) were surveyed for cultural resources on and around Ute Tribal #14-26D-54 (Alternate #1) well location, and along its access and pipeline. No cultural resources (sites, isolates) were recorded during the survey.

Modern trash (plastic soda pop, oil and antifreeze bottles, clear, green, and brown bottle glass, sanitary food cans, wire, foam insulation and miscellaneous metal scraps) can be found throughout the Brundage, Sowers and Antelope Canyon oil and gas fields and along the service roads.

Sediments on the well pad and along its access and pipeline are shallow (<5 cm). Therefore, the possibility of buried and intact cultural materials located on the well pad or along its proposed access and pipeline corridor is low. Thus, no additional archaeological work is necessary and clearance is recommended for the construction of the Ute Tribal #14-26D-54 well pad, its access and pipeline corridor located within the Uintah-Ouray Ute Reservation.



## REFERENCES CITED

Childs, O.E.

1950 Geologic history of the Uinta Basin, Utah Geological and Mineralogical Survey. Guidebook to the Geology of Utah, No. 5:49-59.

Stokes, William Lee

1986 Geology of Utah. Contributions by Utah Museum of Natural History, and the Utah Geological and Mineral Survey Department of Natural Resources. Utah Museum of Natural History, Occasional Papers, Number 6.

Thornbury, William D.

1965 Regional Geomorphology of the United States. John Wiley & Sons, Inc.

Truesdale, James A., Kathleen E. Hiatt, and Clifford Duncan

1995 Cultural Resource Inventory of the Proposed Ouray Gravel Pit Location, Uintah-Ouray Ute Reservation, Uintah County, Utah. Report prepared for U & W Construction, Ft. Duchesne, Utah by AIA, Laramie, Wyoming.

# BERRY PETROLEUM COMPANY

UTE TRIBAL #14-26D-54

LOCATED IN DUCHESNE COUNTY, UTAH

SECTION 26, T5S, R4W, U.S.B.&M.



PHOTO: VIEW OF LOCATION STAKE

CAMERA ANGLE: NORTHEASTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: SOUTHWESTERLY



- Since 1964 -

UELS

Uintah Engineering & Land Surveying

85 South 200 East Vernal, Utah 84078  
435-789-1017 uels@uelsinc.com

TOPOGRAPHIC  
MAP

01 03 07  
MONTH DAY YEAR

TAKEN BY: S.H.

DRAWN BY: B.C.

REVISED: 00-00-00


PHOTO

# BERRY PETROLEUM COMPANY

## LOCATION LAYOUT FOR

UTE TRIBAL #14-26D-54  
SECTION 26, T5S, R4W, U.S.B.&M.

176' FSL 2473' FWL



SCALE: 1" = 50'  
DATE: 01-03-07  
DRAWN BY: C.G.

**NOTE:**  
Flare Pit is to be located a min. of 100' from the Well Head.

Reserve Pit Backfill & Spoils Stockpile

Flare Pit C-5.8' El. 82.0'  
C-13.8' El. 80.0' (Btm. Pit)

Section 26  
Section 35

10' WIDE BENCH/DIKE

RESERVE PITS  
(10' Deep)

Total Pit Capacity  
w/2' of Freeboard  
= 12,070 Bbls. ±  
Total Pit Volume  
= 3,390 Cu. Yds.

1 1/2:1 Slope

C-5.8' El. 72.0' (Btm. Pit)

GRADE El. 76.2'

F-2.1' El. 74.1'

F-14.3' El. 61.9'

C-13.9' El. 90.1'

Approx. Top of Cut Slope

C-8.3' El. 84.5'

Proposed Access Road

Sta. 3+00

C-14.2' El. 90.4'

Round Corners as Needed

N45°05'20"W 817.77'  
(to Bottom Hole)

DATA

150'

CATWALK

PIPE RACKS

C-2.5' El. 78.7'

DOG HOUSE

RIG

C-4.5' El. 80.7'

MUD TANKS

PUMP

MUD SHED

HOPPER

POWER

TOOLS

FUEL

STORAGE TANK

TRASH

TOILET

TRAILER


F-7.8' El. 68.4'

Approx. Toe of Fill Slope

Existing Drainage

Sta. 0+00

Sta. 1+50



Elev. Ungraded Ground at Location Stake = 6478.7'  
Elev. Graded Ground at Location Stake = 6476.2'

UINTAH ENGINEERING & LAND SURVEYING  
85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017


# BERRY PETROLEUM COMPANY

## TYPICAL CROSS SECTIONS FOR

UTE TRIBAL #14-26D-54  
SECTION 26, T5S, R4W, U.S.B.&M.  
176' FSL 2473' FWL

1" = 20'  
X-Section  
Scale  
1" = 50'

DATE: 01-03-07  
DRAWN BY: C.G.




### APPROXIMATE YARDAGES

CUT  
(12") Topsoil Stripping = 2,750 Cu. Yds.  
Remaining Location = 7,970 Cu. Yds.  
TOTAL CUT = 10,720 CU.YDS.  
FILL = 6,270 CU.YDS.

EXCESS MATERIAL = 4,450 Cu. Yds.  
Topsoil & Pit Backfill = 4,450 Cu. Yds.  
(1/2 Pit Vol.)  
EXCESS UNBALANCE = 0 Cu. Yds.  
(After Interim Rehabilitation)

UINTAH ENGINEERING & LAND SURVEYING  
85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017



# **LEGEND:**

○ PROPOSED LOCATION

N

## **BERRY PETROLEUM COMPANY**

UTE TRIBAL #14-26D-54

SECTION 26, T5S, R4W, U.S.B.&M.

176' FSL 2473' FWL



Uintah Engineering & Land Surveying  
85 South 200 East Vernal, Utah 84078  
(435) 789-1017 \* FAX (435) 789-1813


TOPOGRAPHIC  
MAP

01 03 07  
MONTH DAY YEAR

SCALE: 1:100,000 DRAWN BY: B.C. REVISED: 00-00-00

A  
TOPO





# LEGEND:

EXISTING ROAD  
 PROPOSED ACCESS ROAD



## BERRY PETROLEUM COMPANY

UTE TRIBAL #14-26D-54  
 SECTION 26, T5S, R4W, U.S.B.&M.  
 176' FSL 2473' FWL



Uintah Engineering & Land Surveying  
 85 South 200 East Vernal, Utah 84078  
 (435) 789-1017 \* FAX (435) 789-1813


TOPOGRAPHIC  
 MAP

01 03 07  
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: B.C. REVISED: 00-00-00







# LEGEND:

- DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED



**Uintah Engineering & Land Surveying**  
 85 South 200 East Vernal, Utah 84078  
 (435) 789-1017 \* FAX (435) 789-1813

# BERRY PETROLEUM COMPANY

UTE TRIBAL #14-26D-54  
 SECTION 26, T5S, R4W, U.S.B.&M.  
 176' FSL 2473' FWL


TOPOGRAPHIC  
 MAP

01 03 07  
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: B.C. REVISED: 00-00-00







**APPROXIMATE TOTAL PIPELINE DISTANCE = 635' +/-**

**LEGEND:**

- PROPOSED ACCESS ROAD
- EXISTING PIPELINE
- - - - PROPOSED PIPELINE
- - - - PROPOSED PIPELINE (SERVICING OTHER WELLS)



**BERRY PETROLEUM COMPANY**

**UTE TRIBAL #14-26D-54**  
**SECTION 26, T5S, R4W, U.S.B.&M.**  
**176' FSL 2473' FWL**



**Uintah Engineering & Land Surveying**  
 85 South 200 East Vernal, Utah 84078  
 (435) 789-1017 \* FAX (435) 789-1813

**TOPOGRAPHIC MAP**

**SCALE: 1" = 1000'** **DRAWN BY: B.C.** **REvised: 00-00-00**





**WORKSHEET**  
**APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 05/21/2007

API NO. ASSIGNED: 43-013-33673

WELL NAME: UTE TRIBAL 14-26D-54

OPERATOR: BERRY PETROLEUM COMPANY ( N2480 )

PHONE NUMBER: 435-722-1325

CONTACT: SHELLY CROZIER

PROPOSED LOCATION:

SESW 26 050S 040W

SURFACE: 0176 FSL 2473 FWL

BOTTOM: 0751 FSL 1887 FWL

COUNTY: DUCHESNE

LATITUDE: 40.01087 LONGITUDE: -110.3029

UTM SURF EASTINGS: 559499 NORTHINGS: 4428986

FIELD NAME: BRUNDAGE CANYON ( 72 )

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 2 - Indian

LEASE NUMBER: 14-20-H62-4954

PROPOSED FORMATION: GRRV

SURFACE OWNER: 2 - Indian

COALBED METHANE WELL? NO

RECEIVED AND/OR REVIEWED:

☒ Plat  
☒ Bond: Fed[] Ind[2] Sta[] Fee[]  
(No. RLB0005651 )  
☒ Potash (Y/N)  
☒ Oil Shale 190-5 (B) or 190-3 or 190-13  
☒ Water Permit  
(No. 43-11041 )  
☒ RDCC Review (Y/N)  
(Date: )  
☒ Fee Surf Agreement (Y/N)  
☒ Intent to Commingle (Y/N)

LOCATION AND SITING:

\_\_\_ R649-2-3.  
Unit: \_\_\_\_\_  
\_\_\_ R649-3-2. General  
Siting: 460 From Qtr/Qtr & 920' Between Wells  
\_\_\_ R649-3-3. Exception  
\_\_\_ Drilling Unit  
Board Cause No: \_\_\_\_\_  
Eff Date: \_\_\_\_\_  
Siting: \_\_\_\_\_  
☒ R649-3-11. Directional Drill

COMMENTS:

*Sop, Separate File*

STIPULATIONS:

*1- Seismic Approval  
2- Seismic Strip*

BERRY TRIBAL  
15-23-54

MOON TRIBAL  
16-23-54

T5S R4W

MOON TRIBAL  
1-27-54

UTE TRIBAL  
4-26D-54

BHL  
4-26D-54

UTE TRIBAL  
2-26-54

## BRUNDAGE CANYON FIELD

UTE TRIBAL  
25-6

MOON TRIBAL  
8-27-54

UTE TRIBAL 6-26D-54  
UTE TRIBAL 5-26-54

BHL  
6-26D-54

BHL  
7-26D-54

UTE TRIBAL  
25-5

26

UTE TRIBAL 7-26D-54  
UTE TRIBAL 10-26D-54

UTE TRIBAL  
9-26

UTE TRIBAL  
11-25-54

UTE TRIBAL  
11-26-54

BHL  
10-26D-54

BHL  
14-26D-54

UTE TRIBAL  
13-26-54

UTE TRIBAL  
14-26D-54

UTE TRIBAL  
3-35-54

UTE TRIBAL  
1-34

BHL  
8-34D-54

UTE TRIBAL  
5-35-54

BERRY TRIBAL  
8-34D-54

UTE TRIBAL  
1-35-54

UTE TRIBAL  
7-35-54

35

UTE TRIBAL  
11-35-54

36

OPERATOR: BERRY PETRO CO (N2480)

SEC: 26 T.5S R.4W

FIELD: BRUNDAGE CANYON (72)

COUNTY: DUCHESNE

SPACING: R649-3-11 / DIRECTIONAL DRILLING

**Field Status**


- ABANDONED
- ACTIVE
- COMBINED
- INACTIVE
- PROPOSED
- STORAGE
- TERMINATED

**Unit Status**

- EXPLORATORY
- GAS STORAGE
- NF PP OIL
- NF SECONDARY
- PENDING
- PI OIL
- PP GAS
- PP GEOTHERML
- PP OIL
- SECONDARY
- TERMINATED

### Wells Status

- GAS INJECTION
- GAS STORAGE
- LOCATION ABANDONED
- NEW LOCATION
- PLUGGED & ABANDONED
- PRODUCING GAS
- PRODUCING OIL
- SHUT-IN GAS
- SHUT-IN OIL
- TEMP. ABANDONED
- TEST WELL
- WATER INJECTION
- WATER SUPPLY
- WATER DISPOSAL
- DRILLING



Utah Oil Gas and Mining



PREPARED BY: DIANA MASON  
DATE: 22-MAY-2007



**State of Utah**

**Department of  
Natural Resources**

MICHAEL R. STYLER  
*Executive Director*

**Division of  
Oil, Gas & Mining**

JOHN R. BAZA  
*Division Director*

JON M. HUNTSMAN, JR.  
*Governor*

GARY R. HERBERT  
*Lieutenant Governor*

May 22, 2007

Berry Petroleum Company  
Rt. 2, Box 7735  
Roosevelt, UT 84066

Re: Ute Tribal 14-26D-54 Well, Surface Location 176' FSL, 2473' FWL, SE SW,  
Sec. 26, T. 5 South, R. 4 West, Bottom Location 751' FSL, 1887' FWL,  
SE SW, Sec. 26, T. 5 South, R. 4 West, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-33673.

Sincerely,

Gil Hunt  
Associate Director

pab  
Enclosures

cc: Duchesne County Assessor  
Bureau of Land Management, Vernal Office

Operator: Berry Petroleum Company  
Well Name & Number Ute Tribal 14-26D-54  
API Number: 43-013-33673  
Lease: 14-20-H62-4954

Surface Location: SE SW      Sec. 26      T. 5 South      R. 4 West  
Bottom Location: SE SW      Sec. 26      T. 5 South      R. 4 West

### Conditions of Approval

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dustin Doucet at (801) 538-5281

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
5. In accordance with Utah Admin. R. 649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.
6. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

RECEIVED  
VERNAL FIELD OFFICE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
2007 MAY 18 PM 4:03  
DEPT. OF THE INTERIOR  
BUREAU OF LAND MGMT.

FORM APPROVED  
OMB No. 1004-0137  
Expires March 31, 2007



APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. TYPE OF WORK <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. 14-20-H62-4954
1b. Type of Well: <input checked="" type="checkbox"/> Oil well <input type="checkbox"/> Gas well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single zone <input type="checkbox"/> Multiple zone		6. If Indian, Allottee or Tribe Name UTE
2. Name of Operator BERRY PETROLEUM COMPANY		7. Unit or CA Agreement, Name and No. N/A
3a. Address 4000 SOUTH 4028 WEST RT. 2 BOX 7735, ROOSEVELT, UT. 84066	3b. Phone No. (include area code) (435) 722-1325	8. Lease Name and Well No. UTE TRIBAL 14-26D-54
4. Location of Well (Report location clearly and in accordance with any State requirements.) At surface (SE/SW) 176' FSL, 2473' FWL At proposed prod. zone (SE/SW) 751' FSL 1887' FWL		9. API Well No. 43103.33673
10. Field and Pool, or Exploratory BRUNDAGE CANYON		11. Sec., T. R. M. or BLK. and Survey or Area SEC. 26, T.5S., R.4W. U.S.B.&M.
14. Distance in miles and direction from nearest town or post office* 21.6 MILES FROM MYTON, UTAH		12. County or Parrish DUCHESNE
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drg. Unit line, if any) 176'		13. State UTAH
16. No. of acres in lease 640		17. Spacing Unit dedicated to this well 40
18. Distance from proposed* to nearest well, drilling, completed, applied for, on this lease, ft. 2000'		20. BLM/BIA Bond No. on file UTB000035 / RLB0005750
21. Elevations (Show whether DF, KDB, RT, GR, etc.) 6476' GR		22. Approximate date work will start* REFER TO BPC SOP PLAN
		23. Estimated duration REFER TO BPC SOP PLAN

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see item 20 above).
- Operator certification.
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature 	Name (Printed/Typed) SHELLEY E. CROZIER	Date 05/17/07
Title REGULATORY & PERMITTING SPECIALIST		
Approved by (Signature) 	Name (Printed/Typed) JERRY KOWICKA	Date 7-16-2007
Title Assistant Field Manager Lands & Mineral Resources		
Office VERNAL FIELD OFFICE		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*(Instructions on page 2)

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED

RECEIVED

JUL 23 2007

DIV. OF OIL, GAS & MINING



UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
VERNAL FIELD OFFICE

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



**CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL**

**Company:** Berry Petroleum Company      **Location:** SESW, Sec. 26, T5S, R4W  
**Well No:** Ute Tribal 14-26D-54      **Lease No:** 14-20-H62-4954  
**API No:** 43-013-33673      **Agreement:** N/A

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	James Ashley	(435) 781-4470	(435) 828-7874
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
NRS/Enviro Scientist:	Paul Buhler	(435) 781-4475	(435) 828-4029
NRS/Enviro Scientist:	Karl Wright	(435) 781-4484	
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	
NRS/Enviro Scientist:	Chuck MacDonald	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:	Jannice Cutler	(435) 781-3400	
NRS/Enviro Scientist:	Michael Cutler	(435) 781-3401	
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	
NRS/Enviro Scientist:	Darren Williams	(435) 781-4447	
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	

Fax: (435) 781-4410

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR  
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

**NOTIFICATION REQUIREMENTS**

Construction Activity	- The Ute Tribe Energy & Minerals Dept. shall be notified in writing 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion	- Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion.
Spud Notice (Notify Petroleum Engineer)	- Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to running casing and cementing all casing strings.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	- Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

***SURFACE USE PROGRAM  
CONDITIONS OF APPROVAL (COAs)***

**Specific Surface COAs**

**Additional Stipulations:**

- 1) Paint tanks desert tan.
- 2)

**General Conditions of Approval**

- A 30' foot corridor right-of-way shall be approved. Upon completion of each pipeline in corridor, they shall be identified and filed with the Ute Tribe.
- A qualified Archaeologist accompanied by a Tribal Technician will monitor trenching construction of pipeline.
- The Ute Tribe Energy & Minerals Department is to be notified, in writing 48 hours prior to construction of pipeline.
- Construction Notice shall be given to the department on the Ute Tribe workdays, which are Monday through Thursday. The Company understands that they may be responsible for costs incurred by the Ute Tribe after hours.
- The Company shall inform contractors to maintain construction of pipelines within the approved ROWs.
- The Company shall assure the Ute Tribe that "ALL CONTRACTORS, INCLUDING SUB-CONTRACTORS, LEASING CONTRACTORS, AND ETC." have acquired a current and valid Ute Tribal Business License and have "Access Permits" prior to construction, and will have these permits in all vehicles at all times.
- You are hereby notified that working under the "umbrella" of a company does not allow you to be in the field, and can be subject to those fines of the Ute Tribe Severance Tax Ordinance.
- Any deviation of submitted APD's and ROW applications the Companies will notify the Ute Tribe and BIA in writing and will receive written authorization of any such change with appropriate authorization.
- The Company will implement "Safety and Emergency Plan." The Company's safety director will ensure its compliance.
- All Company employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APDs and/or ROW permits/authorizations on their person(s) during all phases of construction.
- All vehicular traffic, personnel movement, construction/restoration operations shall be confined to the area examined and approved, and to the existing roadways and/or evaluated access routes.

- All personnel shall refrain from collecting artifacts, any paleontological fossils, and from disturbing any significant cultural resources in the area.
- The personnel from the Ute Tribe Energy & Minerals Department shall be notified shall cultural remains from subsurface deposits be exposed or identified during construction. All construction will cease.
- All mitigative stipulations contained in the Bureau of Indian Affairs Site Specific Environmental Assessment (EA) will be strictly adhered.
- Upon completion of Application for Corridor Right-Way, the company will notify the Ute Tribe Energy & Minerals Department, so that a Tribal Technician can verify Affidavit of Completion.



## **DOWNHOLE CONDITIONS OF APPROVAL**

### **SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL**

- Production casing cement shall be brought up and into the surface.
- All blow back fluids from completion operations shall be contained in such a manner that no oil reaches the reserve pit.

**All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to.** The following items are emphasized:

### **DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS**

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- Chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

## **OPERATING REQUIREMENT REMINDERS:**

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - Unit agreement and/or participating area name and number, if applicable.
  - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core

data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

## DIVISION OF OIL, GAS AND MINING

### **SPUDDING INFORMATION**

Name of Company: BERRY PETROLEUM COMPANY

Well Name: UTE TRIBAL 14-26D-54

Api No: 43-013-33673 Lease Type: INDIAN

Section 26 Township 05S Range 04W County DUCHESNE

Drilling Contractor CRAIG'S ROUSTABOUT SERV RIG # RATHOLE

### **SPUDDED:**

Date 08/06/07

Time 10:00 AM

How DRY

**Drilling will Commence:** \_\_\_\_\_

Reported by TIM McDONALD

Telephone # (435)722-1325

Date 08/06/07 Signed CHD

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE- Other instructions on reverse side.**

1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator **Berry Petroleum Company**

3a. Address  
**950 17th Street Suite 2400 Denver, CO 80202**

3b. Phone No. (include area code)  
**303 825-3344**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

(SESW) 176 FSL, 2473 FWL  
BHL: (SESW) 751 FSL, 1887 FWL

*T055 R04W 3-26*

5. Lease Serial No.

**14-20-H62-4954**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

**Ute Tribal 14-26D-54**

9. API Well No.

**43-013-33673**

10. Field and Pool, or Exploratory Area

**Brundage Canyon**

11. County or Parish, State

**Duchesne County, Utah**

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other Spud
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

**Please be advised that the Ute Tribal 14-26D-54 was spud on 08/07/2007.**

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

**Lauren Naumovich**

Title **Regulatory**

Signature

*Lauren Naumovich*

Date

**08/15/2007**

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**RECEIVED**

**AUG 17 2007**

**DIV. OF OIL, GAS & MINING**

FORM 6

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

**ENTITY ACTION FORM**

Operator: Berry Petroleum  
Address: 950 17th St Suite 2400  
city Denver  
state CO zip 80202

Operator Account Number: N 2480

Phone Number: (303) 825-3344

Well 1		QQ	Sec	Twp	Rng	County
API Number	Well Name	SESW	26	5S	4W	Duchesne
013-33873	Ute Tribal 14-26D-54	Spud Date			Entity Assignment Effective Date	
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date
A	99999	16299	8/7/2007			8/28/07
Comments: <u>GRPV BHL = SESW</u>						

Well 2		QQ	Sec	Twp	Rng	County
API Number	Well Name					
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date
Comments:						

Well 3		QQ	Sec	Twp	Rng	County
API Number	Well Name					
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date
Comments:						

**ACTION CODES:**

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Lauren Naumovich

Name (Please Print)

Signature

Regulatory Technician

Title

8/15/2007

Date

(5/2000)

RECEIVED

AUG 20 2007

DIV. OF OIL, GAS & MINING

## NOTICE

Utah Oil and Gas Conservation General Rule R649-3-21 states that,

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- Within 30 days after the completion or plugging of a well, the following shall be filed:
  - Form 8, Well Completion or Recompletion Report and Log
  - A copy of electric and radioactivity logs, if run
  - A copy of drillstem test reports,
  - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
  - A copy of core analyses, and lithologic logs or sample descriptions if compiled
  - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

---

As of the mailing of this notice, the division has not received the required reports for

Operator: Berry Petroleum Company Today's Date: 02/14/2008

Well: API Number: Drilling Commenced:

See Attachment

43 013 33673  
Ute Tribal 1A-26D-5A  
5S 4W 26

To avoid compliance action, required reports should be mailed within 7 business days to:

Utah Division of Oil, Gas and Mining  
1594 West North Temple, Suite 1210  
P.O. Box 145801  
Salt Lake City, Utah 84114-5801

If you have questions or concerns regarding this matter, please call (801) 538-5284.

cc: Well File  
Compliance File



Well:		API Number:	Commenced:
Wilcox Eliason 7-15-56	drlg rpts/wcr	4301333122	07/22/06
Wilcox Fee 1-20-56	drlg rpts/wcr	4301333150	10/31/06
Ute Tribal 8-24-55	drlg rpts/wcr	4301333420	03/13/07
Ute Tribal 6-23D-55	drlg rpts/wcr	4301333187	03/19/07
Ute Tribal 5-25D-55	drlg rpts/wcr	4301333421	04/04/07
Berry Tribal 14-34D-54	drlg rpts/wcr	4301333531	05/12/07
Berry Tribal 13-34D-54	drlg rpts/wcr	4301233530	05/14/07
Federal 8-2D-64	drlg rpts/wcr	4301333581	05/24/07
Ute Tribal 9S-19-54	drlg rpts/wcr	4301333276	06/02/07
LC Tribal 8-28-46	drlg rpts/wcr	4301333576	06/05/07
Federal 8-1-64	drlg rpts/wcr	4301333449	06/05/07
Ute Tribal 14Q-30-54	drlg rpts/wcr	4301333479	06/06/07
Federal 10-2-65	drlg rpts/wcr	4301333542	06/13/07
Ute Tribal 6-31D-54	drlg rpts/wcr	4301333325	06/14/07
Federal 11-10-65	drlg rpts/wcr	4301333451	07/25/07
LC Tribal 4-16-56	drlg rpts/wcr	4301333539	07/27/07
Federal 10-3-65	drlg rpts/wcr	4301333386	07/28/07
Ute Tribal 14-26D-54	drlg rpts/wcr	4301333673	08/06/07
ST Tribal 8-15-54	drlg rpts/wcr	4301332851	08/16/07
LC Tribal 7-3-56	drlg rpts/wcr	4301333577	09/20/07
Federal 6-11-65	drlg rpts/wcr	4301333491	09/21/07

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-4954
2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
3. ADDRESS OF OPERATOR: 4000 S. 4028 W. CITY Roosevelt STATE UT ZIP 84066		7. UNIT OR CA AGREEMENT NAME: N/A
4. LOCATION OF WELL FOOTAGES AT SURFACE: 187' FSL, 2451' FWL BHL: 857' FSL, 1768' FWL		8. WELL NAME and NUMBER: UTE TRIBAL 14-26D-54
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 26 T5S R4W		9. API NUMBER: 4301333673
COUNTY: DUCHESNE		10. FIELD AND POOL OR WILDCAT: BRUNDAGE CANYON
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER: MONTHLY STATUS REPORT

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PLEASE NOTE THAT THERE HAS BEEN NO ACTIVITY ON THE UTE TRIBAL 14-26D-54 SINCE SURFACE CASING WAS SET ON AUGUST 7, 2007.

NAME (PLEASE PRINT) SHELLEY E. CROZIER	TITLE REGULATORY & PERMITTING SPECIALIST
SIGNATURE <i>Shelley Crozier</i>	DATE 3/13/2008

(This space for State use only)

RECEIVED  
MAR 17 2008  
DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-4954
2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
3. ADDRESS OF OPERATOR: 4000 S. 4028 W. CITY Roosevelt STATE UT ZIP 84066		7. UNIT or CA AGREEMENT NAME: N/A
4. LOCATION OF WELL FOOTAGES AT SURFACE: 176' FSL, 2473' FWL BHL 751' FSL 1887' FWL		8. WELL NAME and NUMBER: UTE TRIBAL 14-26D-54
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 26 T5S R4W		9. API NUMBER: 4301333249 613
COUNTY: DUCHESNE STATE: UTAH		10. FIELD AND POOL, OR WILDCAT: BRUNDAGE CANYON

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: NO ACTIVITY / OPS
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

346 ft.

PLEASE NOTE THAT THE UTE TRIBAL 14-26D-54 WAS SPUD ON 10/8/2007 NO FUTRHER ACTIVITY HAS OCCURED.

NAME (PLEASE PRINT) JOLENE HOLMES	TITLE REGULATORY & PERMITTING ASSISTANT
SIGNATURE <i>Jolene Holmes</i>	DATE 6/30/2008

(This space for State use only)

RECEIVED  
JUL 03 2008  
DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-4778 (E&D)
2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
3. ADDRESS OF OPERATOR: 4000 S. 4028 W. CITY Roosevelt STATE UT ZIP 84066	7. UNIT or CA AGREEMENT NAME: N/A
PHONE NUMBER: (435) 722-1325	8. WELL NAME and NUMBER: UTE TRIBAL 11-11-55
9. API NUMBER: 4301332873	10. FIELD AND POOL, OR WILDCAT: BRUNDAGE CANYON

4. LOCATION OF WELL FOOTAGES AT SURFACE: 2210' FSL, 2010' FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <del>NESW 11 T5S R4W</del>	COUNTY: DUCHESNE STATE: UTAH
---	---------------------------------

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: NO ACTIVITY
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PLEASE NOTE THAT THE UTE TRIBAL 11-11-55 WAS SPUD ON 10-19-2005 API # 43 013 32873  
PLEASE NOTE THAT THE WILCOX ELIASON 7-15-56 WAS SPUD ON 7-22-2006 API # 43 013 33122  
PLEASE NOTE THAT THE BERRY TRIBAL 14-34D-54 WAS SPUD ON 5-14-2007 API # 43 013 33531  
PLEASE NOTE THAT THE BERRY TRIBAL 13-34D-54 WAS SPUD ON 5-12-2007 API # 43 013 33530  
PLEASE NOTE THAT THE UTE TRIBAL 3G-28-54 WAS SPUD ON 5-30-2007 API # 43 013 33241  
PLEASE NOTE THAT THE L.C. TRIBAL 16-21-46 WAS SPUD ON 6-7-2007 API # 43 013 33575  
PLEASE NOTE THAT THE BERRY TRIBAL 8-34D-54 WAS SPUD ON 6-14-2007 API # 43 013 33528  
PLEASE NOTE THAT THE UTE TRIBAL 15S-31-54 WAS SPUD ON 6-20-2007 API # 43 013 33480  
PLEASE NOTE THAT THE L.C. TRIBAL 4-27-46 WAS SPUD ON 7-18-2007 API # 43-013-33610  
PLEASE NOTE THAT THE L.C. TRIBAL 4-16-56 WAS SPUD ON 7-28-2007 API # 43 013 33539  
→ PLEASE NOTE THAT THE UTE TRIBAL 14-26D-54 WAS SPUD ON 10-8-2007 API # 43 013 33673 TOSS R04W S-26  
PLEASE NOTE THAT THE FEDERAL 16-5-65 WAS SPUD ON 8-15-2007 API # 43 013 33490  
PLEASE NOTE THAT THE UTE TRIBAL 6-22D-55 WAS SPUD ON 9-1-2007 API # 43 013 33213  
PLEASE NOTE THAT THE UTE TRIBAL 8I-25-55 WAS SPUD ON 10-11-2007 API # 43 013 33574

NAME (PLEASE PRINT) JOLENE HOLMES	TITLE REGULATORY & PERMITTING ASSISTANT
SIGNATURE <i>Jolene Holmes</i>	DATE 2/19/2009

(This space for State use only)

RECEIVED  
FEB 19 2009

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-4954
2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
3. ADDRESS OF OPERATOR: 4000 S. 4028 W. CITY Roosevelt STATE UT ZIP 84066		7. UNIT or CA AGREEMENT NAME: N/A
4. LOCATION OF WELL FOOTAGES AT SURFACE: 126' FSL, 2423' FWL BHL: 857' FSL, 1768' FWL		8. WELL NAME and NUMBER: UTE TRIBAL 14-26D-54
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 26 T5S R4W		9. API NUMBER: 4301333673
COUNTY: DUCHESNE		10. FIELD AND POOL, OR WILDCAT: BRUNDAGE CANYON
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER: <u>DRILLING HISTORY</u>
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PLEASE SEE THE ATTACHED DRILLING HISTORY FOR THE UTE TRIBAL 14-26D-54.

RECEIVED  
DEC 22 2009  
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>SHELLEY E. CROZIER</u>	TITLE <u>REGULATORY &amp; PERMITTING SPECIALIST</u>
SIGNATURE <u>Shelley E. Crozier</u>	DATE <u>12/21/2009</u>

(This space for State use only)



# Berry Daily Drilling Report w costs

Report Date: 12/10/2009

Report #: 1, DFS: -1

Depth Progress:

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 58,925	Cum Cost To Date 58,925
Operations at Report Time Rig up / Wait on rig pumps		Operations Next 24 Hours R/U pumps / Drill 7 7/8" hole		Daily Mud Cost	Mud Additive Cost To Date
Operations Summary Rig up TDS, N/U BOP				Depth Start (ftKB) 0	Depth End (ftKB) 0
Remarks				Depth Start (TVD) (ftKB)	Depth End (TVD) (ftKB)
Weather Clear	Temperature (°F) -10.0	Road Condition Snow packed	Hole Condition Cased	Target Formation Uteland Butte	Target Depth (ftKB) 5,884

## Last Casing Set

Casing Description 8 5/8 in casing	Set Depth (ftKB) 371	OD (in) 8 5/8	Comment
---------------------------------------	-------------------------	------------------	---------

## Daily Contacts

Job Contact	Mobile
-------------	--------

## Time Log

Start Time	End Time	Dur (hrs)	Operation	Comment
06:00	06:00	24.00	Rig Up & Tear Down	Rig up while waiting on mud pumps. (pumps are stuck in Meeker due to adverse weather) Rigged up Tesco TDS, Nipple up & tested BOP, M/U BHA

## Rigs

Contractor Aztec Drilling	Rig Number 673
------------------------------	-------------------

## Mud Pumps

# 2, Emmsco, F-1000		
Pump Rating (hp) 1,000.0	Rod Diameter (in)	Stroke Length (in) 10.00

## Mud Checks

Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)
Gel (10s) (lb/100...)	Gel (10m) (lb/10...)	Gel (30m) (lb/10...)	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)	

Liner Size (in)	Vol/Stk OR (bbl/stk)
Pressure (psi)	Slow Spd No
Strokes (spm)	Eff (%)

## # 1, Emmsco, F-1000

Pump Rating (hp) 1,000.0	Rod Diameter (in)	Stroke Length (in) 10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)	
Pressure (psi)	Slow Spd No	Strokes (spm) Eff (%)

## Air Data

Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)
-------------------------	--------------------------	------------------	-----------------------

## Corrosion Inhibitor Injected in 24hr Period

gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)
----------------------------------	---------------------------	-----------------------------------

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,468
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	3,900
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100
IDC-CONTRACTSUPER...	Denver Energy Consultants,LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-PERMITS/RIGHTS...	Permits & Regulatory		1514240	5,000
ICC-LOCATIONCONST...	Build location		1522375	18,000
TDC-INTERIM&SURFA...	Drill & Run surface/ Craigs		1533505	16,953
IDC-CEMENT&CEMEN...	Pro Petro	Cement surface casing	1512355	9,939

## Drill Strings

Bit Run	Drill Bit	IADC Bit Dull	TFA (incl Noz) (in²)
Nozzles (/32")	String Length (ft)	String Wt (1000lb)	BHA ROP (ft...)

## Drill String Components

Jts	Item Description	OD (in)	Len (ft)
-----	------------------	---------	----------

## Drilling Parameters

Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)
WOB (1000lb)	RPM (rpm)	SPP (psi)	Rot HL (1000lb)	PU HL (1000lb)	SO HL (1000lb)	Drilling Torque	Off Btm Tq
Q (g inj) (ft³/...	Motor RPM (rpm)	T (Inj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P (Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...)
							Q (g return) ...

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/10/2009

Report #: 1, DFS: -1

Depth Progress:

Well Name: Ute Tribal 14-26D-54

## Deviation Surveys

### EMWD

Azim...	Date	Description	EW Tie In...	Inclin...	MD Tie In (ft...)	NSTie In ...	TVD Tie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

### Survey Data

MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/11/2009

Report #: 2, DFS:

Depth Progress:

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 22,058	Cum Cost To Date 80,983
Operations at Report Time Rig up / Wait on rig pumps		Operations Next 24 Hours Drill 7 7/8" hole		Daily Mud Cost	Mud Additive Cost To Date
Operations Summary Rig up, rig up pumps				Depth Start (ftKB) 0	Depth End (ftKB) 0
Remarks				Depth Start (TVD) (ftKB)	Depth End (TVD) (ftKB)
Weather Clear	Temperature (°F) -17.0	Road Condition Snow packed	Hole Condition Cased	Target Formation Uteland Butte	Target Depth (ftKB) 5,884

## Last Casing Set

Casing Description 8 5/8 in casing	Set Depth (ftKB) 371	OD (in) 8 5/8	Comment
---------------------------------------	-------------------------	------------------	---------

## Time Log

Start Time	End Time	Dur (hrs)	Operation	Comment
06:00	23:00	17.00	Rig Up & Tear Down	Rig up & wait on pumps.
23:00	06:00	7.00	Rig Up & Tear Down	Install rig pumps

## Mud Checks

Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)
Water Base	06:00	1,155.0	8.40	29	1.0	3.000
Gel (10s) (lb/100...)	Gel (10m) (lb/10...)	Gel (30m) (lb/10...)	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)
					10.5	0.5
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)
			3,000.000	600.000		
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)	
					200.0	

## Air Data

Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)

## Corrosion Inhibitor Injected in 24hr Period

gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,468
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	3,900
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100
IDC-CONTRACTSUPER...	Denver Energy Consultants,LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-SPECIAL SERVICES-TECHNICAL	B & C Quick Test	BOP Test	1512720	1,756
IDC-GASOLINE,DIESEL...	Western Petroleum	Propane	1513770	6,913
IDC-RIGCOST-DRILLIN...	Ute Water serv. LLC	Water hauling	1512310	3,951
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85

## Drill Strings

Bit Run	Drill Bit	IADC Bit Dull	TFA (incl Noz) (in³)
Nozzles (/32")	String Length (ft)	String Wt (1000lbf)	BHA ROP (ft...

## Drill String Components

Jts	Item Description	OD (in)	Len (ft)

## Daily Contacts

Job Contact	Mobile
Whitey Cottam	281-605-2052
Kim D. Gritz	281-605-2052

## Rigs

Contractor	Rig Number
Aztec Drilling	673

## Mud Pumps

# 2, Emmsco, F-1000		
Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00

Liner Size (in)		Vol/Stk OR (bbl/stk)	
Pressure (psi)	Slow Spd	Strokes (spm)	Eff (%)
	No		

## # 1, Emmsco, F-1000

Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00

Liner Size (in)		Vol/Stk OR (bbl/stk)	
Pressure (psi)	Slow Spd	Strokes (spm)	Eff (%)
	No		

## Mud Additive Amounts

Description	Consumed	Daily Cost

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING





# Berry Daily Drilling Report w costs

Report Date: 12/11/2009

Report #: 2, DFS:

Depth Progress:

Well Name: Ute Tribal 14-26D-54

## Drilling Parameters

Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq
Q (g inj) (ft³/...)	Motor RPM (rpm)	T (Inj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P(Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...)
							Q (g return) ...

## Deviation Surveys

### EMWD

Azim...	Date	Description	EW Tie In...	Inclin...	MD Tie In (ft...	NS Tie In ...	TVD Tie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

### Survey Data

MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/12/2009

Report #: 3, DFS: 1

Depth Progress: 709

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 25,642	Cum Cost To Date 106,625
Operations at Report Time Drilling 7 7/8" hole		Operations Next 24 Hours Drill 7 7/8" hole		Daily Mud Cost 1,183	Mud Additive Cost To Date 1,183
Operations Summary Rig up mud pumps, fill mud tanks & de-watering system,drill out float / shoe, 7 7/8" hole f/ 371' to 1080'				Depth Start (ftKB) 371	Depth End (ftKB) 1,080
Remarks				Depth Start (TVD) (ftKB) 371	Depth End (TVD) (ftKB) 1,075
Weather Overcast	Temperature (°F) 15.0	Road Condition Snow packed	Hole Condition Good	Target Formation Uteland Butte	Target Depth (ftKB) 5,884

## Last Casing Set

Casing Description 8 5/8 in casing	Set Depth (ftKB) 371	OD (in) 8 5/8	Comment
---------------------------------------	-------------------------	------------------	---------

## Time Log

Start Time	End Time	Dur (hrs)	Operation	Comment
06:00	11:00	5.00	Rig Up & Tear Down	Cont. rigging up pumps.
11:00	16:00	5.00	Condition Mud & Circulate	Fill mud tanks & de-watering system. Trouble shoot & repair pumps, TDS swivel packing.
16:00	01:15	9.25	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 375' to 838' w/ 5-8,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.
01:15	01:45	0.50	Repair Rig	Work on rig brake system
01:45	06:00	4.25	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 837' to 1080' w/ 8-12,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.

## Mud Checks

Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)
Water Base	06:00	750.0	8.40	29	1.0	3.000
Gel (10s) (lb/100...)	Gel (10m) (lb/10...)	Gel (30m) (lb/10...)	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)
					10.5	0.5
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)
			3,000.000	600.000		
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)	
				1500.0	400.0	

## Air Data

Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)
-------------------------	--------------------------	------------------	-----------------------

## Corrosion Inhibitor Injected in 24hr Period

gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)
----------------------------------	---------------------------	-----------------------------------

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-RIGCOST-DRILLIN...	Aztec Well Servicing Co.	Aztec #673	1512310	13,750
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,722
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	6,100
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100
IDC-CONTRACTSUPER...	Denver Energy Consultants, LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-Water & Water Hauling	Ute Water serv. LLC	Water hauling	1512106	0
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85

## Drill Strings

### BHA #1, Steerable #1

Bit Run 1	Drill Bit 7 7/8in, FX65M, 11154069	IADC Bit Dull 2-3-WT-S-X-0-CT-TD	TFA (incl Noz) (in²) 0.98
Nozzles (/32") 16/16/16/16/16	String Length (ft) 1,078.78	String Wt (1000lb) 51	BHA ROP (ft...) 52.3

## Daily Contacts

Job Contact	Mobile
Whitey Cottam	281-605-2052
Kim D. Gritz	281-605-2052

## Rigs

Contractor Aztec Drilling	Rig Number 673
------------------------------	-------------------

## Mud Pumps

# 2, Emmsco, F-1000		
Pump Rating (hp) 1,000.0	Rod Diameter (in)	Stroke Length (in) 10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)	
Pressure (psi)	Slow Spd No	Strokes (spm) Eff (%)

## # 1, Emmsco, F-1000

Pump Rating (hp) 1,000.0	Rod Diameter (in)	Stroke Length (in) 10.00
Liner Size (in) 6 1/2	Vol/Stk OR (bbl/stk) 0.910	
Pressure (psi)	Slow Spd No	Strokes (spm) Eff (%)

## Mud Additive Amounts

Description	Consumed	Daily Cost
Caustic Soda	1.0	25.88
DI30	1.0	650.00
Engineering	1.0	400.00
Oxy Scav	1.0	47.32
PHPA	1.0	60.00

RECEIVED

DEC 22 2009

DEPT OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/12/2009

Report #: 3, DFS: 1

Depth Progress: 709

Well Name: Ute Tribal 14-26D-54

## Drill String Components

Jts	Item Description	OD (in)	Len (ft)
1	Mud Motor 7/8 3.5 .21 rev/gal 1.5 abh	6 1/2	28.72
1	UBHO	6 1/2	2.90
1	Gap Sub	6 1/2	3.39
1	Non-Mag DC	6 1/2	30.36
1	Non-Mag DC	6 1/2	30.39
2	Spiral Steel DC	6 1/2	61.00
30	Spiral HWDP	4 1/2	921.02

## Drilling Parameters

Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)	
Original Hole	371.0	1,080.0	709.00	13.50	13.50	52.5	400	
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq	
12	60	900.0	60	48	42	4,000.0	3,500.0	
Q (g inj) (ft³/...	Motor RPM (rpm)	T (Inj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P(Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g)...	Q (g return) ...

## Deviation Surveys

EMWD							
Azim...	Date	Description	EW Tie In...	Inclin...	MD Tie In (ft...	NS Tie In ...	TVD Tie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

## Survey Data

MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)
416.00	0.80	229.30	415.99	-1.89	-2.20	0.27	0.19
477.00	1.40	275.30	476.98	-2.10	-3.27	0.89	1.67
539.00	2.60	300.10	538.94	-1.33	-5.24	2.85	2.34
600.00	4.10	310.60	599.83	0.79	-8.09	6.37	2.65
662.00	5.30	309.40	661.62	4.05	-11.99	11.44	1.94
723.00	6.60	312.20	722.29	8.19	-16.76	17.75	2.18
784.00	7.50	313.00	782.83	13.26	-22.27	25.24	1.48
846.00	8.70	313.90	844.21	19.27	-28.61	33.97	1.95
907.00	10.00	315.20	904.40	26.23	-35.66	43.88	2.16
969.00	10.10	314.00	965.45	33.82	-43.37	54.70	0.37
1,030.00	10.00	313.60	1,025.51	41.19	-51.05	65.34	0.20

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/13/2009

Report #: 4, DFS: 2

Depth Progress: 1,333

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 26,762	Cum Cost To Date 133,387
Operations at Report Time Drilling 7 7/8" hole		Operations Next 24 Hours Cont. drilling 7 7/8" hole		Daily Mud Cost 1,658	Mud Additive Cost To Date 2,841
Operations Summary Drill 7 7/8" hole f/ 1080' to 2413'				Depth Start (ftKB) 1,080	Depth End (ftKB) 2,413
Remarks Reced' & safley un-loaded,clean,drifted & strapped 142 jts. 5 1/2" 15.50 J-55 LT&C casing.				Depth Start (TVD) (ftKB) 1,075	Depth End (TVD) (ftKB) 2,387
Weather Overcast/Snowing	Temperature (°F) 3.0	Road Condition Snow packed	Hole Condition Good	Target Formation Uteland Butte	Target Depth (ftKB) 5,884

## Last Casing Set

Casing Description 8 5/8 in casing	Set Depth (ftKB) 371	OD (in) 8 5/8	Comment
---------------------------------------	-------------------------	------------------	---------

## Time Log

Start Time	End Time	Dur (hrs)	Operation	Comment
06:00	09:15	3.25	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 1080' to 1207' w/ 8-12,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.
09:15	12:30	3.25	Repair Rig	Rig down due to Tesco TDS hydraulic system cooling fan motor quit.
12:30	06:00	17.50	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 1207' to 2413' w/ 8-12,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.

## Mud Checks

Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)
Water Base	06:00	1,582.0	8.40	30	1.0	3.000
Gel (10s) (lb/100...)	Gel (10m) (lb/10...)	Gel (30m) (lb/10...)	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)
					10.5	0.3
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)
			3,000.000	800.000		
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)	
				1500.0	335.0	

## Air Data

Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)

## Corrosion Inhibitor Injected in 24hr Period

gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-RIGCOST-DRILLIN...	Aztec Well Servicing Co.	Aztec #673	1512310	13,750
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,722
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	6,100
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100
IDC-CONTRACTSUPER...	Denver Energy Consultants,LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-Water & Water Hauling	Ute Water serv. LLC	Water hauling	1512106	1,120
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85

## Drill Strings

### BHA #1, Steerable #1

Bit Run 1	Drill Bit 7 7/8in, FX65M, 11154069	IADC Bit Dull 2-3-WT-S-X-0-CT-TD	TFA (incl Noz) (in²) 0.98
Nozzles (/32") 16/16/16/16		String Length (ft) 1,078.78	String Wt (1000lbft) 51
		BHA ROP (ft...) 52.3	

## Drill String Components

Jts	Item Description	OD (in)	Len (ft)
1	Mud Motor 7/8 3.5 .21 rev/gal 1.5 abh	6 1/2	28.72
1	UBHO	6 1/2	2.90

## Daily Contacts

Job Contact	Mobile
Whitey Cottam	281-605-2052
Kim D. Gritz	281-605-2052

## Rigs

Contractor	Rig Number
Aztec Drilling	673

## Mud Pumps

### # 2, Emmsco, F-1000

Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)	
6 1/2	0.910	
Pressure (psi)	Slow Spd	Strokes (spm)
	No	

### # 1, Emmsco, F-1000

Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)	
6 1/2	0.910	
Pressure (psi)	Slow Spd	Strokes (spm)
	No	

## Mud Additive Amounts

Description	Consumed	Daily Cost
Aluminum Sterate	1.0	65.00
Busan	1.0	306.80
Dyna-fiber	2.0	39.22
Engineering	1.0	400.00
Gypsum	25.0	341.25
Lime	2.0	15.60
Oxy Scav	4.0	189.28
PHPA	2.0	120.00
Sawdust	15.0	82.20
Sea Mud	2.0	25.36
Tax	1.0	73.37

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/13/2009

Report #: 4, DFS: 2

Depth Progress: 1,333

Well Name: Ute Tribal 14-26D-54

Drill String Components			
Jts	Item Description	OD (in)	Len (ft)
1	Gap Sub	6 1/2	3.39
1	Non-Mag DC	6 1/2	30.36
1	Non-Mag DC	6 1/2	30.39
2	Spiral Steel DC	6 1/2	61.00
30	Spiral HWDP	4 1/2	921.02

Drilling Parameters							
Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)
Original Hole	1,080.0	2,413.0	2,042.00	20.75	34.25	64.2	400
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq
12	60	1,250.0	85	96	73	6,500.0	7,800.0
Q (g inj) (ft³/...)	Motor RPM (rpm)	T (Inj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P(Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...)
	80						Q (g return) ...

Deviation Surveys							
EMWD							
Azim...	Date	Description	EW Tie In...	Inclin...	MD Tie In (ft...	NSTie In ...	TVD Tie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

Survey Data							
MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)
1,094.00	10.00	312.10	1,088.54	48.75	-59.20	76.46	0.41
1,221.00	9.80	312.30	1,213.65	63.42	-75.37	98.28	0.16
1,349.00	9.10	308.10	1,339.91	76.99	-91.40	119.24	0.77
1,412.00	9.90	309.30	1,402.05	83.50	-99.51	129.59	1.31
1,539.00	10.40	313.90	1,527.06	98.36	-116.22	151.94	0.75
1,666.00	9.60	311.60	1,652.13	113.34	-132.40	173.98	0.70
1,791.00	9.90	314.00	1,775.33	127.73	-147.92	195.14	0.40
1,855.00	9.50	312.40	1,838.41	135.11	-155.78	205.93	0.75
1,982.00	9.90	311.80	1,963.60	149.45	-171.66	227.31	0.32
2,109.00	10.50	312.70	2,088.59	164.58	-188.30	249.79	0.49
2,236.00	10.70	314.60	2,213.42	180.70	-205.20	273.15	0.32
2,363.00	10.70	314.40	2,338.21	197.23	-222.02	296.73	0.03

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/14/2009

Report #: 5, DFS: 3

Depth Progress: 1,013

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 32,567	Cum Cost To Date 165,954
Operations at Report Time Drilling 7 7/8" hole		Operations Next 24 Hours Cont. drilling 7 7/8" hole		Daily Mud Cost 1,993	Mud Additive Cost To Date 4,834
Operations Summary Drill 7 7/8" hole f/ 2413' to 3426', Replaced elect. motor TDS hyd. cooler.				Depth Start (ftKB) 2,413	Depth End (ftKB) 3,426
Remarks No losses through the Mahogany				Depth Start (TVD) (ftKB) 2,387	Depth End (TVD) (ftKB) 3,383
Weather Clear	Temperature (°F) 18.0	Road Condition Snow packed	Hole Condition Good	Target Formation Uteland Butte	Target Depth (ftKB) 5,884

## Last Casing Set

Casing Description 8 5/8 in casing	Set Depth (ftKB) 371	OD (in) 8 5/8	Comment
---------------------------------------	-------------------------	------------------	---------

## Daily Contacts

Job Contact	Mobile
Whitey Cottam	281-605-2052
Kim D. Gritz	281-605-2052

## Time Log

Start Time	End Time	Dur (hrs)	Operation	Comment
06:00	16:30	10.50	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 2413' to 2983' w/ 8-14,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.
16:30	19:30	3.00	Repair Rig	Install electric motor & fan on TDS hydraulic cooling unit.
19:30	06:00	10.50	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 2983' to 3426' w/ 8-14,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.

## Rigs

Contractor Aztec Drilling	Rig Number 673
------------------------------	-------------------

## Mud Pumps

# 2, Emmsco, F-1000			
Pump Rating (hp) 1,000.0	Rod Diameter (in)	Stroke Length (in) 10.00	
Liner Size (in) 6 1/2		Vol/Stk OR (bbl/stk) 0.910	
Pressure (psi)	Slow Spd No	Strokes (spm)	Eff (%)

## Mud Checks

Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)
Water Base	06:00	2,900.0	8.40	29	1.0	3.000
Gel (10s) (lb/100...)	Gel (10m) (lb/100...)	Gel (30m) (lb/100...)	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)
					10.3	0.3
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)
			3,000.000	400.000		
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)	
		0.0	3.0	1500.0	330.0	

## # 1, Emmsco, F-1000

Pump Rating (hp) 1,000.0	Rod Diameter (in)	Stroke Length (in) 10.00	
Liner Size (in)		Vol/Stk OR (bbl/stk)	
Pressure (psi)	Slow Spd No	Strokes (spm)	Eff (%)

## Air Data

Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)
-------------------------	--------------------------	------------------	-----------------------

## Corrosion Inhibitor Injected in 24hr Period

gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)
----------------------------------	---------------------------	-----------------------------------

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-RIGCOST-DRILLIN...	Aztec Well Servicing Co.	Aztec #673	1512310	13,750
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,722
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	6,100
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100
IDC-CONTRACTSUPER...	Denver Energy Consultants,LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-Water & Water Hauling	Ute Water serv. LLC	Water hauling	1512106	1,120
IDC-GASOLINE,DIESEL...	Cardwell Dist. Inc.	2004 gal #1 fuel	1513770	5,308
IDC-MANCAMP	Mountain West OF Serv.	Haul black water	1514230	498
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85

## Mud Additive Amounts

Description	Consumed	Daily Cost
Busan	2.0	613.60
Caustic Soda	1.0	25.88
Diald 25	1.0	210.93
Engineering	1.0	400.00
Gypsum	25.0	341.25
Lime	3.0	23.40
Oxy Scav	2.0	94.64
PHPA	1.0	60.00
Shrink Wrap	6.0	150.00
Tax	1.0	73.37

## Drill Strings

### BHA #1, Steerable #1

Bit Run 1	Drill Bit 7 7/8in, FX65M, 11154069	IADC Bit Dull 2-3-WT-S-X-0-CT-TD	TFA (incl Noz) (in²) 0.98
Nozzles (/32")	16/16/16/16/16	String Length (ft) 1,078.78	String Wt (1000lbf) 51
		BHA ROP (ft...) 52.3	

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/14/2009

Report #: 5, DFS: 3

Depth Progress: 1,013

Well Name: Ute Tribal 14-26D-54

Drill String Components			
Jts	Item Description	OD (in)	Len (ft)
1	Mud Motor 7/8 3.5 .21 rev/gal 1.5 abh	6 1/2	28.72
1	UBHO	6 1/2	2.90
1	Gap Sub	6 1/2	3.39
1	Non-Mag DC	6 1/2	30.36
1	Non-Mag DC	6 1/2	30.39
2	Spiral Steel DC	6 1/2	61.00
30	Spiral HWDP	4 1/2	921.02

Drilling Parameters							
Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)
Original Hole	2,413.0	3,426.0	3,055.00	21.00	55.25	48.2	400
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq
14	60	1,600.0	104	120	75	6,800.0	7,900.0
Q (g inj) (ft³/...)	Motor RPM (rpm)	T (Inj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P(Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...)
	80						

Deviation Surveys							
EMWD							
Azim...	Date	Description	EW Tie In...	Inclin...	MD Tie In (ft...	NS Tie In ...	TVD Tie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

Survey Data							
MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)
2,491.00	10.10	313.40	2,464.11	213.26	-238.66	319.84	0.49
2,618.00	10.60	314.50	2,589.04	229.09	-255.08	342.65	0.42
2,744.00	10.50	316.20	2,712.92	245.50	-271.30	365.71	0.26
2,871.00	10.40	314.00	2,837.81	261.82	-287.55	388.74	0.32
2,998.00	10.00	311.30	2,962.80	277.06	-304.08	411.22	0.49
3,125.00	12.00	313.80	3,087.46	293.48	-321.90	435.44	1.62
3,251.00	11.50	311.00	3,210.82	310.78	-340.83	461.08	0.60
3,377.00	10.70	308.70	3,334.47	326.34	-359.44	485.27	0.73

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/15/2009

Report #: 6, DFS: 4

Depth Progress: 947

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 34,371	Cum Cost To Date 200,325
Operations at Report Time Drilling 7 7/8" hole		Operations Next 24 Hours Cont. drilling 7 7/8" hole		Daily Mud Cost 4,533	Mud Additive Cost To Date 9,367
Operations Summary Drill 7 7/8" hole f/ 3426' to 4373', KCL 2.6				Depth Start (ftKB) 3,426	Depth End (ftKB) 4,373
Remarks				Depth Start (TVD) (ftKB) 3,383	Depth End (TVD) (ftKB) 4,316
Weather Clear	Temperature (°F) 10.0	Road Condition Snow packed	Hole Condition Good	Target Formation Uteland Butte	Target Depth (ftKB) 5,884

## Last Casing Set

Casing Description	Set Depth (ftKB)	OD (in)	Comment
8 5/8 in casing	371	8 5/8	

## Time Log

Start Time	End Time	Dur (hrs)	Operation	Comment
06:00	15:00	9.00	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 3426' to 3805' w/ 8-14,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.
15:00	15:30	0.50	Lubricate Rig	Service Rig & TDS
15:30	01:45	10.25	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 3805' to 4186' w/ 8-14,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.
01:45	02:45	1.00	Lubricate Rig	Service rig & TDS. Replace hose on TDS.
02:45	06:00	3.25	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 4186' to 4373' w/ 8-14,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.

## Mud Checks

Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)
Water Base	06:00	3,920.0	8.50	29	1.0	3.000
Gel (10s) (lb/100...)	Gel (10m) (lb/100...)	Gel (30m) (lb/100...)	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)
					10.3	1.2
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)
			1,400.000	680.000		
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)	
	100.0			1400.0	333.0	

## Air Data

Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)

## Corrosion Inhibitor Injected in 24hr Period

gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-RIGCOST-DRILLIN...	Aztec Well Servicing Co.	Aztec #673	1512310	13,750
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,722
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	6,100
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100
IDC-CONTRACTSUPER...	Denver Energy Consultants, LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-Water & Water Hauling	Ute Water serv. LLC	Water hauling	1512106	1,120
IDC-MANCAMP	Mountain West OF Serv.	Haul black water	1514230	498
IDC-TRUCKING&HAULI...	Hagman Trucking, Inc.	Move DC & HWDP to storage	1512111	2,790
IDC-GASOLINE,DIESEL...	Western Petroleum	1750 gal propane	1513770	4,321
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85

## Daily Contacts

Job Contact	Mobile
Whitey Cottam	281-605-2052
Kim D. Gritz	281-605-2052

## Rigs

Contractor	Rig Number
Aztec Drilling	673

## Mud Pumps

### # 2, Emmsco, F-1000

Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)	

Pressure (psi)	Slow Spd	Strokes (spm)	Eff (%)
475.0	Yes	65	95

### # 1, Emmsco, F-1000

Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)	

Pressure (psi)	Slow Spd	Strokes (spm)	Eff (%)
	No		

## Mud Additive Amounts

Description	Consumed	Daily Cost
Engineering	1.0	400.00
Gypsum	16.0	218.40
Lime	3.0	23.40
Oxy Scav	3.0	141.96
Potassium Chloride	128.0	2,304.00
Sawdust	30.0	164.40
Shrink Wrap	10.0	250.00
Tax	1.0	73.37
Trucking	1.0	957.38

RECEIVED

DEC 22 2009

DEPT OF OIL, GAS & MINING





# Berry Daily Drilling Report w costs

Report Date: 12/15/2009

Report #: 6, DFS: 4

Depth Progress: 947

Well Name: Ute Tribal 14-26D-54

Drill Strings							
BHA #1, Steerable #1							
Bit Run	Drill Bit	IADC Bit Dull			TFA (incl Noz) (in²)		
1	7 7/8in, FX65M , 11154069	2-3-WT-S-X-0-CT-TD			0.98		
Nozzles (/32")				String Length (ft)	String Wt (1000lbf)	BHA ROP (ft...)	
16/16/16/16/16				1,078.78	51	52.3	
Drill String Components							
Jts	Item Description			OD (in)		Len (ft)	
1	Mud Motor 7/8 3.5 .21 rev/gal 1.5 abh			6 1/2		28.72	
1	UBHO			6 1/2		2.90	
1	Gap Sub			6 1/2		3.39	
1	Non-Mag DC			6 1/2		30.36	
1	Non-Mag DC			6 1/2		30.39	
2	Spiral Steel DC			6 1/2		61.00	
30	Spiral HWDP			4 1/2		921.02	
Drilling Parameters							
Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)
Original Hole	3,426.0	4,373.0	4,002.00	22.50	77.75	42.1	400
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq
14	60	1,100.0	112	120	90	6,800.0	7,900.0
Q (g inj) (ft³/...	Motor RPM (rpm)	T (linj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P(Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...)
	80						Q (g return) ...
Deviation Surveys							
EMWD							
Azim...	Date	Description			EWTTie In...	Inclin...	MD Tie In (ft...
0.00	12/13/2009	EMWD			0.00	0.00	0.00
Survey Data							
MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)
3,504.00	10.50	314.70	3,459.30	341.85	-376.86	508.58	0.88
3,632.00	9.80	312.70	3,585.30	357.44	-393.16	531.14	0.61
3,759.00	9.60	315.70	3,710.48	372.35	-408.50	552.53	0.43
3,886.00	9.90	313.00	3,835.65	387.37	-423.88	574.03	0.43
4,011.00	10.10	315.30	3,958.75	402.49	-439.45	595.73	0.36
4,137.00	9.60	319.40	4,082.90	418.32	-454.06	617.23	0.68
4,261.00	8.30	319.70	4,205.38	433.00	-466.58	636.43	1.05

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/16/2009

Report #: 7, DFS: 5

Depth Progress: 1,251

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 36,545	Cum Cost To Date 236,870
Operations at Report Time Drilling 7 7/8" hole		Operations Next 24 Hours Cont. drilling 7 7/8" hole		Daily Mud Cost 2,618	Mud Additive Cost To Date 11,985
Operations Summary Drill 7 7/8" hole f/ 4373' to 5426'				Depth Start (ftKB) 4,373	Depth End (ftKB) 5,624
Remarks Loggers,casers & cementers notified and ready.				Depth Start (TVD) (ftKB) 4,316	Depth End (TVD) (ftKB)
Weather Clear	Temperature (°F) 3.0	Road Condition Snow packed	Hole Condition Good	Target Formation Uteland Butte	Target Depth (ftKB) 5,884

## Last Casing Set

Casing Description 5 1/2 in casing	Set Depth (ftKB) 6,050	OD (in) 5 1/2	Comment
---------------------------------------	---------------------------	------------------	---------

## Time Log

Start Time	End Time	Dur (hrs)	Operation	Comment
06:00	13:15	7.25	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 4373' to 4811' w/ 12-18,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.
13:15	13:45	0.50	Lubricate Rig	Service Rig & TDS
13:45	00:00	10.25	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 4811' to 5311' w/ 12-18,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.
00:00	00:45	0.75	Deviation Survey	Attempt to survey...tool not responding
00:45	04:45	4.00	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 5311' to 5561' w/ 12-18,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.
04:45	05:15	0.50	Deviation Survey	Attempt to survey...tool not responding
05:15	06:00	0.75	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 5561' to 5624' w/ 12-18,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.

## Mud Checks

Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)
Water Base	06:00	5,029.0	8.55	30		4.000
Gel (10s) (lb/100...)	Gel (10m) (lb/100...)	Gel (30m) (lb/100...)	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)
					10.5	0.6
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)
		99.4	15,000.000	800.000	3	
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)	
				1250.0	255.0	

## Air Data

Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)

## Corrosion Inhibitor Injected in 24hr Period

gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-RIGCOST-DRILLIN...	Aztec Well Servicing Co.	Aztec #673	1512310	13,750
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,722
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	6,100
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100
IDC-CONTRACTSUPER...	Denver Energy Consultants,LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-Water & Water Hauling	Ute Water serv. LLC	Water hauling	1512106	592
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320
IDC-SURFACE RENTAL	Rain for Rent	Transport tanks/pump	1512380	2,758
IDC-MANCAMP	CG Electrical Services	Service Camp Gen.	1514230	453
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85

## Daily Contacts

Job Contact	Mobile
Whitey Cottam	281-605-2052
Kim D. Gritz	281-605-2052

## Rigs

Contractor	Rig Number
Aztec Drilling	673

## Mud Pumps

### # 2, Emmsco, F-1000

Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)	

Pressure (psi)	Slow Spd	Strokes (spm)	Eff (%)
	No		

### # 1, Emmsco, F-1000

Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)	

Pressure (psi)	Slow Spd	Strokes (spm)	Eff (%)
	No		

## Mud Additive Amounts

Description	Consumed	Daily Cost
Caustic Soda	1.0	25.88
Diald 25	1.0	210.93
Engineering	1.0	400.00
Gypsum	11.0	150.15
Lime	5.0	39.00
Mica Fine	11.0	175.23
Oxy Scav	2.0	94.64
PHPA	2.0	120.00
Potassium Chloride	8.0	144.00
Shrink Wrap	4.0	100.00
Tax	1.0	73.37
Trucking	1.0	957.38
Walnut Shell	7.0	127.40

RECEIVED

DEC 22 2009

U. S. DEPT. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/16/2009

Report #: 7, DFS: 5

Depth Progress: 1,251

Well Name: Ute Tribal 14-26D-54

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-GASOLINE,DIESEL...	Western Petroleum Co.	#1 Diesel fuel	1513770	7,100

## Drill Strings

### BHA #1, Steerable #1

Bit Run	Drill Bit	IADC Bit Dull	TFA (incl Noz) (in*)
1	7 7/8in, FX65M , 11154069	2-3-WT-S-X-0-CT-TD	0.98
Nozzles (/32")	String Length (ft)	String Wt (1000lbf)	BHA ROP (ft...)
16/16/16/16/16	1,078.78	51	52.3

## Drill String Components

Jts	Item Description	OD (in)	Len (ft)
1	Mud Motor 7/8 3.5 .21 rev/gal 1.5 abh	6 1/2	28.72
1	UBHO	6 1/2	2.90
1	Gap Sub	6 1/2	3.39
1	Non-Mag DC	6 1/2	30.36
1	Non-Mag DC	6 1/2	30.39
2	Spiral Steel DC	6 1/2	61.00
30	Spiral HWDP	4 1/2	921.02

## Drilling Parameters

Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)
Original Hole	4,373.0	5,624.0	5,253.00	22.25	100.00	56.2	400
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq
20	65	1,200.0	128	145	120	7,200.0	8,000.0
Q (g inj) (ft³/...)	Motor RPM (rpm)	T (Inj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P(Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...)
	80						Q (g return) ...

## Deviation Surveys

### EMWD

Azim...	Date	Description	EWTDie In...	Inclin...	MD Tie In (ft...	NSTie In ...	TVDTie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

## Survey Data

MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)
4,386.00	8.30	313.70	4,329.08	446.12	-478.93	654.43	0.69
4,448.00	7.50	311.60	4,390.49	451.89	-485.20	662.95	1.37
5,009.00	3.60	278.10	4,948.88	478.70	-530.04	713.84	0.88
5,135.00	2.90	259.10	5,074.68	478.65	-537.09	718.89	1.01
5,261.00	3.10	252.00	5,200.50	477.00	-543.46	722.33	0.33
5,390.00	2.90	247.00	5,329.33	474.65	-549.78	725.25	0.26

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/17/2009

Report #: 8, DFS: 6

Depth Progress: 457

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 44,490	Cum Cost To Date 281,360
Operations at Report Time Pull 10 stands, stand back in derrick.		Operations Next 24 Hours L/D DP & BHA. RIH w/ 5 1/2" & cement.		Daily Mud Cost 2,262	Mud Additive Cost To Date 14,247
Operations Summary Drill 7 7/8" hole f/ 5426' to 6081' Circ. & Cond. hole w/ hi-vis sweep. Short trip 20 stands. Circ & Cond hole w/ hi-vis sweep. Stand back 10 stands.				Depth Start (ftKB) 5,624	Depth End (ftKB) 6,081
Remarks The Wasatch came in @ +/- 5928'. Drilled to 6081' to accomadate the casing tally to put the shoe @ 6050' +/- 122' into the Wasatch.				Depth Start (TVD) (ftKB)	Depth End (TVD) (ftKB)
				Target Formation Uteland Butte	Target Depth (ftKB) 5,884

Hole Condition Good				<b>Daily Contacts</b>	
<b>Last Casing Set</b>				Job Contact	Mobile
Casing Description 5 1/2 in casing	Set Depth (ftKB) 6,050	OD (in) 5 1/2	Comment	Whitey Cottam	281-605-2052
				Kim D. Gritz	281-605-2052

<b>Time Log</b>		<b>Rigs</b>			
Start Time	End Time	Dur (hrs)	Operation	Comment	Contractor
06:00	07:30	1.50	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 5426' to 5670' w/ 12-18,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.	Aztec Drilling

07:30	09:30	2.00	Repair Rig	#2 pump down due to washed out seat. Hook up vibrating hose to #1 pump & prepare to put into operation.	Rig Number 673
09:30	12:00	2.50	Repair Rig	When the #1 pump was put online the drill string was plugged. Work pipe & un-plug string.	

12:00	12:45	0.75	Miscellaneous	Held safety meeting & Berry Petroleum induction w/ New crew & EH&S Specialist Bud Rice.	<b>Mud Pumps</b>
12:45	16:15	3.50	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 5686' to 5822' w/ 18-22,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.	<b># 2, Emmsco, F-1000</b>

16:15	17:45	1.50	Lubricate Rig	Service rig & TDS	Pump Rating (hp) 1,000.0
17:45	22:00	4.25	Drilling	Drill 7 7/8" hole w/ steerable assembly from: 5822' to 6081' w/ 18-22,000 wob, 400 gpm, 60 rpm, 3-500 psi diff.	Rod Diameter (in) 10.00

22:00	23:30	1.50	Condition Mud & Circulate	Circ. Hi-Vis sweep bottoms up for 20 stand short trip.	Stroke Length (in) 10.00
23:30	03:15	3.75	Trips	Short trip 20 stands f/ 6081' to 4810'	Liner Size (in)

03:15	04:30	1.25	Condition Mud & Circulate	Circ. Hi-Vis sweep bottoms up for logs.	Vol/Stk OR (bbl/stk)
04:30	06:00	1.50	Trips	Stand back 10 stands.	Pressure (psi)

<b>Mud Checks</b>					Slow Spd No
Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	Strokes (spm)
Water Base	06:00	6,081.0	8.55	29	Eff (%)

Gel (10s) (lb/100...)	Gel (10m) (lb/10...)	Gel (30m) (lb/10...)	Filtrate (mL/30min)	Filter Cake (/32")	pH
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Electric Stab (V)

					3
					500.0
					200.0

<b>Air Data</b>					
Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)		

<b>Corrosion Inhibitor Injected in 24hr Period</b>					
gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)			

<b>Daily Costs</b>					
Cost Description	Vendor	Note	Code 4	Cost	
IDC-RIGCOST-DRILLIN...	Aztec Well Servicing Co.	Aztec #673	1512310	13,750	

IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,722	
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	6,100	
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135	

IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100	
----------------------	---------------------	----------------	---------	-------	--

Busan	1.0	306.80
Caustic Soda	2.0	51.76
Dyna-fiber	2.0	39.22
Engineering	1.0	400.00
Gypsum	9.0	122.85
Mica Fine	6.0	95.58
Oxy Scav	2.0	94.64
PHPA	1.0	60.00
Potassium Chloride	21.0	378.00
Salt Gel	45.0	405.00
Sawdust	15.0	82.20
Sea Mud	12.0	152.16
Tax	1.0	73.37

RECEIVED  
DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/17/2009

Report #: 8, DFS: 6

Depth Progress: 457

Well Name: Ute Tribal 14-26D-54

Daily Costs				
Cost Description	Vendor	Note	Code 4	Cost
IDC-CONTRACTSUPER...	Denver Energy Consultants, LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-Water & Water Hauling	Ute Water serv. LLC	Water hauling	1512106	360
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320
IDC-SURFACE RENTAL	Rain for Rent	Transport tanks/pump	1512380	809
IDC-MANCAMP	CG Electrical Services	Service Camp Gen.	1514230	453
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85
IDC-GASOLINE,DIESEL...	Western Petroleum Co.	#1 Diesel fuel	1513770	7,100
IDC-MANCAMP	Mountain West OF Serv.	Rig up camp	1514230	1,602
IDC-MANCAMP	Mountain West OF Serv.	Rig up camp	1514230	5,656
FAC-INSTRUMENTATION	MD Totco	Rig up	1553330	600
FAC-INSTRUMENTATION	MD Totco	Totco system / phone/ internet	1553330	2,268

## Drill Strings

### BHA #1, Steerable #1

Bit Run	Drill Bit	IADC Bit Dull	TFA (incl Noz) (in <sup>2</sup> )
1	7 7/8in, FX65M, 11154069	2-3-WT-S-X-0-CT-TD	0.98
Nozzles (/32")		String Length (ft)	String Wt (1000lbf)
16/16/16/16/16		1,078.78	51
			BHA ROP (ft...)
			52.3

## Drill String Components

Jts	Item Description	OD (in)	Len (ft)
1	Mud Motor 7/8 3.5 .21 rev/gal 1.5 abh	6 1/2	28.72
1	UBHO	6 1/2	2.90
1	Gap Sub	6 1/2	3.39
1	Non-Mag DC	6 1/2	30.36
1	Non-Mag DC	6 1/2	30.39
2	Spiral Steel DC	6 1/2	61.00
30	Spiral HWDP	4 1/2	921.02

## Drilling Parameters

Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)
Original Hole	5,624.0	6,081.0	5,710.00	9.25	109.25	49.4	400
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq
20	65	1,350.0	130	160	125	8,000.0	7,200.0
Q (g inj) (ft³/...)	Motor RPM (rpm)	T (lin) (°F)	P (BH Ann) (...)	T (bh) (°F)	P (Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...)
400.00	80						400

## Deviation Surveys

### EMWD

Azim...	Date	Description	EW Tie In...	Inclin...	MD Tie In (ft...	NSTie In ...	TVD Tie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

## Survey Data

MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING





# Berry Daily Drilling Report w costs

Report Date: 12/18/2009

Report #: 9, DFS: 7

Well Name: Ute Tribal 14-26D-54

Depth Progress: 0

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	State/Province Utah	AFE Number C10 032001	Total AFE Amount
Spud Date 12/11/2009 4:00:00 PM	Rig Release Date 12/18/2009 6:00:00 PM	KB-Ground Distance (ft) 14.00	Ground Elevation (ftKB) 6,477	Daily Cost 64,012	Cum Cost To Date 345,373
Operations at Report Time Running 5 1/2" casing		Operations Next 24 Hours Run casing, cement same, nipple down, set slips, clean pits, and release rig for rig move.		Daily Mud Cost 1,941	Mud Additive Cost To Date 16,188
				Depth Start (ftKB) 6,081	Depth End (ftKB) 6,081
				Depth Start (TVD) (ftKB)	Depth End (TVD) (ftKB)
Operations Summary Recieved orders to run 5 1/2" casing from Matt Strever 21:30				Target Formation Uteland Butte	Target Depth (ftKB) 5,884
Remarks				Daily Contacts	
Weather Partly cloudy	Temperature (°F) 1.0	Road Condition Snow packed	Hole Condition Good		

## Last Casing Set

Casing Description	Set Depth (ftKB)	OD (in)	Comment
5 1/2 in casing	6,050	5 1/2	

## Time Log

Start Time	End Time	Dur (hrs)	Operation	Comment
06:00	07:00	1.00	LD Drillpipe	Rig up Weatherford TRS Lay down machine
07:00	07:30	0.50	Miscellaneous	Held PJSM with rig & third party crews prior to laying down DP
07:30	16:00	8.50	LD Drillpipe	Lay down drill pipe,HWDP & Directional BHA.
16:00	18:30	2.50	Wire Line Logs	R/U & run wireline logs, R/D loggers.
18:30	19:30	1.00	Run Casing & Cement	R/U Weatherford TRS Casers. Held PJSM.
19:30	21:00	1.50	Run Casing & Cement	M/U shoe track & 8 joints of 5 1/2" casing. Casing started hanging up. The centralizers that were delivered by Haliburton were 5.5 x 8.75
21:00	22:00	1.00	Run Casing & Cement	Pull 6 joints of 5 1/2" casing & remove centralizers.
22:00	04:30	6.50	Run Casing & Cement	Wait on 5.5 x 7.875 centralizers.
04:30	06:00	1.50	Run Casing & Cement	Running 5 1/2" casing

## Mud Checks

Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)
Water Base	06:00	6,108.0	8.50	28	1.0	2.000
Gel (10s) (lb/100...)	Gel (10m) (lb/10...	Gel (30m) (lb/10...	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)
	0.0	99.8	15,000.000		3	

CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)
					368.0

## Air Data

Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)

## Corrosion Inhibitor Injected in 24hr Period

gls Injected down Parasite (gal)	gls Injected in Mud (gal)	gls Biocide Injected in Mud (gal)

## Daily Costs

Cost Description	Vendor	Note	Code 4	Cost
IDC-RIGCOST-DRILLIN...	Aztec Well Servicing Co.	Aztec #673	1512310	13,750
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,722
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	6,100
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100
IDC-CONTRACTSUPER...	Denver Energy Consultants,LLC	Kim D. Gritz	1512125	1,100
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330
IDC-Water & Water Hauling	Ute Water serv. LLC	Water hauling	1512106	358
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320
IDC-SURFACE RENTAL	Rain for Rent	Transport tanks/pump	1512380	809
IDC-MANCAMP	CG Electrical Services	Service Camp Gen.	1514230	453

## Daily Contacts

Job Contact	Mobile
Whitey Cottam	281-605-2052
Kim D. Gritz	281-605-2052

## Rigs

Contractor	Rig Number
Aztec Drilling	673

## Mud Pumps

# 2, Emmsco, F-1000		
Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00

Liner Size (in)	Vol/Stk OR (bbl/stk)

Pressure (psi)	Slow Spd	Strokes (spm)	Eff (%)
	No		

## # 1, Emmsco, F-1000

Pump Rating (hp)	Rod Diameter (in)	Stroke Length (in)
1,000.0		10.00

Liner Size (in)	Vol/Stk OR (bbl/stk)

Pressure (psi)	Slow Spd	Strokes (spm)	Eff (%)
	No		

## Mud Additive Amounts

Description	Consumed	Daily Cost
Caustic Soda	1.0	25.88
Diald 25	1.0	210.93
Engineering	1.0	400.00
Gypsum	10.0	136.50
Lime	3.0	23.40
Mica Fine	5.0	79.65
Pallets	5.0	125.00
PHPA	4.0	240.00
Potassium Chloride	24.0	432.00
Salt Gel	1.0	9.00
Sawdust	20.0	109.60
Sea Mud	2.0	25.36
Shrink Wrap	2.0	50.00
Tax	1.0	73.37

RECEIVED

DEC 2009

GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/18/2009

Report #: 9, DFS: 7

Depth Progress: 0

Well Name: Ute Tribal 14-26D-54

Daily Costs				
Cost Description	Vendor	Note	Code 4	Cost
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85
IDC-GASOLINE,DIESEL...	Western Petroleum Co.	#1 Diesel fuel	1513770	7,100
IDC-MANCAMP	Mountain West OF Serv.	Rig up camp	1514230	1,602
IDC-MANCAMP	Mountain West OF Serv.	Rig up camp	1514230	5,656
FAC-INSTRUMENTATION	MD Totco	Totco system / phone/ internet	1553330	338
IDC-BITS	Security DBS	7 7/8" FX65M 5710' @ 2.50 / ft	1513705	14,999
IDC-CASINGINSTALLA...	Zimmerman Engineering	5 1/2" LT&C Circ. Swedge	1512365	813
IDC-GASOLINE,DIESEL...	Cardwell Dist.	Methonal	1513770	214
IDC-LOGGING/FORMA...	Baker Atlas	Logs	1512730	6,028

## Drill Strings

Bit Run	Drill Bit	IADC Bit Dull	TFA (incl Noz) (in²)
Nozzles (/32")	String Length (ft)	String Wt (1000lbf)	BHA ROP (ft...

## Drill String Components

Jts	Item Description	OD (in)	Len (ft)
-----	------------------	---------	----------

## Drilling Parameters

Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq
Q (g inj) (ft³/...	Motor RPM (rpm)	T (Inj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P(Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...)
							Q (g return) ...

## Deviation Surveys

EMWD							
Azim...	Date	Description	EW Tie In...	inclin...	MD Tie In (ft...	NSTie In ...	TVD Tie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

## Survey Data

MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)
-----------	----------	---------	------------	---------	---------	---------	---------------

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/19/2009

Report #: 10, DFS: 8

Well Name: Ute Tribal 14-26D-54

Depth Progress: 0

API/UWI 43-013-33673		Surface Legal Location SE/SW Sec. 26 T5S R4W		Spud Date Notice 8/6/2007		State/Province Utah		AFE Number C10 032001		Total AFE Amount	
Spud Date 12/11/2009 4:00:00 PM		Rig Release Date 12/18/2009 6:00:00 PM		KB-Ground Distance (ft) 14.00		Ground Elevation (ftKB) 6,477		Daily Cost 120,342		Cum Cost To Date 465,715	
Operations at Report Time Rigging down for rig move				Operations Next 24 Hours move rig				Daily Mud Cost 400		Mud Additive Cost To Date 16,588	
Operations Summary Run 5 1/2 casing, fill pipe, run casing to 6056', RDMO casing equipment, MIRU haliburton, safety meeting, cement casing, nipple down & set slips, clean pits & release rig @ 1800 hrs. Rigging down.											
Remarks Trucks to be here @ 07:00											
Weather clear		Temperature (°F) 2.0		Road Condition Snow packed		Hole Condition Good		Depth Start (ftKB) 6,081		Depth End (ftKB) 6,081	
								Depth Start (TVD) (ftKB)		Depth End (TVD) (ftKB)	
								Target Formation Uteland Butte		Target Depth (ftKB) 5,884	
<b>Last Casing Set</b>											
Casing Description 5 1/2 in casing		Set Depth (ftKB) 6,050		OD (in) 5 1/2		Comment					
<b>Time Log</b>											
Start Time	End Time	Dur (hrs)	Operation				Comment				
06:00	07:00	1.00	Run Casing & Cement				Running 5 1/2" casing				
07:00	07:30	0.50	Run Casing & Cement				Fill pipe				
07:30	09:00	1.50	Run Casing & Cement				Run casing to 6056'				
09:00	10:00	1.00	Run Casing & Cement				Rig down Weatherford casing equipment & circ hole.				
10:00	11:00	1.00	Run Casing & Cement				Rig up Haliburton cementing equipment.				
11:00	11:30	0.50	Run Casing & Cement				Safety meeting w/Haliburton				
11:30	13:30	2.00	Run Casing & Cement				Pump cement: 20 bbls pre flush, 195 sacks of EconCem @ 11.0#, Yield 3.82, Gal/sk 24.19, Tail 391 sks halliburton light premium @ 13.5#, yield 1.56, gal/sk 7.64, Displace w 2.5 KCL water 143.7 bbls.				
13:30	15:00	1.50	NU/ND BOP				Nipple down BOP & set slips @ 80,000				
15:00	18:00	3.00	Miscellaneous				Clean Pits & Release rig @ 1800 hrs for rig move.				
18:00	00:00	6.00	Rig Up & Tear Down				Rigging down.				
<b>Mud Checks</b>											
Type	Time	Depth (ftKB)	Density (lb/gal)	Vis (s/qt)	PV Calc (cp)	Yield Point (lb/100ft²)					
Gel (10s) (lb/100...)	Gel (10m) (lb/100...)	Gel (30m) (lb/100...)	Filtrate (mL/30min)	Filter Cake (/32")	pH	Solids (%)					
MBT (lb/bbl)	Percent Oil (%)	Percent Water (%)	Chlorides (mg/L)	Calcium (mg/L)	KCL (%)	Electric Stab (V)					
CEC for Cuttings	Whole Mud Add (bbl)	Mud Lost to Hole (bbl)	Mud Lost (Surf) (bbl)	Mud Vol (Res) (bbl)	Mud Vol (Act) (bbl)						
<b>Air Data</b>											
Parasite ACFM (ft³/min)	Drillpipe ACFM (ft³/min)	ECD Bit (lb/gal)	ECD Parasite (lb/gal)								
<b>Corrosion Inhibitor Injected in 24hr Period</b>											
gls Injected down Parasite (gal)		gls Injected in Mud (gal)				gls Biocide Injected in Mud (gal)					
<b>Daily Costs</b>											
Cost Description	Vendor	Note	Code 4	Cost							
IDC-RIGCOST-DRILLIN...	Aztec Well Servicing Co.	Aztec #673	1512310	13,750							
IDC-SURFACE RENTAL	NOV/Brandt	De-Watering System	1512380	2,722							
IDC-DIRECTIONALDRIL...	Great White Dir.	Direct. Services	1512712	6,100							
IDC-MANCAMP	Mountain West OF Serv.	Mancamp	1514230	135							
IDC-CONTRACTSUPER...	Northwind Operating	R. Boyd Cottam	1512125	1,100							
IDC-CONTRACTSUPER...	Denver Energy Consultants, LLC	Kim D. Gritz	1512125	1,100							
IDC-SURFACE RENTAL	Rain for Rent	Frac Tanks	1512380	330							
IDC-Water & Water Hauling	Ute Water serv. LLC	Water hauling	1512106	358							
IDC-DOWNHOLERENT...	Patterson Rentals	Spiral HWDP	1512381	320							
IDC-SURFACE RENTAL	Rain for Rent	Transport tanks/pump	1512380	809							
IDC-MANCAMP	CG Electrical Services	Service Camp Gen.	1514230	453							

<b>Daily Contacts</b>	
Job Contact	Mobile
Whitey Cottam	281-605-2052
Kim D. Gritz	281-605-2052
<b>Rigs</b>	
Contractor	Rig Number
Aztec Drilling	673
<b>Mud Pumps</b>	
<b># 2, Emmsco, F-1000</b>	
Pump Rating (hp)	Stroke Length (in)
1,000.0	10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)
Pressure (psi)	Slow Spd
	No
Strokes (spm)	Eff (%)
<b># 1, Emmsco, F-1000</b>	
Pump Rating (hp)	Stroke Length (in)
1,000.0	10.00
Liner Size (in)	Vol/Stk OR (bbl/stk)
Pressure (psi)	Slow Spd
	No
Strokes (spm)	Eff (%)
<b>Mud Additive Amounts</b>	
Description	Consumed
Engineering	1.0
	Daily Cost
	400.00

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING



# Berry Daily Drilling Report w costs

Report Date: 12/19/2009

Report #: 10, DFS: 8

Depth Progress: 0

Well Name: Ute Tribal 14-26D-54

Daily Costs				
Cost Description	Vendor	Note	Code 4	Cost
IDC-MANCAMP	CG Electrical Services	Camp Generator	1514230	85
FAC-INSTRUMENTATION	MD Totco	Totco system / phone/ internet	1553330	338
IDC-CASINGINSTALLA...	Colorado Tubulars	5 1/2 casing @ 8.45	1512365	51,173
IDC-CEMENT&CEMEN...	Haliburton	cement	1512355	34,447
IDC-CASINGINSTALLA...	Weatherford TRS	run casing	1512365	7,122

## Drill Strings

Bit Run	Drill Bit	IADC Bit Dull	TFA (incl Noz) (in²)
Nozzles (/32")	String Length (ft)	String Wt (1000lbf)	BHA ROP (ft...

## Drill String Components

Jts	Item Description	OD (in)	Len (ft)
-----	------------------	---------	----------

## Drilling Parameters

Wellbore	Start (ftKB)	Depth End (ftKB)	Cum Depth (ft)	Drill Time (hrs)	Cum Drill Time ...	Int ROP (ft/hr)	Flow Rate (gpm)	
WOB (1000lbf)	RPM (rpm)	SPP (psi)	Rot HL (1000lbf)	PU HL (1000lbf)	SO HL (1000lbf)	Drilling Torque	Off Btm Tq	
Q (g inj) (ft³/...	Motor RPM (rpm)	T (Inj) (°F)	P (BH Ann) (...)	T (bh) (°F)	P(Surf Ann) ...	T (surf ann) ...	Q (liq rtn) (g...	Q (g return) ...

## Deviation Surveys

EMWD							
Azim...	Date	Description	EWTTie In...	Inclin...	MD Tie In (ft...	NSTie In ...	TVDTie In (ft...
0.00	12/13/2009	EMWD	0.00	0.00	0.00	0.00	0.00

## Survey Data

MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	NS (ft)	EW (ft)	VS (ft)	DLS (°/100ft)
-----------	----------	---------	------------	---------	---------	---------	---------------

RECEIVED

DEC 22 2009

DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-4954
2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
3. ADDRESS OF OPERATOR: 4000 S. 4028 W. CITY Roosevelt STATE UT ZIP 84066		7. UNIT or CA AGREEMENT NAME: N/A
4. LOCATION OF WELL 176 FSL 2493 FWL FOOTAGES AT SURFACE: 187' FSL, 2451' FWL BHL: 857' FSL, 1768' FWL		8. WELL NAME and NUMBER: UTE TRIBAL 14-26D-54
PHONE NUMBER: (435) 722-1325		9. API NUMBER: 4301333673
10. FIELD AND POOL, OR WILDCAT: BRUNDAGE CANYON		

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 26 T5S R4W



COUNTY: DUCHESNE

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: COMPLETION
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	PROCEDURE

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PLEASE SEE THE ATTACHED COMPLETION PROCEDURE FOR THE UTE TRIBAL 14-26D-54.

COPY SENT TO OPERATOR

Date: 1.14.2010

Initials: KS

NAME (PLEASE PRINT) SHELLEY E. CROZIER

TITLE REGULATORY & PERMITTING SPECIALIST

SIGNATURE Shelley E. Crozier

DATE 1/11/2010

(This space for State use only)

Accepted by the  
Utah Division of  
Oil, Gas and Mining

Federal Approval Of This  
Action Is Necessary

Date: 1/12/2010  
By: [Signature]

(See Instructions on Reverse Side)

RECEIVED

JAN 12 2010

DIV. OF OIL, GAS & MINING

Surface: 187' FSL, 2,451' FWL (SE/SW)  
Sec. 26, T5S-R4W  
Duchesne County, Utah  
API No: 43-013-33673  
Depth: TD 6080'  
Elevation: GL 6477'; KB 6491'; KB - GL = 14'  
CSG: 8 5/8" 24# J-55 STC set @ 350' KB cemented w/ 250 sks  
Class G  
5 1/2" 15.5# J-55 LTC @ 6050' KB cemented w/ 195 sx PL  
lead & 391 sx PLHS tail  
Mkr jt @ 4139' KB Length - 12.36'  
FC @ 6003'  
TBG: 2 7/8" 6.5# J-55 8rd w/ 2 7/8" SN 1 jt off btm. EOT @  
xxxx', TAC @ xxxx.  
FM: Douglas Creek 4,302', Black Shale 4,922', Castle Peak  
Ls 5,218', Uteland Butte Ls 5,660', Wasatch 5,864'.  
Required TOC: Surface (GL)

Correlate Depths to the Baker Hughes Compensated Density/Compensated  
Neutron log dated 12/17/2009.

\*\*\*\*\*

**PROGRAM:**

- 1) Install surface production equipment and pumping unit.
- 2) NU frachead & BOPE. Load hole.
- 3) MIRU wireline w/ mast pole. Run GR/CCL/CBL from PBTD to TOC. Verify  
PBTD & acceptable cmt bond across zones to be completed. **Make sure that  
CBL is run to a shallow enough depth so that the TOC can be identified.**  
Test csg to 2,000 psi. Contact Denver if CBL or pressure test unsatisfactory. If  
acceptable, proceed and perf the following **Uteland Butte** interval @ 120° w/  
22.7 gm charges, 0.36" dia. holes:

Interval: 1	Top Perf	Btm Perf	SPF	Length	No. Perfs
	5664	5665	2	1	2
	5688	5689	2	1	2
	5704	5705	2	1	2
	5708	5709	2	1	2
	5722	5723	2	1	2
	5728	5729	2	1	2
	5734	5735	2	1	2
	5740	5741	2	1	2
	5772	5773	2	1	2
	5778	5779	2	1	2
	5814	5815	2	1	2
	5838	5839	2	1	2
	Total:			12	24

- 4) RU frac equip. & frac down csg per design f/ Interval 1. SD & record ISIP. RD  
frac equip. RU wireline. RIH w/ 5 1/2" solid composite plug; run in tandem w/ 3  
1/8" csg gun(s). Set plug @ +/- xxxx. Perf the following **Castle Peak** interval @  
120° w/ 22.7 gm charges, 0.36" dia. holes:



Interval: 2	Top Perf	Btm Perf	SPF	Length	No. Perfs
	5374	5375	2	1	2
	5378	5379	2	1	2
	5382	5383	2	1	2
	5472	5473	2	1	2
	5528	5529	2	1	2
	5532	5533	2	1	2
	5538	5539	2	1	2
	5548	5549	2	1	2
	5554	5555	2	1	2
	5558	5559	2	1	2
	5564	5565	2	1	2
Total:				11	22

- 5) RRU frac equip. & frac down csg per design f/ Interval 2. SD & record ISIP. RD frac equip. RU wireline. RIH w/ 5 1/2" solid composite plug; run in tandem w/ 3 1/8" csg gun(s). Set plug @ +/- xxxx. Perf the following **Castle Peak** interval @ 120° w/ 22.7 gm charges, 0.36" dia. holes:

Interval: 3	Top Perf	Btm Perf	SPF	Length	No. Perfs
	5173	5174	2	1	2
	5254	5255	2	1	2
	5256	5257	2	1	2
	5258	5259	2	1	2
	5262	5263	2	1	2
	5264	5265	2	1	2
	5266	5267	2	1	2
	5270	5271	2	1	2
	5322	5323	2	1	2
	5324	5325	2	1	2
	5326	5327	2	1	2
Total:				11	22

- 6) RU frac equip. & frac down csg per design f/ Interval 3. SD & record ISIP. RD frac equip. RU wireline. RIH w/ 5 1/2" solid composite plug; run in tandem w/ 3 1/8" csg gun(s). Set plug @ +/- xxxx Perf the following **Douglas Creek** interval @ 120° w/ 22.7 gm charges, 0.36" dia. holes:

Interval: 4	Top Perf	Btm Perf	SPF	Length	No. Perfs
	4780	4781	2	1	2
	4782	4783	2	1	2
	4784	4785	2	1	2
	4852	4853	2	1	2
	4854	4855	2	1	2
	4856	4857	2	1	2
	4858	4859	2	1	2
	4860	4861	2	1	2
	4888	4889	2	1	2
	4894	4895	2	1	2
	4896	4897	2	1	2
Total:				11	22

- 7) RU frac equip. & frac down csg per design f/ Interval 4. SD and record ISIP. RD frac equipment from wellhead. Open and flow well to tank.
- 8) RIH w/ 2 7/8" tbg w/ bit. RIH w/ tbg to top of plug. CO to PBTD. Circulate hole clean. POOH & lay down bit.

- 9) PU NC & SN & 5 ½" anchor catcher. Pull up & Set anchor catcher & SN below bottom perfs. ND BOPE. NU tbg head & flow tee. RIH w/ pump & rod string. Seat pump & space out. Fill tbg & test to 500psi. Hang on clamps. Start well pumping. RD & MO.

## UT 14-26D-54

1:

## Uteland Butte

Top Perf: 5664 ft  
Btm.  
Perf: 5838 ft

Total Proppant: 60,000 lb  
Rate: 40 bpm

Stage		Vol (Gal)	Vol (bbls)	Beg. PPA	End PPA	Prop (lb)
1	Acid	250	6.0			
2	Pad	11000	261.9			
3	1-3 PPA Ramp	19500	464.3	1	3	39000
4	3-4 PPA Ramp	6000	142.9	3	4	21000
5	Spacer	100	2.4			
6	Acid	250	6.0			
7	Flush	5312	126.5			
<b>Total Fluid:</b>		998	bbls			

**2:**

**2:**

## Castle Peak

Top Perf: 5374 ft  
Btm.  
Perf: 5564 ft

Total Proppant: 90,000 lb  
Rate: 36 bpm

Stage		Vol (Gal)	Vol (bbls)	Beg. PPA	End PPA	Prop (lb)
1	Pad	4700	111.9			
2	1-5 PPA Ramp	15000	357.1	1	5	45000
3	5 PPA Hold	9000	214.3	5	5	45000
4	Spacer	48	1.1			
5	Acid	250	6.0			
6	Flush	5074	120.8			
<b>Total Fluid:</b>		805	bbls			

**3:**

**3:**

## Castle Peak

Top Perf: 5173 ft  
Btm.  
Perf: 5326 ft

Total Proppant: 60,000 lb  
Rate: 36 bpm

Stage		Vol (Gal)	Vol (bbls)	Beg. PPA	End PPA	Prop (lb)
1	Pad	5400	128.6			
2	1-5 PPA Ramp	10000	238.1	1	5	30000
3	5 PPA Hold	6000	142.9	5	5	30000
4	Spacer	277	6.6			
5	Acid	250	6.0			
6	Flush	4645	110.6			
<b>Total Fluid:</b>		627	bbls			

---

**Stage****4: Douglas Creek**Top Perf: 4780 ft  
Btm.  
Perf: 4896 ftTotal Proppant: 60,000 lb 16/30  
Rate: 40 bpm White

---

Stage		Vol (Gal)	Vol (bbls)	Beg. PPA	End PPA	Prop (lb)
1	Pad	5400	128.6			
2	1-5 PPA Ramp	10000	238.1	1	5	30000
3	5 PPA Hold	6000	142.9	5	5	30000
4	Spacer	4779	113.8			
5	Acid	0	0.0			
6	Flush	0	0.0			
Total Fluid:		623	bbls			

---

**Tanks  
Needed: 7**

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		<b>FORM 9</b>																														
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> 14-20-H62-4954																														
<b>1. TYPE OF WELL</b> Oil Well		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> UTE																														
<b>2. NAME OF OPERATOR:</b> BERRY PETROLEUM COMPANY		<b>7. UNIT or CA AGREEMENT NAME:</b>																														
<b>3. ADDRESS OF OPERATOR:</b> 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066		<b>8. WELL NAME and NUMBER:</b> UTE TRIBAL 14-26D-54																														
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0176 FSL 2473 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SESW Section: 26 Township: 05.0S Range: 04.0W Meridian: U		<b>9. API NUMBER:</b> 43013336730000																														
<b>PHONE NUMBER:</b> 303 999-4044 Ext		<b>9. FIELD and POOL or WILDCAT:</b> BRUNDAGE CANYON																														
<b>COUNTY:</b> DUCHESNE		<b>STATE:</b> UTAH																														
<b>11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA</b>																																
<b>TYPE OF SUBMISSION</b>  <input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:  <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 1/25/2010  <input type="checkbox"/> SPUD REPORT Date of Spud:  <input type="checkbox"/> DRILLING REPORT Report Date:	<b>TYPE OF ACTION</b>  <table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> ACIDIZE</td> <td><input type="checkbox"/> ALTER CASING</td> <td><input type="checkbox"/> CASING REPAIR</td> </tr> <tr> <td><input type="checkbox"/> CHANGE TO PREVIOUS PLANS</td> <td><input type="checkbox"/> CHANGE TUBING</td> <td><input type="checkbox"/> CHANGE WELL NAME</td> </tr> <tr> <td><input type="checkbox"/> CHANGE WELL STATUS</td> <td><input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS</td> <td><input type="checkbox"/> CONVERT WELL TYPE</td> </tr> <tr> <td><input type="checkbox"/> DEEPEN</td> <td><input type="checkbox"/> FRACTURE TREAT</td> <td><input type="checkbox"/> NEW CONSTRUCTION</td> </tr> <tr> <td><input type="checkbox"/> OPERATOR CHANGE</td> <td><input type="checkbox"/> PLUG AND ABANDON</td> <td><input type="checkbox"/> PLUG BACK</td> </tr> <tr> <td><input checked="" type="checkbox"/> PRODUCTION START OR RESUME</td> <td><input type="checkbox"/> RECLAMATION OF WELL SITE</td> <td><input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION</td> </tr> <tr> <td><input type="checkbox"/> REPERFORATE CURRENT FORMATION</td> <td><input type="checkbox"/> SIDETRACK TO REPAIR WELL</td> <td><input type="checkbox"/> TEMPORARY ABANDON</td> </tr> <tr> <td><input type="checkbox"/> TUBING REPAIR</td> <td><input type="checkbox"/> VENT OR FLARE</td> <td><input type="checkbox"/> WATER DISPOSAL</td> </tr> <tr> <td><input type="checkbox"/> WATER SHUTOFF</td> <td><input type="checkbox"/> SI TA STATUS EXTENSION</td> <td><input type="checkbox"/> APD EXTENSION</td> </tr> <tr> <td><input type="checkbox"/> WILDCAT WELL DETERMINATION</td> <td><input checked="" type="checkbox"/> OTHER</td> <td>OTHER: 1st. Sales</td> </tr> </table>		<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK	<input checked="" type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: 1st. Sales
<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR																														
<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME																														
<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE																														
<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION																														
<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK																														
<input checked="" type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION																														
<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON																														
<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL																														
<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION																														
<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: 1st. Sales																														
<b>12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.</b> Please note that the Ute Tribal 14-26D-55 went to sales on January 25, 2010 (1/25/2010).  <div style="text-align: right; padding-right: 50px;"> <b>Accepted by the</b>  <b>Utah Division of</b>  <b>Oil, Gas and Mining</b>  <b>FOR RECORD ONLY</b>          January 26, 2010       </div>																																
<b>NAME (PLEASE PRINT)</b> Shelley E. Crozier	<b>PHONE NUMBER</b> 435 722-1325	<b>TITLE</b> Regulatory & Permitting Specialist																														
<b>SIGNATURE</b> N/A	<b>DATE</b> 1/26/2010																															

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> 14-20-H62-4954
<b>1. TYPE OF WELL</b> Oil Well		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> UTE
<b>2. NAME OF OPERATOR:</b> BERRY PETROLEUM COMPANY		<b>7.UNIT or CA AGREEMENT NAME:</b>
<b>3. ADDRESS OF OPERATOR:</b> 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066		<b>8. WELL NAME and NUMBER:</b> UTE TRIBAL 14-26D-54
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0176 FSL 2473 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: SESW Section: 26 Township: 05.0S Range: 04.0W Meridian: U		<b>9. API NUMBER:</b> 43013336730000
<b>PHONE NUMBER:</b> 303 999-4044 Ext		<b>9. FIELD and POOL or WILDCAT:</b> BRUNDAGE CANYON
<b>COUNTY:</b> DUCHESNE		<b>STATE:</b> UTAH

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER:
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:			
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:			
<input checked="" type="checkbox"/> <b>DRILLING REPORT</b> Report Date: 1/18/2010			

**12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.**

Accepted by the  
 Utah Division of  
 Oil, Gas and Mining  
**FOR RECORD ONLY**  
 February 11, 2010

<b>NAME (PLEASE PRINT)</b> Shelley E. Crozier	<b>PHONE NUMBER</b> 435 722-1325	<b>TITLE</b> Regulatory & Permitting Specialist
<b>SIGNATURE</b> N/A	<b>DATE</b> 1/26/2010	





# Berry Daily Completion and Workover

Report # 1, Report Date: 1/8/2010

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	Field Name Brundage Canyon	State/Province Utah
Well Configuration Type Deviated	Original KB Elevation (ftKB) 6,491	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft) 0.00	KB-Tubing Head Distance (ft)

Primary Job Type Completion	Secondary Job Type
Objective	

Contractor Key Energy Services	Rig Number 249		
AFE Number C10 032001	Total AFE Amount 399,448	Daily Cost 2,635	Cum Cost To Date 2,635
Weather cold	T (°F) 20.0	Road Condition good	Tubing Pressure (psi) 0.0
			Casing Pressure (psi) 0.0
			Rig Time (hrs)
Job Contact	Title		Mobile

## Time Log

Start Time	End Time	Dur (hrs)	Code 1	Operation	Comment
00:00	00:00		LOGG	Logging	Rig up wireline and run cement bond log from 5897 to surface with no pressure on csg. cement looked good, top at 550'. rig down wireline and prepare to frac well.

## Report Fluids Summary

Fluid	To well (bbl)	From well (bbl)	To lease (bbl)	From lease (bbl)

## Daily Costs

Code 1	Code 2	Code 3	Cost	Cost Description
152	2730	ICC	2,285	ICC-LOGGING/FORMATION EVALUATION
152	2125	ICC	350	ICC-CONTRACT SUPERVISION

## Safety Checks

Time	Description	Type	Comment

## Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?
				No

## Perforations

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Date	Zone	Type	Stim/Treat Company

Stg No.	Stage Type	Top (ftKB)	Btm (ftKB)	V (pumped) (bbl)

## Other In Hole

Description	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

## Cement

Description	Start Date	Cement Comp



# Berry Daily Completion and Workover

Report # 2, Report Date: 1/11/2010

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	Field Name Brundage Canyon	State/Province Utah
Well Configuration Type Deviated	Original KB Elevation (ftKB) 6,491	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft) 0.00	KB-Tubing Head Distance (ft)

Primary Job Type Completion		Secondary Job Type		
Objective				
Contractor Key Energy Services			Rig Number 249	
AFE Number C10 032001		Total AFE Amount 399,448	Daily Cost 468,690	Cum Cost To Date 471,325
Weather	T (°F)	Road Condition good	Tubing Pressure (psi)	Casing Pressure (psi) Rig Time (hrs)
Job Contact		Title		Mobile

## Time Log

Start Time	End Time	Dur (hrs)	Code 1	Operation	Comment
00:00	00:00		PFRT	Perforating	RIG UP WIRELINE AND PERFORATE THE UTELAND BUTTE 2 SPF, 3 1/8" CSG GUN, 120 PHASING. 5664-65, 5688-89, 5704-05, 5708-09, 5722-23, 5728-29, 5734-35, 5740-41, 5772-73, 5778-79, 5814-15, 5838-39. RIG UP FRAC CREW.

## Report Fluids Summary

Fluid	To well (bbl)	From well (bbl)	To lease (bbl)	From lease (bbl)

## Daily Costs

Code 1	Code 2	Code 3	Cost	Cost Description
152	2730	ICC	2,500	ICC-LOGGING/FORMATION EVALUATION
152	2125	ICC	475	ICC-CONTRACT SUPERVISION
152	4250	ICC	465,715	ICC-MISCELLANEOUS

## Safety Checks

Time	Description	Type	Comment

## Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?
				No

## Perforations

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Date	Zone	Type	Stim/Treat Company
Stg No.	Stage Type	Top (ftKB)	Btm (ftKB) V (pumped) (bbl)

## Other In Hole

Description	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

## Cement

Description	Start Date	Cement Comp



# Berry Daily Completion and Workover

Report # 3, Report Date: 1/12/2010

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	Field Name Brundage Canyon	State/Province Utah
Well Configuration Type Deviated	Original KB Elevation (ftKB) 6,491	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft) 0.00	KB-Tubing Head Distance (ft)

Primary Job Type Completion	Secondary Job Type
Objective	

Contractor Key Energy Services			Rig Number 249		
AFE Number C10 032001		Total AFE Amount 399,448		Daily Cost 108,450	
Cum Cost To Date 579,775		Weather T (°F)		Road Condition good	
Tubing Pressure (psi)		Casing Pressure (psi)		Rig Time (hrs)	
Job Contact		Title		Mobile	

## Time Log

Start Time	End Time	Dur (hrs)	Code 1	Operation	Comment
00:00	00:00		FRAC	Frac. Job	RIG UP MAVERICK AND FRAC THE UTELAND BUTTE. BREAK DOWN PERFS AT 2930 PSI AND PUMP 250 GALS OF ACID. PUMP 262 BBLS OF PAD, PUMP 506 BBLS OF 1 TO 3 #/GAL 16/30 SAND, PUMP 166 BBLS OF 3 TO 4 #/GAL 16/30 SAND, PUMP 134 BBLS OF ACID AND FLUSH. ISIP 2700 PSI, MAX RATE 39 BPM, MAX PR 3626 PSI, AVG PR 2670 PSI. SHUT WELL IN. 60,000 # OF SAND IN PERFS
00:00	00:00		PFRT	Perforating	SET COMPOSITE PLUG AT 5600' AND PERFORATE THE CASTLE PEAK WITH 3 1/8" CSG GUN, 2 SPF, 120 PHASING. 5374-75, 5378-79, 5382-83, 5472-73, 5528-29, 5532-33, 5538-39, 5548-49, 5554-55, 5558-59, 5564-65, 11' 22 HOLES. RIG DOWN WIRELINE.
00:00	00:00		FRAC	Frac. Job	RIG UP FRAC CREW AND FRAC THE CASTLE PEAK. BREAK DOWN PERFS AT 1590 PSI. AND PUMP 112 BBL PAD. PUMP 406 BBLS OF 1 TO 5 #/GAL 16/30 SAND, PUMP 263 BBLS OF 5 #/GAL 16/30 SAND 16/30 SAND, PUMP 128 BBLS OF ACID AND FLUSH. ISIP 1750 PSI. MAX RATE 44 BPM, MAX PR 2644 PSI, AVG PR 1965 PSI. 90,000 # OF SAND IN PERFS.
00:00	00:00		PFRT	Perforating	RIG UP WIRELINE AND SET COMPOSITE PLUG AT 5355'. PERFORATE THE UPPER CASTLE PEAK WITH 3 1/8" CSG GUN, 2 SPF, 120 PHASING. 5173-74, 5254-55, 5256-57, 5258-59, 5262-63, 5264-65, 5266-67, 5270-71, 5322-23, 5324-25, 5326-27. -22 HOLES.
00:00	00:00		FRAC	Frac. Job	RIG UP FRAC CREW AND BREAK DOWN PERFS AT 2690 PSI. PUMP 129 BBLS OF PAD, PUMP 270 BBLS OF 1 TO 5 #/GAL 16/30 SAND RAMPED, PUMP 175 BBLS OF 5 #/GAL 16/30 SAND, PUMP 123 BBLS OF ACID AND FLUSH. ISIP 1730 PSI, MAX RATE 42.5 BPM, MAX PR 3056 PSI, AVG PR 2395 PSI, 60,000 # OF SAND IN PERFS.
00:00	00:00		PFRT	Perforating	RIG UP WIRELINE AND SET COMPOSITE PLUG AT 5000'. PERFORATE THE DOUGLAS CREEK WITH 3 1/8" CSG GUN, 2 SPF., 120 PHASING. 4780-81, 4782-83, 4784-85, 4852-53, 4854-55, 4856-57, 4858-59, 4860-61, 4888-89, 4894-95, 4896-97. 22 HOLES.
00:00	00:00		FRAC	Frac. Job	RIG UP FRAC CREW AND BREAK DOWN PERFS AT 3140 PSI. PUMP 129 BBLS OF PAD, PUMP 270 BBLS OF 1 TO 5 #/GAL 16/30 SAND RAMPED, PUMP 175 BBLS OF 5 #/GAL 16/30 SAND, PUMP 114 BBLS OF FLUSH. ISIP 3345 PSI. MAX PR 4154 PSI, MAX RATE 39.4 BPM, AVG PR 3024 PSI, 60,000 # OF SAND IN PERFS. SHUT WELL IN.

## Report Fluids Summary

Fluid	To well (bbl)	From well (bbl)	To lease (bbl)	From lease (bbl)

## Daily Costs

Code 1	Code 2	Code 3	Cost	Cost Description
152	2125	ICC	950	ICC-CONTRACTSUPERVISION
152	2360	ICC	87,000	ICC-STIMULATION/ACIDIZING
152	2106	ICC	4,800	ICC-WATER&WATERHAULING
152	2340	ICC	4,500	ICC-HOT OILING
152	2380	ICC	900	ICC-EQUIPMENTRENTAL
152	2345	ICC	9,800	ICC-PERFORATING
152	4250	ICC	500	ICC-MISCELLANEOUS

## Safety Checks

Time	Description	Type	Comment



# Berry Daily Completion and Workover

Report # 3, Report Date: 1/12/2010

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	Field Name Brundage Canyon	State/Province Utah
Well Configuration Type Deviated	Original KB Elevation (ftKB) 6,491	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft) 0.00	KB-Tubing Head Distance (ft)

## Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?
				No

## Perforations

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Date	Zone	Type	Stim/Treat Company

Stg No.	Stage Type	Top (ftKB)	Btm (ftKB)	V (pumped) (bbl)

## Other In Hole

Description	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

## Cement

Description	Start Date	Cement Comp





# Berry Daily Completion and Workover

Report # 4, Report Date: 1/14/2010

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	Field Name Brundage Canyon	State/Province Utah
Well Configuration Type Deviated	Original KB Elevation (ftKB) 6,491	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft) 0.00	KB-Tubing Head Distance (ft)

Primary Job Type Completion	Secondary Job Type
Objective	

Contractor Key Energy Services			Rig Number 249		
AFE Number C10 032001		Total AFE Amount 399,448	Daily Cost 6,000		Cum Cost To Date 585,775
Weather	T (°F)	Road Condition good	Tubing Pressure (psi)	Casing Pressure (psi)	Rig Time (hrs)
Job Contact		Title		Mobile	

## Time Log

Start Time	End Time	Dur (hrs)	Code 1	Operation	Comment
00:00	00:00		SRIG	Rig Up/Down	MOVE KEY WELL SERVICE RIG TO LOCATION AND RIG UP. WELLHEAD PRESSURE 100 PSI. BLEED PRESSURE OFF WELL AND REMOVE FRAC VALVE AND FRAC HEAD. NIPPLE UP TBG HEAD AND BOP.
00:00	00:00		RUTB	Run Tubing	SPOT TBG TRAILER AND MAKE UP 4 3/4" BIT AND BIT SUB. TALLEY AND PICK UP TBG AND TAG SAND AT 5875'. PULL 5 STANDS AND SHUT WELL IN FOR NIGHT. RIG UP PUMP LINES.

## Report Fluids Summary

Fluid	To well (bbl)	From well (bbl)	To lease (bbl)	From lease (bbl)

## Daily Costs

Code 1	Code 2	Code 3	Cost	Cost Description
152	2125	ICC	950	ICC-CONTRACTSUPERVISION
152	2106	ICC	500	ICC-WATER&WATERHAULING
152	2380	ICC	900	ICC-EQUIPMENTRENTAL
152	2305	ICC	3,150	ICC-RIGCOST-COMPLETION
152	4250	ICC	500	ICC-MISCELLANEOUS

## Safety Checks

Time	Description	Type	Comment

## Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?
				No

## Perforations

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Date	Zone	Type	Stim/Treat Company

Sig No.	Stage Type	Top (ftKB)	Btm (ftKB)	V (pumped) (bbl)

## Other In Hole

Description	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

## Cement

Description	Start Date	Cement Comp



# Berry Daily Completion and Workover

Report # 5, Report Date: 1/15/2010

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	Field Name Brundage Canyon	State/Province Utah
Well Configuration Type Deviated	Original KB Elevation (ftKB) 6,491	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft) 0.00	KB-Tubing Head Distance (ft)

Primary Job Type Completion	Secondary Job Type
Objective	

Contractor Key Energy Services	Rig Number 249	
AFE Number C10 032001	Total AFE Amount 399,448	Daily Cost 33,350
Cum Cost To Date 619,125		
Weather	T (°F)	Road Condition good
Tubing Pressure (psi)		Casing Pressure (psi)
Rig Time (hrs)		
Job Contact	Title	Mobile

Time Log					
Start Time	End Time	Dur (hrs)	Code 1	Operation	Comment
00:00	00:00		CLN	Clean Out Hole	SHUT IN PRESSURE 350 PSI. BLEED OFF PR AND RIG UP POWER SWIVEL. CIRCULATE WELL AND CLEAN OUT SAND TO PLUG AT 4915'. DRILL OUT PLUG AND CIRCULATE HOLE CLEAN.
00:00	00:00		CLN	Clean Out Hole	RUN TBG AND TAG BOTTOM OF PLUG AT 5226'. CIRCULATE AND CLEAN OUT SAND TO PLUG AT 5355'. DRILL OUT PLUG AND CIRCULATE HOLE CLEAN.
00:00	00:00		CLN	Clean Out Hole	RUN TBG AND TAG AT 5525'. CIRCULATE AND CLEAN OUT SAND TO 3RD PLUG AT 5600'. DRILL PLUG AND CIRCULATE HOLE CLEAN.
00:00	00:00		CLN	Clean Out Hole	RUN TBG AND TAG AT 5880'. CIRCULATE AND CLEAN OUT SAND AND FILL TO FLOAT COLLAR AT 6003'. CIRCULATE HOLE CLEAN AND RIG DOWN POWER SWIVEL. PULL 110 JTS TBG AND SHUT WELL IN FOR NIGHT. DRAIN PUMP AND LINES.

Report Fluids Summary				
Fluid	To well (bbl)	From well (bbl)	To lease (bbl)	From lease (bbl)

Daily Costs				
Code 1	Code 2	Code 3	Cost	Cost Description
152	2125	ICC	950	ICC-CONTRACTSUPERVISION
152	2106	ICC	500	ICC-WATER&WATERHAULING
152	2380	ICC	1,600	ICC-EQUIPMENTRENTAL
152	2305	ICC	3,800	ICC-RIGCOST-COMPLETION
152	4250	ICC	500	ICC-MISCELLANEOUS
154	3530	TCC	26,000	TCC-TUBING&ATTACHMENTS

Safety Checks			
Time	Description	Type	Comment

Logs				
Date	Type	Top (ftKB)	Btm (ftKB)	Cased?
				No

Perforations				
Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Date	Zone	Type	Stim/Treat Company
Stg No.	Stage Type	Top (ftKB)	Btm (ftKB)
			V (pumped) (bbl)

Other In Hole				
Description	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

Cement		
Description	Start Date	Cement Comp





# Berry Daily Completion and Workover

Report # 6, Report Date: 1/16/2010

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	Field Name Brundage Canyon	State/Province Utah
Well Configuration Type Deviated	Original KB Elevation (ftKB) 6,491	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft) 0.00	KB-Tubing Head Distance (ft)

Primary Job Type Completion		Secondary Job Type		
Objective				
Contractor Key Energy Services			Rig Number 249	
AFE Number C10 032001		Total AFE Amount 399,448	Daily Cost 5,550	Cum Cost To Date 624,675
Weather	T (°F)	Road Condition good	Tubing Pressure (psi)	Casing Pressure (psi)
Job Contact		Title		Mobile

## Time Log

Start Time	End Time	Dur (hrs)	Code 1	Operation	Comment
00:00	00:00		PULT	Pull Tubing	WELLHEAD PRESSURE 0 PSI. PULL REMAINING TBG OUT OF THE HOLE. LAY DOWN BIT AND BIT SUB.
00:00	00:00		RUTB	Run Tubing	MAKE UP NOTCHED COLLAR, 1 JT TBG, SEATING NIPPLE, 1 JT TBG, TBG ANCHOR, AND RUN IN THE WITH 186 JTS TBG, 188 JTS TOTAL IN WELL. REMOVE BOP AND ATTEMPT TO SET TBG ANCHOR. WORK WITH ANCHOR, WOULD NOT SET. INSTALL BOP AND PULL TBG OUT OF THE HOLE. ANCHOR WAS LOCKED UP, WOULD NOT TURN.
00:00	00:00		RUTB	Run Tubing	MAKE UP NEW TBG ANCHOR AND RUN IN THE HOLE WITH TBG. SPACE OUT TBG AND ATTEMPT TO SET TBG ANCHOR. WORK PIPE, ANCHOR FINALLY SET. STRIP OFF BOP AND SET SLIPS. LAND TBG WITH 12,000# TENSION AND MAKE UP WELLHEAD. SHUT WELL IN FOR NIGHT.

## Report Fluids Summary

Fluid	To well (bbl)	From well (bbl)	To lease (bbl)	From lease (bbl)

## Daily Costs

Code 1	Code 2	Code 3	Cost	Cost Description
152	2125	ICC	950	ICC-CONTRACTSUPERVISION
152	2380	ICC	900	ICC-EQUIPMENTRENTAL
152	2305	ICC	3,200	ICC-RIGCOST-COMPLETION
152	4250	ICC	500	ICC-MISCELLANEOUS

## Safety Checks

Time	Description	Type	Comment

## Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?
				No

## Perforations

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Date	Zone	Type	Stim/Treat Company

Stg No.	Stage Type	Top (ftKB)	Btm (ftKB)	V (pumped) (bbl)

## Other In Hole

Description	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

## Cement

Description	Start Date	Cement Comp



# Berry Daily Completion and Workover

Report # 7, Report Date: 1/18/2010

Well Name: Ute Tribal 14-26D-54

API/UWI 43-013-33673	Surface Legal Location SE/SW Sec. 26 T5S R4W	Spud Date Notice 8/6/2007	Field Name Brundage Canyon	State/Province Utah
Well Configuration Type Deviated	Original KB Elevation (ftKB) 6,491	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft) 0.00	KB-Tubing Head Distance (ft)

Primary Job Type Completion	Secondary Job Type
Objective	

Contractor Key Energy Services	Rig Number 249	
AFE Number C10 032001	Total AFE Amount 399,448	Daily Cost 33,250
Cum Cost To Date 657,925		
Weather	T (*F)	Road Condition good
Tubing Pressure (psi)		Casing Pressure (psi)
Rig Time (hrs)		
Job Contact	Title	Mobile

## Time Log

Start Time	End Time	Dur (hrs)	Code 1	Operation	Comment
00:00	00:00		RURP	Run Rods & Pump	CHANGE OVER TO ROD TOOLS AND PICK UP 2 1/2" TOP HOLD DOWN PUMP AND RUN IN THE HOLE WITH 4 WT BARS WITH STABILIZERS, 165 3/4" GUIDED RODS, 65-7/8" RODS, AND POLISH ROD. SEAT PUMP AND HANG WELL OFF ON PUMPING UNIT. RIG DOWN AND MOVE OFF.
00:00	00:00				LOAD WATER 3150 BBLS PBTD 6003'

## Report Fluids Summary

Fluid	To well (bbl)	From well (bbl)	To lease (bbl)	From lease (bbl)

## Daily Costs

Code 1	Code 2	Code 3	Cost	Cost Description
152	2125	ICC	950	ICC-CONTRACTSUPERVISION
152	2380	ICC	900	ICC-EQUIPMENTRENTAL
152	2305	ICC	1,900	ICC-RIGCOST-COMPLETION
152	4250	ICC	500	ICC-MISCELLANEOUS
154	3105	TCC	29,000	TCC-ARTIFICIALLIFTEQUIPMENT

## Safety Checks

Time	Description	Type	Comment

## Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?
				No

## Perforations

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Date	Zone	Type	Stim/Treat Company

Stg No.	Stage Type	Top (ftKB)	Btm (ftKB)	V (pumped) (bbl)

## Other In Hole

Description	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

## Cement

Description	Start Date	Cement Comp

Kathy Fieldsted taken Shelly's position

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT ☐ FORM 8  
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT or CA AGREEMENT NAME UTE
b. TYPE OF WORK: NEW WELL <input checked="" type="checkbox"/> HORIZ. LATS. <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER <input type="checkbox"/>		8. WELL NAME and NUMBER: UTE TRIBAL 14-26D-54
2. NAME OF OPERATOR: Berry Petroleum Company		9. API NUMBER: 4301333673
3. ADDRESS OF OPERATOR: 4000 S. 4028 W. CITY Roosevelt STATE UT ZIP 84066		10. FIELD AND POOL, OR WILDCAT BRUNDAGE CANYON
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 187' FSL, 2451' FWL AT TOP PRODUCING INTERVAL REPORTED BELOW: 639' FSL, 1982' FWL AT TOTAL DEPTH: 847' FSL, 1765' FWL		11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESW 26 5S 4W
		12. COUNTY Duchesne
		13. STATE UTAH

14. DATE SPUDDED: 8/7/2007	15. DATE T.D. REACHED: 12/19/2009	16. DATE COMPLETED: 1/18/2010	ABANDONED <input type="checkbox"/> READY TO PRODUCE <input checked="" type="checkbox"/>	17. ELEVATIONS (DF, RKB, RT, GL): 6476'
18. TOTAL DEPTH: MD 6,081 TVD	19. PLUG BACK T.D.: MD 6,003 TVD	20. IF MULTIPLE COMPLETIONS, HOW MANY? *		21. DEPTH BRIDGE MD PLUG SET: TVD
22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) ELECTRONIC COMP 2, CN, GR, CAL, HDI			23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> (Submit copy)	

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
13 1/2"	8 5/8 J-55	24#	0	350		G 250		0	
7 7/8"	5 1/2 J-55	15.5#	0	6,050		PL2 195			
						PLHS 391			

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 7/8"	5,931							

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS
(A) Uteland Butte					5,664 5,839	.36	24	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(B) Castle Peak					5,173 5,565	.36	44	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(C) Douglas Creek					4,780 4,897	.36	22	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(D)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
Uteland Butte	Frac w/ 60,000 #'s sand & 998 bbls fluid
Castle Peak	Frac w/ 150,000 #'s sand & 1432 bbls fluid
Douglas Creek	Frac w/ 60,000 #'s sand & 623 bbls fluid

29. ENCLOSED ATTACHMENTS:

- |   |  |                                     |   |
|---|--|-------------------------------------|---|
| <input type="checkbox"/> ELECTRICAL/MECHANICAL LOGS                         | <input type="checkbox"/> GEOLOGIC REPORT | <input type="checkbox"/> DST REPORT | <input type="checkbox"/> DIRECTIONAL SURVEY |
| <input type="checkbox"/> SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION | <input type="checkbox"/> CORE ANALYSIS   | <input type="checkbox"/> OTHER:     |   |

30. WELL STATUS:

RECEIVED

MAR 11 2010

DIV. OF OIL, GAS & MINING

## 31. INITIAL PRODUCTION

## INTERVAL A (As shown in item #26)

DATE FIRST PRODUCED: 1/25/2010	TEST DATE: 2/9/2010	HOURS TESTED: 24	TEST PRODUCTION RATES: →	OIL – BBL: 100	GAS – MCF: 60	WATER – BBL: 32	PROD. METHOD: Pumping
CHOKE SIZE: 320	TBG. PRESS. 70	CSG. PRESS. 70	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS: Producing

## INTERVAL B (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

## INTERVAL C (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

## INTERVAL D (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

## 32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

SOLD

## 33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

## 34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
				GR (NEW)	1,828
				MAHOGANY	2,503
				TGR3	3,529
				DC	4,307
				BLACK SHALE	4,962
				CASTLE PEAK	5,208
				UTELAND	5,661
				WASATCH	5,884

## 35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) KATHY K. FIELDSTED

TITLE SR. REGULATORY &amp; PERMITTING TECH.

SIGNATURE

DATE 3/9/2010

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

\* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

\*\* ITEM 24: Cement Top – Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining  
1594 West North Temple, Suite 1210  
Box 145801  
Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

Fax: 801-359-3940

# **End of Well Recap FOR**

**Berry Petroleum Company  
Ute Tribal 14-26D-54  
Duchesne Co., UT**

Proposal No. 01628-432-21

Presented By:

---

Pat Rasmussen  
Regional Manager

---

Bret Wolford  
Well Planner






# **Proposed Well & Planning Report**





Project: Duchesne Co., UT (UT27C)  
 Site: Sec.26-T5S-R4W  
 Well: Ute Tribal #14-26D-54  
 Wellbore: Wellbore #1  
 Design: Design #1  
 Latitude: 40° 0' 39.218 N  
 Longitude: 110° 18' 10.609 W  
 Ground Level: 6477.00  
 WELL @ 6491.00ft (Original Well Elev)




PROJECT DETAILS: Duchesne Co., UT (UT27C)	
Geodetic System:	US State Plane 1927 (Exact solution)
Datum:	NAD 1927 (NADCON CONUS)
Ellipsoid:	Clarke 1866
Zone:	Utah Central 4302
System Datum:	Mean Sea Level

REFERENCE INFORMATION	
Co-ordinate (N/E) Reference:	Well Ute Tribal #14-26D-54, True North
Vertical (TVD) Reference:	WELL @ 6491.00ft (Original Well Elev)
Section (VS) Reference:	Slot - (0.00N, 0.00E)
Measured Depth Reference:	WELL @ 6491.00ft (Original Well Elev)
Calculation Method:	Minimum Curvature



WELL DETAILS: Ute Tribal #14-26D-54						
+N/-S	+E/-W	Northing	Ground Level: Easting	6477.00 Latitude	Longitude	Slot
0.00	0.00	613256.967	2335283.124	40° 0' 39.218 N	110° 18' 10.609 W	

WELLBORE TARGET DETAILS (MAP CO-ORDINATES AND LAT/LONG)									
Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape	
UT 14-26D-54 PBHL	5885.00	660.73	-686.22	613908.458	2334588.123	40° 0' 45.749 N	110° 18' 19.429 W	Circle (Radius: 200.00)	

SECTION DETAILS									
MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Annotation
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	KOP / Start DLS 2.50' TFO 313.92
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	EOB / Start 5053.64' hold at 917.14 MD
917.14	10.43	313.92	914.84	26.26	-27.27	2.50	313.92	37.86	TD at 5970.78
5970.78	10.43	313.92	5885.00	660.73	-686.22	0.00	0.00	952.61	




FORMATION TOP DETAILS		
TVDPath	MDPath	Formation
1215.46	1222.81	Green River
1810.18	1827.52	Green River Up Mkr
2474.10	2502.59	Mahogany
3484.02	3529.47	Tgr3 Mkr
4248.23	4306.52	Douglas Creek
4863.01	4931.62	Black Shale
5024.48	5095.80	1/2 Through Obj.
5143.82	5217.15	Castle Peak
5599.14	5680.11	Uteland Butte Ls.
5799.72	5884.06	Wasatch



Plan: Design #1 (Ute Tribal #14-26D-54/Wellbore #1)

Created By: BRET WOLFORD Date: 21:01, December 02 2009



# **Berry Petroleum Company**

Duchesne Co., UT (UT27C)

Sec.26-T5S-R4W

Ute Tribal #14-26D-54

**Wellbore #1**

**Plan: Design #1**

## **Standard Planning Report**

02 December, 2009



# Great White Directional Services, LLC

## Planning Report



**Database:** EDM 2003.21 Single User Db  
**Company:** Berry Petroleum Company  
**Project:** Duchesne Co., UT (UT27C)  
**Site:** Sec.26-T5S-R4W  
**Well:** Ute Tribal #14-26D-54  
**Wellbore:** Wellbore #1  
**Design:** Design #1

**Local Co-ordinate Reference:** Well Ute Tribal #14-26D-54  
**TVD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**MD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**North Reference:** True  
**Survey Calculation Method:** Minimum Curvature

<b>Project</b>	Duchesne Co., UT (UT27C)		
<b>Map System:</b>	US State Plane 1927 (Exact solution)	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	NAD 1927 (NADCON CONUS)		
<b>Map Zone:</b>	Utah Central 4302		

<b>Site</b>	Sec.26-T5S-R4W			
<b>Site Position:</b>		<b>Northing:</b>	613,256.972 ft	<b>Latitude:</b> 40° 0' 39.218 N
<b>From:</b>	Lat/Long	<b>Easting:</b>	2,335,283.124 ft	<b>Longitude:</b> 110° 18' 10.609 W
<b>Position Uncertainty:</b>	0.00 ft	<b>Slot Radius:</b>	"	<b>Grid Convergence:</b> 0.77 °

<b>Well</b>	Ute Tribal #14-26D-54			
<b>Well Position</b>	+N/-S	0.00 ft	<b>Northing:</b> 613,256.967 ft	<b>Latitude:</b> 40° 0' 39.218 N
	+E/-W	0.00 ft	<b>Easting:</b> 2,335,283.124 ft	<b>Longitude:</b> 110° 18' 10.609 W
<b>Position Uncertainty</b>	0.00 ft	<b>Wellhead Elevation:</b>	ft	<b>Ground Level:</b> 6,477.00 ft

<b>Wellbore</b>	Wellbore #1			
-----------------	-------------	--	--	--

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF200510	2009/12/02	11.58	65.77	52,391

### Plan Sections

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00	
917.14	10.43	313.92	914.84	26.26	-27.27	2.50	2.50	-11.05	313.92	
5,970.78	10.43	313.92	5,885.00	660.73	-686.22	0.00	0.00	0.00	0.00	UT 14-26D-54 PBH

# Great White Directional Services, LLC

## Planning Report



**Database:** EDM 2003.21 Single User Db  
**Company:** Berry Petroleum Company  
**Project:** Duchesne Co., UT (UT27C)  
**Site:** Sec.26-T5S-R4W  
**Well:** Ute Tribal #14-26D-54  
**Wellbore:** Wellbore #1  
**Design:** Design #1

**Local Co-ordinate Reference:** Well Ute Tribal #14-26D-54  
**TVD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**MD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**North Reference:** True  
**Survey Calculation Method:** Minimum Curvature

### Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>9 5/8" Csg.</b>									
350.00	0.00	0.00	350.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>KOP / Start DLS 2.50° TFO 313.92</b>									
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	2.50	313.92	599.97	1.51	-1.57	2.18	2.50	2.50	0.00
700.00	5.00	313.92	699.75	6.05	-6.28	8.72	2.50	2.50	0.00
800.00	7.50	313.92	799.14	13.60	-14.12	19.61	2.50	2.50	0.00
900.00	10.00	313.92	897.97	24.15	-25.08	34.82	2.50	2.50	0.00
<b>EOB / Start 5053.64' hold at 917.14 MD</b>									
917.14	10.43	313.92	914.84	26.26	-27.27	37.86	2.50	2.50	0.00
1,000.00	10.43	313.92	996.33	36.66	-38.08	52.86	0.00	0.00	0.00
1,100.00	10.43	313.92	1,094.68	49.22	-51.11	70.96	0.00	0.00	0.00
1,200.00	10.43	313.92	1,193.03	61.77	-64.15	89.06	0.00	0.00	0.00
<b>Green River</b>									
1,222.81	10.43	313.92	1,215.46	64.63	-67.13	93.19	0.00	0.00	0.00
1,300.00	10.43	313.92	1,291.38	74.33	-77.19	107.16	0.00	0.00	0.00
1,400.00	10.43	313.92	1,389.72	86.88	-90.23	125.26	0.00	0.00	0.00
1,500.00	10.43	313.92	1,488.07	99.44	-103.27	143.36	0.00	0.00	0.00
1,600.00	10.43	313.92	1,586.42	111.99	-116.31	161.46	0.00	0.00	0.00
1,700.00	10.43	313.92	1,684.77	124.54	-129.35	179.56	0.00	0.00	0.00
1,800.00	10.43	313.92	1,783.12	137.10	-142.39	197.66	0.00	0.00	0.00
<b>Green River Upr Mkr</b>									
1,827.52	10.43	313.92	1,810.18	140.55	-145.98	202.64	0.00	0.00	0.00
1,900.00	10.43	313.92	1,881.47	149.65	-155.43	215.76	0.00	0.00	0.00
2,000.00	10.43	313.92	1,979.81	162.21	-168.47	233.86	0.00	0.00	0.00
2,100.00	10.43	313.92	2,078.16	174.76	-181.51	251.97	0.00	0.00	0.00
2,200.00	10.43	313.92	2,176.51	187.32	-194.54	270.07	0.00	0.00	0.00
2,300.00	10.43	313.92	2,274.86	199.87	-207.58	288.17	0.00	0.00	0.00
2,400.00	10.43	313.92	2,373.21	212.43	-220.62	306.27	0.00	0.00	0.00
2,500.00	10.43	313.92	2,471.55	224.98	-233.66	324.37	0.00	0.00	0.00
<b>Mahogany</b>									
2,502.59	10.43	313.92	2,474.10	225.31	-234.00	324.84	0.00	0.00	0.00
2,600.00	10.43	313.92	2,569.90	237.54	-246.70	342.47	0.00	0.00	0.00
2,700.00	10.43	313.92	2,668.25	250.09	-259.74	360.57	0.00	0.00	0.00
2,800.00	10.43	313.92	2,766.60	262.65	-272.78	378.67	0.00	0.00	0.00
2,900.00	10.43	313.92	2,864.95	275.20	-285.82	396.77	0.00	0.00	0.00
3,000.00	10.43	313.92	2,963.29	287.76	-298.86	414.87	0.00	0.00	0.00
3,100.00	10.43	313.92	3,061.64	300.31	-311.90	432.97	0.00	0.00	0.00
3,200.00	10.43	313.92	3,159.99	312.87	-324.94	451.08	0.00	0.00	0.00
3,300.00	10.43	313.92	3,258.34	325.42	-337.97	469.18	0.00	0.00	0.00
3,400.00	10.43	313.92	3,356.69	337.98	-351.01	487.28	0.00	0.00	0.00
3,500.00	10.43	313.92	3,455.04	350.53	-364.05	505.38	0.00	0.00	0.00
<b>Tgr3 Mkr</b>									
3,529.47	10.43	313.92	3,484.02	354.23	-367.90	510.71	0.00	0.00	0.00
3,600.00	10.43	313.92	3,553.38	363.09	-377.09	523.48	0.00	0.00	0.00
3,700.00	10.43	313.92	3,651.73	375.64	-390.13	541.58	0.00	0.00	0.00
3,800.00	10.43	313.92	3,750.08	388.20	-403.17	559.68	0.00	0.00	0.00
3,900.00	10.43	313.92	3,848.43	400.75	-416.21	577.78	0.00	0.00	0.00

# Great White Directional Services, LLC

## Planning Report



Database: EDM 2003.21 Single User Db  
 Company: Berry Petroleum Company  
 Project: Duchesne Co., UT (UT27C)  
 Site: Sec.26-T5S-R4W  
 Well: Ute Tribal #14-26D-54  
 Wellbore: Wellbore #1  
 Design: Design #1

Local Co-ordinate Reference: Well Ute Tribal #14-26D-54  
 TVD Reference: WELL @ 6491.00ft (Original Well Elev)  
 MD Reference: WELL @ 6491.00ft (Original Well Elev)  
 North Reference: True  
 Survey Calculation Method: Minimum Curvature

### Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,000.00	10.43	313.92	3,946.78	413.31	-429.25	595.88	0.00	0.00	0.00
4,100.00	10.43	313.92	4,045.12	425.86	-442.29	613.98	0.00	0.00	0.00
4,200.00	10.43	313.92	4,143.47	438.42	-455.33	632.08	0.00	0.00	0.00
4,300.00	10.43	313.92	4,241.82	450.97	-468.37	650.18	0.00	0.00	0.00
<b>Douglas Creek</b>									
4,306.52	10.43	313.92	4,248.23	451.79	-469.22	651.36	0.00	0.00	0.00
4,400.00	10.43	313.92	4,340.17	463.52	-481.40	668.29	0.00	0.00	0.00
4,500.00	10.43	313.92	4,438.52	476.08	-494.44	686.39	0.00	0.00	0.00
4,600.00	10.43	313.92	4,536.87	488.63	-507.48	704.49	0.00	0.00	0.00
4,700.00	10.43	313.92	4,635.21	501.19	-520.52	722.59	0.00	0.00	0.00
4,800.00	10.43	313.92	4,733.56	513.74	-533.56	740.69	0.00	0.00	0.00
4,900.00	10.43	313.92	4,831.91	526.30	-546.60	758.79	0.00	0.00	0.00
<b>Black Shale</b>									
4,931.62	10.43	313.92	4,863.01	530.27	-550.72	764.51	0.00	0.00	0.00
5,000.00	10.43	313.92	4,930.26	538.85	-559.64	776.89	0.00	0.00	0.00
<b>1/2 Through Obj.</b>									
5,095.80	10.43	313.92	5,024.48	550.88	-572.13	794.23	0.00	0.00	0.00
5,100.00	10.43	313.92	5,028.61	551.41	-572.68	794.99	0.00	0.00	0.00
5,200.00	10.43	313.92	5,126.95	563.96	-585.72	813.09	0.00	0.00	0.00
<b>Castle Peak</b>									
5,217.15	10.43	313.92	5,143.82	566.12	-587.95	816.20	0.00	0.00	0.00
5,300.00	10.43	313.92	5,225.30	576.52	-598.76	831.19	0.00	0.00	0.00
5,400.00	10.43	313.92	5,323.65	589.07	-611.80	849.29	0.00	0.00	0.00
5,500.00	10.43	313.92	5,422.00	601.63	-624.83	867.40	0.00	0.00	0.00
5,600.00	10.43	313.92	5,520.35	614.18	-637.87	885.50	0.00	0.00	0.00
<b>Uteland Butte Ls.</b>									
5,680.11	10.43	313.92	5,599.14	624.24	-648.32	900.00	0.00	0.00	0.00
5,700.00	10.43	313.92	5,618.69	626.74	-650.91	903.60	0.00	0.00	0.00
5,800.00	10.43	313.92	5,717.04	639.29	-663.95	921.70	0.00	0.00	0.00
<b>Wasatch</b>									
5,884.06	10.43	313.92	5,799.72	649.85	-674.91	936.91	0.00	0.00	0.00
5,900.00	10.43	313.92	5,815.39	651.85	-676.99	939.80	0.00	0.00	0.00
<b>TD at 5970.78 - UT 14-26D-54 PBHL</b>									
5,970.78	10.43	313.92	5,885.00	660.73	-686.22	952.61	0.00	0.00	0.00

### Wellbore Targets

Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
- hit/miss target									
- Shape									
UT 14-26D-54 PBHL	0.00	0.00	5,885.00	660.73	-686.22	613,908.458	2,334,588.123	40° 0' 45.749 N	110° 18' 19.429 W
- plan hits target center									
- Circle (radius 200.00)									

### Casing Points

Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (")	Hole Diameter (")
350.00	350.00	9 5/8" Csg.	9-5/8	12-1/4

**Great White Directional Services, LLC**  
Planning Report



**Database:** EDM 2003.21 Single User Db  
**Company:** Berry Petroleum Company  
**Project:** Duchesne Co., UT (UT27C)  
**Site:** Sec.26-T5S-R4W  
**Well:** Ute Tribal #14-26D-54  
**Wellbore:** Wellbore #1  
**Design:** Design #1


**Local Co-ordinate Reference:** Well Ute Tribal #14-26D-54  
**TVD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**MD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**North Reference:** True  
**Survey Calculation Method:** Minimum Curvature

**Formations**

Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
1,222.81	1,214.00	Green River		0.90	313.92
1,827.52	1,807.00	Green River Upr Mkr		0.90	313.92
2,502.59	2,469.00	Mahogany		0.90	313.92
3,529.47	3,476.00	Tgr3 Mkr		0.90	313.92
4,306.52	4,238.00	Douglas Creek		0.90	313.92
4,931.62	4,851.00	Black Shale		0.90	313.92
5,095.80	5,012.00	1/2 Through Obj.		0.90	313.92
5,217.15	5,131.00	Castle Peak		0.90	313.92
5,680.11	5,585.00	Uteland Butte Ls.		0.90	313.92
5,884.06	5,785.00	Wasatch		0.90	313.92

**Plan Annotations**

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
500.00	500.00	0.00	0.00	KOP / Start DLS 2.50° TFO 313.92
917.14	914.84	26.26	-27.27	EOB / Start 5053.64' hold at 917.14 MD
5,970.78	5,885.00	660.73	-686.22	TD at 5970.78



# **Berry Petroleum Company**

Duchesne Co., UT (UT27C)

Sec.26-T5S-R4W

Ute Tribal #14-26D-54

Wellbore #1

Design #1

## **Anticollision Report**

02 December, 2009





# Great White Directional Services, LLC

## Anticollision Report



**Company:** Berry Petroleum Company  
**Project:** Duchesne Co., UT (UT27C)  
**Reference Site:** Sec.26-T5S-R4W  
**Site Error:** 0.00ft  
**Reference Well:** Ute Tribal #14-26D-54  
**Well Error:** 0.00ft  
**Reference Wellbore:** Wellbore #1  
**Reference Design:** Design #1

**Local Co-ordinate Reference:** Well Ute Tribal #14-26D-54  
**TVD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**MD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**North Reference:** True  
**Survey Calculation Method:** Minimum Curvature  
**Output errors are at:** 2.00 sigma  
**Database:** EDM 2003.21 Single User Db  
**Offset TVD Reference:** Reference Datum

<b>Reference</b>	<b>Design #1</b>
<b>Filter type:</b>	NO GLOBAL FILTER: Using user defined selection & filtering criteria
<b>Interpolation Method:</b>	Stations
<b>Depth Range:</b>	Unlimited
<b>Results Limited by:</b>	Maximum center-center distance of 5,000.00ft
<b>Warning Levels Evaluated at:</b>	2.00 Sigma
<b>Error Model:</b>	ISCWSA
<b>Scan Method:</b>	Closest Approach 3D
<b>Error Surface:</b>	Elliptical Conic

Survey Tool Program		Date	2009/12/02		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
0.00	5,970.78	Design #1 (Wellbore #1)	MWD	MWD - Standard	

<b>Summary</b>						
<b>Site Name</b>	<b>Reference Measured Depth (ft)</b>	<b>Offset Measured Depth (ft)</b>	<b>Distance Between Centres (ft)</b>	<b>Distance Between Ellipses (ft)</b>	<b>Separation Factor</b>	<b>Warning</b>
Offset Well - Wellbore - Design						
Sec.26-T5S-R4W						
Ute Tribal #15-26D-54 - Wellbore #1 - Design #1	500.00	500.00	24.47	22.48	12.290	CC, ES
Ute Tribal #15-26D-54 - Wellbore #1 - Design #1	600.00	599.25	27.83	25.39	11.429	SF

<b>Offset Design</b> Sec.26-T5S-R4W - Ute Tribal #15-26D-54 - Wellbore #1 - Design #1														<b>Offset Site Error:</b> 0.00ft
<b>Survey Program:</b> 0-MWD														<b>Offset Well Error:</b> 0.00ft
<b>Reference</b>	<b>Offset</b>	<b>Semi Major Axis</b>		<b>Distance</b>		<b>Warning</b>								
<b>Measured Depth (ft)</b>	<b>Vertical Depth (ft)</b>	<b>Measured Depth (ft)</b>	<b>Vertical Depth (ft)</b>	<b>Reference (ft)</b>	<b>Offset (ft)</b>	<b>Azimuth from North (°)</b>	<b>Offset Wellbore Centre +N/-S (ft)</b>	<b>+E/-W (ft)</b>	<b>Between Centres (ft)</b>	<b>Between Ellipses (ft)</b>	<b>Minimum Separation (ft)</b>	<b>Separation Factor</b>		
0.00	0.00	0.00	0.00	0.00	0.00	113.72	-9.84	22.41	24.47					
100.00	100.00	100.00	100.00	0.10	0.10	113.72	-9.84	22.41	24.47	24.28	0.19	126.615		
200.00	200.00	200.00	200.00	0.32	0.32	113.72	-9.84	22.41	24.47	23.83	0.64	38.073		
300.00	300.00	300.00	300.00	0.55	0.55	113.72	-9.84	22.41	24.47	23.38	1.09	22.405		
400.00	400.00	400.00	400.00	0.77	0.77	113.72	-9.84	22.41	24.47	22.93	1.54	15.873		
500.00	500.00	500.00	500.00	1.00	1.00	113.72	-9.84	22.41	24.47	22.48	1.99	12.290	CC, ES	
600.00	599.97	599.25	599.22	1.22	1.21	111.71	-8.77	24.27	27.83	25.39	2.43	11.429	SF	
700.00	699.75	697.79	697.54	1.45	1.44	107.89	-5.60	29.81	37.99	35.10	2.89	13.163		
800.00	799.14	794.92	794.10	1.70	1.67	104.82	-0.41	38.84	55.02	51.66	3.36	16.397		
900.00	897.97	889.99	888.11	1.98	1.94	102.95	6.63	51.12	78.81	74.96	3.85	20.474		
917.14	914.84	906.04	903.92	2.04	1.99	102.73	8.01	53.52	83.55	79.61	3.94	21.225		
1,000.00	996.33	982.79	979.23	2.31	2.25	101.52	15.37	66.35	107.94	103.57	4.37	24.717		
1,100.00	1,094.68	1,076.60	1,070.76	2.67	2.61	99.90	25.61	84.18	139.41	134.50	4.91	28.367		
1,200.00	1,193.03	1,171.40	1,163.22	3.03	3.00	98.79	36.03	102.35	171.10	165.63	5.47	31.280		
1,300.00	1,291.38	1,266.20	1,255.67	3.41	3.40	98.02	46.46	120.52	202.83	196.79	6.04	33.577		
1,400.00	1,389.72	1,361.00	1,348.13	3.79	3.81	97.47	56.88	138.68	234.59	227.97	6.62	35.420		
1,500.00	1,488.07	1,455.80	1,440.59	4.18	4.23	97.04	67.30	156.85	266.36	259.15	7.22	36.910		
1,600.00	1,586.42	1,550.60	1,533.05	4.57	4.66	96.71	77.73	175.01	298.15	290.33	7.81	38.153		
1,700.00	1,684.77	1,645.40	1,625.50	4.96	5.09	96.44	88.15	193.18	329.94	321.52	8.42	39.192		
1,800.00	1,783.12	1,740.20	1,717.96	5.35	5.52	96.22	98.58	211.35	361.74	352.71	9.03	40.072		
1,900.00	1,881.47	1,835.00	1,810.42	5.75	5.95	96.03	109.00	229.51	393.55	383.91	9.64	40.826		
2,000.00	1,979.81	1,929.80	1,902.87	6.15	6.39	95.87	119.43	247.68	425.35	415.10	10.25	41.479		
2,100.00	2,078.16	2,024.60	1,995.33	6.55	6.83	95.73	129.85	265.84	457.16	446.29	10.87	42.048		
2,200.00	2,176.51	2,119.40	2,087.79	6.95	7.26	95.61	140.28	284.01	488.98	477.48	11.49	42.548		
2,300.00	2,274.86	2,214.20	2,180.25	7.35	7.70	95.51	150.70	302.17	520.79	508.68	12.11	42.991		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

# Great White Directional Services, LLC

## Anticollision Report



**Company:** Berry Petroleum Company  
**Project:** Duchesne Co., UT (UT27C)  
**Reference Site:** Sec.26-T5S-R4W  
**Site Error:** 0.00ft  
**Reference Well:** Ute Tribal #14-26D-54  
**Well Error:** 0.00ft  
**Reference Wellbore:** Wellbore #1  
**Reference Design:** Design #1

**Local Co-ordinate Reference:** Well Ute Tribal #14-26D-54  
**TVD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**MD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**North Reference:** True  
**Survey Calculation Method:** Minimum Curvature  
**Output errors are at** 2.00 sigma  
**Database:** EDM 2003.21 Single User Db  
**Offset TVD Reference:** Reference Datum

Offset Design Sec.26-T5S-R4W - Ute Tribal #15-26D-54 - Wellbore #1 - Design #1													Offset Site Error:	0.00 ft
Survey Program: 0-MWD													Offset Well Error:	0.00 ft
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference	Offset	Semi Major Axis Azimuth from North (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning	
2,400.00	2,373.21	2,309.00	2,272.70	7.75	8.14	95.42	161.12	320.34	552.61	539.87	12.74	43.388		
2,500.00	2,471.55	2,403.80	2,365.16	8.15	8.59	95.34	171.55	338.51	584.42	571.06	13.36	43.739		
2,600.00	2,569.90	2,498.60	2,457.62	8.55	9.03	95.26	181.97	356.67	616.24	602.25	13.99	44.058		
2,700.00	2,668.25	2,593.40	2,550.08	8.95	9.47	95.20	192.40	374.84	648.06	633.45	14.61	44.346		
2,800.00	2,766.60	2,688.20	2,642.53	9.36	9.91	95.13	202.82	393.00	679.88	664.64	15.24	44.608		
2,900.00	2,864.95	2,783.00	2,734.99	9.76	10.36	95.08	213.25	411.17	711.70	695.83	15.87	44.847		
3,000.00	2,963.29	2,877.80	2,827.45	10.16	10.80	95.03	223.67	429.34	743.52	727.02	16.50	45.066		
3,100.00	3,061.64	2,972.60	2,919.90	10.57	11.24	94.98	234.09	447.50	775.34	758.22	17.13	45.267		
3,200.00	3,159.99	3,067.40	3,012.36	10.97	11.69	94.94	244.52	465.67	807.17	789.41	17.76	45.452		
3,300.00	3,258.34	3,162.20	3,104.82	11.38	12.13	94.90	254.94	483.83	838.99	820.60	18.39	45.624		
3,400.00	3,356.69	3,257.00	3,197.28	11.78	12.58	94.87	265.37	502.00	870.81	851.79	19.02	45.783		
3,500.00	3,455.04	3,351.80	3,289.73	12.18	13.02	94.83	275.79	520.16	902.64	882.98	19.65	45.931		
3,600.00	3,553.38	3,446.60	3,382.19	12.59	13.47	94.80	286.22	538.33	934.46	914.17	20.28	46.069		
3,700.00	3,651.73	3,541.40	3,474.65	12.99	13.91	94.77	296.64	556.50	966.28	945.37	20.92	46.197		
3,800.00	3,750.08	3,636.20	3,567.11	13.40	14.36	94.74	307.07	574.66	998.11	976.56	21.55	46.318		
3,900.00	3,848.43	3,731.00	3,659.56	13.80	14.80	94.72	317.49	592.83	1,029.93	1,007.75	22.18	46.430		
4,000.00	3,946.78	3,825.80	3,752.02	14.21	15.25	94.69	327.91	610.99	1,061.76	1,038.94	22.82	46.536		
4,100.00	4,045.12	3,920.60	3,844.48	14.61	15.69	94.67	338.34	629.16	1,093.58	1,070.13	23.45	46.636		
4,200.00	4,143.47	4,015.40	3,936.93	15.02	16.14	94.65	348.76	647.32	1,125.40	1,101.32	24.08	46.730		
4,300.00	4,241.82	4,110.20	4,029.39	15.42	16.58	94.63	359.19	665.49	1,157.23	1,132.51	24.72	46.819		
4,400.00	4,340.17	4,205.00	4,121.85	15.83	17.03	94.61	369.61	683.66	1,189.05	1,163.70	25.35	46.902		
4,500.00	4,438.52	4,299.80	4,214.31	16.24	17.48	94.59	380.04	701.82	1,220.88	1,194.89	25.99	46.982		
4,600.00	4,536.87	4,394.60	4,306.76	16.64	17.92	94.57	390.46	719.99	1,252.70	1,226.08	26.62	47.057		
4,700.00	4,635.21	4,489.40	4,399.22	17.05	18.37	94.56	400.88	738.15	1,284.53	1,257.27	27.26	47.128		
4,800.00	4,733.56	4,584.20	4,491.68	17.45	18.81	94.54	411.31	756.32	1,316.36	1,288.46	27.89	47.196		
4,900.00	4,831.91	4,679.00	4,584.14	17.86	19.26	94.53	421.73	774.49	1,348.18	1,319.65	28.53	47.260		
5,000.00	4,930.26	4,773.80	4,676.59	18.26	19.71	94.51	432.16	792.65	1,380.01	1,350.84	29.16	47.321		
5,100.00	5,028.61	4,868.60	4,769.05	18.67	20.15	94.50	442.58	810.82	1,411.83	1,382.03	29.80	47.380		
5,200.00	5,126.95	4,963.40	4,861.51	19.07	20.60	94.48	453.01	828.98	1,443.66	1,413.22	30.43	47.435		
5,300.00	5,225.30	5,058.20	4,953.96	19.48	21.05	94.47	463.43	847.15	1,475.48	1,444.41	31.07	47.489		
5,400.00	5,323.65	5,153.00	5,046.42	19.89	21.49	94.46	473.86	865.31	1,507.31	1,475.60	31.71	47.539		
5,500.00	5,422.00	5,247.80	5,138.88	20.29	21.94	94.45	484.28	883.48	1,539.14	1,506.79	32.34	47.588		
5,600.00	5,520.35	5,342.60	5,231.34	20.70	22.38	94.44	494.70	901.65	1,570.96	1,537.98	32.98	47.634		
5,700.00	5,618.69	5,437.40	5,323.79	21.10	22.83	94.43	505.13	919.81	1,602.79	1,569.17	33.62	47.679		
5,800.00	5,717.04	5,532.20	5,416.25	21.51	23.28	94.42	515.55	937.98	1,634.62	1,600.36	34.25	47.721		
5,900.00	5,815.39	5,627.00	5,508.71	21.92	23.72	94.41	525.98	956.14	1,666.44	1,631.55	34.89	47.762		
5,970.78	5,885.00	5,694.09	5,574.15	22.20	24.04	94.40	533.36	969.00	1,688.97	1,653.63	35.34	47.790		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation


Great White Directional Services, LLC  
Anticollision Report



Company: Berry Petroleum Company  
Project: Duchesne Co., UT (UT27C)  
Reference Site: Sec.26-T5S-R4W  
Site Error: 0.00ft  
Reference Well: Ute Tribal #14-26D-54  
Well Error: 0.00ft  
Reference Wellbore: Wellbore #1  
Reference Design: Design #1

Local Co-ordinate Reference: Well Ute Tribal #14-26D-54  
TVD Reference: WELL @ 6491.00ft (Original Well Elev)  
MD Reference: WELL @ 6491.00ft (Original Well Elev)  
North Reference: True  
Survey Calculation Method: Minimum Curvature  
Output errors are at: 2.00 sigma  
Database: EDM 2003.21 Single User Db  
Offset TVD Reference: Reference Datum

Reference Depths are relative to WELL @ 6491.00ft (Original Well Elev) Coordinates are relative to: Ute Tribal #14-26D-54  
Offset Depths are relative to Offset Datum  
Central Meridian is 111° 30' 0.000 W °  
Coordinate System is US State Plane 1927 (Exact solution), Utah Central 4302  
Grid Convergence at Surface is: 0.77°





Great White Directional Services, LLC  
Anticollision Report



Company: Berry Petroleum Company  
Project: Duchesne Co., UT (UT27C)  
Reference Site: Sec.26-T5S-R4W  
Site Error: 0.00ft  
Reference Well: Ute Tribal #14-26D-54  
Well Error: 0.00ft  
Reference Wellbore: Wellbore #1  
Reference Design: Design #1

Local Co-ordinate Reference: Well Ute Tribal #14-26D-54  
TVD Reference: WELL @ 6491.00ft (Original Well Elev)  
MD Reference: WELL @ 6491.00ft (Original Well Elev)  
North Reference: True  
Survey Calculation Method: Minimum Curvature  
Output errors are at: 2.00 sigma  
Database: EDM 2003.21 Single User Db  
Offset TVD Reference: Reference Datum

Reference Depths are relative to WELL @ 6491.00ft (Original Well Ele Coordinates are relative to: Ute Tribal #14-26D-54


Offset Depths are relative to Offset Datum

Central Meridian is 111° 30' 0.000 W °

Coordinate System is US State Plane 1927 (Exact solution), Utah Central 4302

Grid Convergence at Surface is: 0.77°

### Separation Factor Plot



### LEGEND

te Tribal #15-26D-54, Wellbore #1, Design #1 VD



# Survey Report & PVA



## Survey Certification Sheet

Report Date: 12-18-09

GWDS Job #: 01628-432-21 / Directional

Operator: Berry Petroleum Company

Well Name: Ute Tribal #14-26D-54

API#: 43-013-33673

County/State: Duchesne County, Utah

Well SHL: 187' FSL & 2451' FWL (SESW) Sec. 26-T5S-R4W

Well SHL: 40° 00' 39.218" N  
110° 18' 10.609" W

Drilling Rig Contractor: Aztec 673 (RKB: 14')

---

Surveyed Dates: 12/11/09 – 12/16/09

Surveyed from a depth of: OH: 416.00' MD to 5636.00' MD


Type of Survey: MWD Surveys (STB=50')

The data and calculations for this survey have been checked by me and conform to the calibration standards and operational procedures set forth by Great White Directional Services, LLC. I am authorized and qualified to review the data, calculations and this report, and that the report represents a true and correct Directional Survey of this well based on the original data corrected to True North and obtained at the well site. Wellbore Coordinates are calculated using minimum curvature method.


**Bret Wolford**

Great White Directional Services, LLC - Well Planner





Project: Duchesne Co., UT (UT27C)  
 Site: Ute Tribal Sec.26 Pad (Sec.26-T5S-R4W)  
 Well: Ute Tribal #14-26D-54  
 Wellbore: Wellbore #1  
 Design: Design #1  
 Latitude: 40° 0' 39.218 N  
 Longitude: 110° 18' 10.609 W  
 Ground Level: 6477.00  
 WELL @ 6491.00ft (Original Well Elev)




PROJECT DETAILS: Duchesne Co., UT (UT27C)			
Geodetic System:	US State Plane 1927 (Exact solution)		
Datum:	NAD 1927 (NADCON CONUS)		
Ellipsoid:	Clarke 1866		
Zone:	Utah Central 4302		
System Datum:	Mean Sea Level		

REFERENCE INFORMATION	
Co-ordinate (N/E) Reference:	Well Ute Tribal #14-26D-54, True North
Vertical (TVD) Reference:	WELL @ 6491.00ft (Original Well Elev)
Section (VS) Reference:	Slot - (0.00N, 0.00E)
Measured Depth Reference:	WELL @ 6491.00ft (Original Well Elev)
Calculation Method:	Minimum Curvature



WELL DETAILS: Ute Tribal #14-26D-54						
+N-S	+E-W	Northing	Easting	Latitude	Longitude	Slot
0.00	0.00	613256.967	2335283.124	40° 0' 39.218 N	110° 18' 10.609 W	

WELLBORE TARGET DETAILS (MAP CO-ORDINATES AND LAT/LONG)								
Name	TVD	+N-S	+E-W	Northing	Easting	Latitude	Longitude	Shape
UT 14-26D-54 PBHL	5885.00	660.73	-686.22	613908.458	2334588.123	40° 0' 45.749 N	110° 18' 19.429 W	Circle (Radius: 200.00)

SECTION DETAILS									
MD	Inc	Azi	TVD	+N-S	+E-W	DLeg	TFace	VSec	Annotation
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	KOP / Start DLS 2.50° TFO 313.92
917.14	10.43	313.92	914.84	26.26	-27.27	2.50	313.92	37.86	EOB / Start 5053.64' hold at 917.14 MD
5970.78	10.43	313.92	5885.00	660.73	-686.22	0.00	0.00	952.61	TD at 5970.78




FORMATION TOP DETAILS		
TVDPath	MDPath	Formation
1215.46	1222.81	Green River
1810.18	1827.52	Green River Upgr Mkr
2474.10	2502.59	Mahogany
3484.02	3529.47	Tgr3 Mkr
4248.23	4306.52	Douglas Creek
4863.01	4931.62	Black Shale
5024.48	5095.80	1/2 Through Obj.
5143.82	5217.15	Castle Peak
5599.14	5680.11	Uteland Butte Ls.
5799.72	5884.06	Wasatch



Plan: Design #1 (Ute Tribal #14-26D-54/Wellbore #1)  
 Created By: BRET WOLFORD Date: 9:57, December 17 2009





# **Berry Petroleum Company**

Duchesne Co., UT (UT27C)

Ute Tribal Sec.26 Pad (Sec.26-T5S-R4W)

Ute Tribal #14-26D-54

**Wellbore #1**

**Survey: Survey #1**

## **Standard Survey Report**

17 December, 2009



# Great White Directional Services, LLC

## Survey Report



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Ute Tribal #14-26D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6491.00ft (Original Well Elev)
<b>Site:</b>	Ute Tribal Sec.26 Pad (Sec.26-T5S-R4W)	<b>MD Reference:</b>	WELL @ 6491.00ft (Original Well Elev)
<b>Well:</b>	Ute Tribal #14-26D-54	<b>North Reference:</b>	True
<b>Wellbore:</b>	Wellbore #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	Wellbore #1	<b>Database:</b>	EDM 2003.21 Single User Db

<b>Project</b>	Duchesne Co., UT (UT27C)		
<b>Map System:</b>	US State Plane 1927 (Exact solution)	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	NAD 1927 (NADCON CONUS)		
<b>Map Zone:</b>	Utah Central 4302		

<b>Site</b>	Ute Tribal Sec.26 Pad (Sec.26-T5S-R4W)				
<b>Site Position:</b>		<b>Northing:</b>	613,256.959 ft	<b>Latitude:</b>	40° 0' 39.218 N
<b>From:</b>	Lat/Long	<b>Easting:</b>	2,335,283.124 ft	<b>Longitude:</b>	110° 18' 10.609 W
<b>Position Uncertainty:</b>	0.00 ft	<b>Slot Radius:</b>	"	<b>Grid Convergence:</b>	0.77 °

<b>Well</b>	Ute Tribal #14-26D-54					
<b>Well Position</b>	<b>+N/-S</b>	0.00 ft	<b>Northing:</b>	613,256.967 ft	<b>Latitude:</b>	40° 0' 39.218 N
	<b>+E/-W</b>	0.00 ft	<b>Easting:</b>	2,335,283.124 ft	<b>Longitude:</b>	110° 18' 10.609 W
<b>Position Uncertainty</b>	0.00 ft	<b>Wellhead Elevation:</b>	ft	<b>Ground Level:</b>	6,477.00 ft	

<b>Wellbore</b>	Wellbore #1				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	IGRF200510	2009/12/02	11.58	65.77	52,391

<b>Design</b>	Wellbore #1				
<b>Audit Notes:</b>					
<b>Version:</b>	1.0	<b>Phase:</b>	ACTUAL	<b>Tie On Depth:</b>	0.00
<b>Vertical Section:</b>	<b>Depth From (TVD)</b>	<b>+N/-S (ft)</b>	<b>+E/-W (ft)</b>	<b>Direction (°)</b>	
	0.00	0.00	0.00	313.92	

<b>Survey Program</b>	Date 2009/12/17			
<b>From (ft)</b>	<b>To (ft)</b>	<b>Survey (Wellbore)</b>	<b>Tool Name</b>	<b>Description</b>
416.00	6,081.00	Survey #1 (Wellbore #1)	MWD	MWD - Standard

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>First GWDS MWD Survey</b>									
416.00	0.80	229.30	415.99	-1.89	-2.20	0.27	0.19	0.19	0.00
477.00	1.40	275.30	476.98	-2.10	-3.27	0.89	1.67	0.98	75.41
539.00	2.60	300.10	538.94	-1.33	-5.24	2.85	2.34	1.94	40.00
600.00	4.10	310.60	599.83	0.79	-8.09	6.37	2.65	2.46	17.21
662.00	5.30	309.40	661.62	4.05	-11.99	11.44	1.94	1.94	-1.94
723.00	6.60	312.20	722.29	8.19	-16.76	17.75	2.18	2.13	4.59
784.00	7.50	313.00	782.83	13.26	-22.27	25.24	1.48	1.48	1.31
846.00	8.70	313.90	844.21	19.27	-28.61	33.97	1.95	1.94	1.45
907.00	10.00	315.20	904.40	26.23	-35.66	43.88	2.16	2.13	2.13
969.00	10.10	314.00	965.45	33.82	-43.37	54.70	0.37	0.16	-1.94
1,030.00	10.00	313.60	1,025.51	41.19	-51.05	65.35	0.20	-0.16	-0.66



# Great White Directional Services, LLC

## Survey Report



**Company:** Berry Petroleum Company  
**Project:** Duchesne Co., UT (UT27C)  
**Site:** Ute Tribal Sec.26 Pad (Sec.26-T5S-R4W)  
**Well:** Ute Tribal #14-26D-54  
**Wellbore:** Wellbore #1  
**Design:** Wellbore #1

**Local Co-ordinate Reference:** Well Ute Tribal #14-26D-54  
**TVD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**MD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**North Reference:** True  
**Survey Calculation Method:** Minimum Curvature  
**Database:** EDM 2003.21 Single User Db

### Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
1,094.00	10.00	312.10	1,088.54	48.75	-59.20	76.46	0.41	0.00	-2.34
1,221.00	9.80	312.30	1,213.65	63.42	-75.37	98.28	0.16	-0.16	0.16
1,349.00	9.10	308.10	1,339.91	76.99	-91.40	119.24	0.77	-0.55	-3.28
1,412.00	9.90	309.30	1,402.05	83.50	-99.51	129.60	1.31	1.27	1.90
1,539.00	10.40	313.90	1,527.06	98.36	-116.22	151.94	0.75	0.39	3.62
1,666.00	9.60	311.60	1,652.13	113.34	-132.40	173.99	0.70	-0.63	-1.81
1,791.00	9.90	314.00	1,775.33	127.73	-147.92	195.15	0.40	0.24	1.92
1,855.00	9.50	312.40	1,838.41	135.11	-155.78	205.93	0.75	-0.62	-2.50
1,982.00	9.90	311.80	1,963.60	149.45	-171.66	227.31	0.32	0.31	-0.47
2,109.00	10.50	312.70	2,088.59	164.58	-188.30	249.79	0.49	0.47	0.71
2,236.00	10.70	314.60	2,213.42	180.70	-205.20	273.15	0.32	0.16	1.50
2,363.00	10.70	314.40	2,338.21	197.23	-222.02	296.73	0.03	0.00	-0.16
2,491.00	10.10	313.40	2,464.11	213.26	-238.66	319.84	0.49	-0.47	-0.78
2,618.00	10.60	314.50	2,589.04	229.09	-255.08	342.65	0.42	0.39	0.87
2,744.00	10.50	316.20	2,712.91	245.50	-271.30	365.71	0.26	-0.08	1.35
2,871.00	10.40	314.00	2,837.81	261.82	-287.55	388.74	0.32	-0.08	-1.73
2,998.00	10.00	311.30	2,962.80	277.06	-304.08	411.22	0.49	-0.31	-2.13
3,125.00	12.00	313.80	3,087.46	293.48	-321.90	435.44	1.62	1.57	1.97
3,251.00	11.50	311.00	3,210.82	310.78	-340.83	461.08	0.60	-0.40	-2.22
3,377.00	10.70	308.70	3,334.47	326.34	-359.44	485.27	0.73	-0.63	-1.83
3,504.00	10.50	314.70	3,459.30	341.85	-376.86	508.58	0.88	-0.16	4.72
3,632.00	9.80	312.70	3,585.30	357.44	-393.16	531.14	0.61	-0.55	-1.56
3,759.00	9.60	315.70	3,710.48	372.35	-408.50	552.53	0.43	-0.16	2.36
3,886.00	9.90	313.00	3,835.65	387.37	-423.88	574.03	0.43	0.24	-2.13
4,011.00	10.10	315.30	3,958.75	402.49	-439.45	595.73	0.36	0.16	1.84
4,137.00	9.60	319.40	4,082.90	418.32	-454.06	617.23	0.68	-0.40	3.25
4,261.00	8.30	319.70	4,205.38	433.00	-466.58	636.43	1.05	-1.05	0.24
4,386.00	8.30	313.70	4,329.08	446.12	-478.93	654.43	0.69	0.00	-4.80
4,510.00	7.00	309.50	4,451.97	457.11	-491.24	670.92	1.14	-1.05	-3.39
4,635.00	5.60	302.80	4,576.21	465.26	-502.24	684.50	1.26	-1.12	-5.36
4,762.00	4.70	304.10	4,702.70	471.53	-511.76	695.70	0.71	-0.71	1.02
4,885.00	3.80	286.70	4,825.37	475.53	-519.83	704.29	1.27	-0.73	-14.15
5,009.00	3.60	278.10	4,949.11	477.26	-527.62	711.10	0.48	-0.16	-6.94
5,135.00	2.90	259.10	5,074.91	477.21	-534.67	716.15	1.01	-0.56	-15.08
5,261.00	3.10	252.00	5,200.74	475.55	-541.04	719.59	0.33	0.16	-5.63
5,390.00	2.90	247.00	5,329.56	473.20	-547.36	722.51	0.26	-0.16	-3.88
<b>Last GWDS MWD Survey</b>									
5,636.00	2.70	233.20	5,575.27	467.30	-557.73	725.89	0.29	-0.08	-5.61
<b>Proj. to Bit</b>									
6,081.00	2.70	233.20	6,019.77	454.74	-574.52	729.27	0.00	0.00	0.00

### Wellbore Targets

Target Name	- hit/miss target	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
UT 14-26D-54 PBHL	- hit/miss target	0.00	0.00	5,885.00	660.73	-686.22	613,908.458	2,334,588.123	40° 0' 45.749 N	110° 18' 19.429 W
	- Shape									
- survey misses target center by 233.49ft at 5944.78ft MD (5883.70 TVD, 458.59 N, -569.38 E)										
- Circle (radius 200.00)										

Great White Directional Services, LLC  
Survey Report



**Company:** Berry Petroleum Company  
**Project:** Duchesne Co., UT (UT27C)  
**Site:** Ute Tribal Sec.26 Pad (Sec.26-T5S-R4W)  
**Well:** Ute Tribal #14-26D-54  
**Wellbore:** Wellbore #1  
**Design:** Wellbore #1

**Local Co-ordinate Reference:** Well Ute Tribal #14-26D-54  
**TVD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**MD Reference:** WELL @ 6491.00ft (Original Well Elev)  
**North Reference:** True  
**Survey Calculation Method:** Minimum Curvature  
**Database:** EDM 2003.21 Single User Db


**Survey Annotations**

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
416.00	415.99	-1.89	-2.20	First GWDS MWD Survey
5,636.00	5,575.27	467.30	-557.73	Last GWDS MWD Survey
6,081.00	6,019.77	454.74	-574.52	Proj. to Bit

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007



**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
14-20-1162-4954  
6. If Indian, Allottee or Tribe Name  
UTE

SUBMIT IN TRIPLICATE - Other instructions on page 2.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator  
BERRY PETROLEUM COMPANY

7. If Unit of CA/Agreement, Name and/or No.  
N/A

8. Well Name and No.  
UTE TRIBAL 14-26D-54

9. API Well No.  
43-013-33673

3a. Address

4000 SOUTH 4028 WEST, ROOSEVELT, UTAH 84066

3b. Phone No. (include area code)

(435) 722-1325

10. Field and Pool or Exploratory Area  
BRUNDAGE CANYON

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

187' FSL, 2451' FWL BHL: 857' FSL, 1768' FWL (SE/SW) SECTION 26, TOWNSHIP 5 SOUTH, RANGE 4 WEST

11. Country or Parish, State  
DUCHESNE COUNTY, UTAH

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other CHANGE
	<input checked="" type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	DIRECTIONAL
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	DRILL PLAN


13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

BERRY PETROLEUM COMPANY REQUESTS PERMISSION TO CHANGE THE ORIGINAL DIRECTIONAL PLAN, AS WE HAVE SWITCHED THE SURFACE LOCATION WITH THE UTE TRIBAL 15-26D-54 (A DUAL PAD WITH THE UT 14-26D-54). THE ORIGINAL APPLICATION FOR PERMIT TO DRILL WAS SUBMITTED ON 5/17/2007; AND APPROVED ON 7/16/2007.

PLEASE SEE ATTACHED PLANS

Surf  
559493X  
4428489Y  
40.00896  
-110.302938

BHL  
559284X  
4429190Y  
40.012723  
110.305378



14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)  
SHELLEY E. CROZIER

Title REGULATORY & PERMITTING SPECIALIST

Signature

*Shelley E. Crozier*

Date 11/01/2007

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

*Mark Baker*

Petroleum Engineer

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.


Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

OPERATOR

T5S, R4W, U.S.B.&M.



LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

(NAD 83)  
 LATITUDE = 40°00'39.08" (40.010856)  
 LONGITUDE = 110°18'13.16" (110.303656)  
 (NAD 27)  
 LATITUDE = 40°00'39.22" (40.010894)  
 LONGITUDE = 110°18'10.61" (110.302947)

BERRY PETROLEUM COMPANY


Well location, UTE TRIBAL #14-26D-54, located as shown in the SE 1/4 SW 1/4 of Section 26, T5S, R4W, U.S.B.&M., Duchesne County, Utah.

BASIS OF ELEVATION

BENCH MARK (M67) LOCATED IN THE SW 1/4 OF SECTION 9, T5S, R4W, U.S.B.&M., TAKEN FROM THE DUCHESNE SE QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED ON CAP AS BEING 6097 FEET.


BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATION

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



REVISED: 09-19-07  
 REVISED: 09-10-07

UINTAH ENGINEERING & LAND SURVEYING  
 85 SOUTH 200 EAST - VERNAL, UTAH 84078  
 (435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 06-08-07	DATE DRAWN: 08-20-07
PARTY S.H. J.O. P.M.	REFERENCES G.L.O. PLAT	
WEATHER HOT	FILE BERRY PETROLEUM COMPANY	



## Geologic Prognosis

Well Name: Ute Tribal 14-26D-54

Field Name

Renew

APD BLM Renew  
6/15/2008

County	State/Province
Duchesne	Utah
Ground Elevation (ftKB)	Original KB Elevation (ftKB)
6,477	6,491
Elevation Estimated?	No

WSN:
WSN
36966
Permit Status
Permit Status
APRVD

<b>SHL:</b>				
Surface Legal Location	N/S Dist (ft)	N/S Ref	E/W Dist (ft)	E/W Ref
SESW SEC 26 T5S R4W	187.0	S	2,451.0	W
<b>BHL:</b>				
Bottom Hole Legal Location	NS Dist (ft)	NS Flag	EW Dist (ft)	EW Flag
SESW SEC 26 T5S R4W	857.0	S	1,768.0	W

Comment

Directional tolerance 150' Maximum. BHL was determined by the directional plan. ALL TVD MEASUREMENTS ARE FROM KB.

Formation	Depth @ BHL TVD (ftKB)	Depth @ SHL TVD (ftKB)	Measured Depth (ftKB)
Uinta Fm	0	0	0
Green River Fm	1,214	1,202	12,311
Green River Upper Marker	1,807	1,794	1,815
Mahogany	2,469	2,456	2,489
Tgr3 Marker	3,476	3,458	3,515
Douglas Creek Mbr	4,238	4,222	4,294
1/2 way through the objective section	5,012	4,995	5,084
Black Shale Mbr	4,851	4,835	4,919
Castle Peak Mbr	5,131	5,117	5,205
Uteland Butte Mbr	5,585	5,567	5,669
Wasatch	5,785	5,768	5,872
TD	5,885	5,870	5,975
Base of Moderately Saline Water (less than 10,000 ppm)	208	192	192

### Core Program

Type	Comment	Top (ftKB)	Bot (ftKB)
Conventional Core	None		

### Drill Stem Tests

Type	Comment	Top (ftKB)	Bot (ftKB)
DST Data	None		

### Mud Logging

Type	Comment	Top (ftKB)	Bot (ftKB)
Mud Logging	None		

### Logging Program

Type	Comment	Top (ftKB)	Bot (ftKB)
Open Hole Logging	Long Guard-SP-GR, Density/Neutron-GR All Logs - TD to Surface Casing		

BOP Requirements: 2M

Estimated Drill Time: Est Days

Comp Time: 10 days

Prepared: Prognosis  
5/8/2007

### SHL Lat Long Survey

Datum	Latitude (DMS)	Longitude (DMS)
NAD 27	40° 0' 38.92" N	110° 18' 10.62" W

### BHL Lat Long Survey

Lat/Long D...	Latitude (DMS)	Longitude (DMS)
NAD 27	40° 0' 45.53" N	110° 18' 19.36" W

Comment

Prepared: June 22, 2006 (JAS)

Revised: November 15, 2006 - survey, formation tops, directional well

Revised: May 8, 2007 - placed into wellview, formation tops

Revised: May 9, 2007 - directional plan, measured depths, BHL


Revised: September 11, 2007 - SHL changed

Revised: November 2, 2007 - (PWL) new directional plan, measured depths

Revised: October 20, 2009 - (CCC) lat and long update for new dir plans

THIS WELL WILL NOT BE AN EXCEPTION LOCATION. The BHL shows that it is an EL, but the objective section (DC to Wasatch) is entirely within the required window.





April 6, 2010

# Berry Petroleum Company

Brundage Canyon Field

4000 South 4028 West

Rt. 2 Box 7755

Roosevelt, UT 84066

Ph: (435) 722-1325

Fax: (435) 722-1321

www.bry.com

State of Utah  
Division of Oil, Gas and Mining  
P.O. Box 145801  
Salt Lake City, UT 84115-5801

Re: Directional Drilling R649-3-11  
Ute Tribal 14-26D-54: 187' FSL, 2,451' FWL (SESW) (surface)  
857' FSL, 1,768' FWL (SESW) (bottomhole)  
Section 26, T5S-R4W  
Duchesne, County, Utah


Pursuant to the filing of Berry Petroleum's Application for Permit to Drill regarding the above referenced well, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649-3-11 pertaining to the Exception to Location and Siting of Wells.

- The Ute Tribal 14-26D-54 well is to be located within the Brundage Canyon Field Area.
- Berry is locating the well at the surface location and directionally drilling from this location to minimize surface disturbance and Berry will be able to utilize the existing road and pipelines in the area.
- Furthermore, Berry hereby certifies that it is the sole working interest owner with 460 feet of the entire directional well bore and the remainder of the Ute Tribal section.


Therefore, based on the above stated information Berry Petroleum Company requests the permit be granted pursuant to R649-3-11.

Respectfully Submitted,




Kathy Fieldsted  
Regulatory & Permitting Specialist



T5S, R4W, U.S.B.&M.



LEGEND:

-  = 90° SYMBOL  
 = PROPOSED WELL HEAD.  
 = SECTION CORNERS LOCATED.

(NAD 83)  
LATITUDE = 40°00'39.08" (40.010856)  
LONGITUDE = 110°18'13.16" (110.303656)  
(NAD 27)  
LATITUDE = 40°00'39.22" (40.010894)  
LONGITUDE = 110°18'10.61" (110.302947)

BERRY PETROLEUM COMPANY


Well location, UTE TRIBAL #14-26D-54, located as shown in the SE 1/4 SW 1/4 of Section 26, T5S, R4W, U.S.B.&M., Duchesne County, Utah.

BASIS OF ELEVATION

BENCH MARK (M67) LOCATED IN THE SW 1/4 OF SECTION 9, T5S, R4W, U.S.B.&M., TAKEN FROM THE DUCHESNE SE QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED ON CAP AS BEING 6097 FEET.

## BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



# CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM  
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY  
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE  
BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR  
REGISTRATION NO. 161319  
STATE OF UTAH


REVISED: 09-19-07  
REVISED: 09-10-07

# UINAH ENGINEERING & LAND SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078  
(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 06-08-07	DATE DRAWN: 08-20-07
PARTY S.H. J.O. P.M.	REFERENCES G.L.O. PLAT	
WEATHER HOT	FILE BERRY PETROLEUM COMPANY	





Berry Petroleum Company

## Brundage Canyon Project

Ute Tribal #14-26D-54

### Directional Drilling Plat

Sec 26 T5S R4W - Duchesne Co, Utah



#### POSTED WELL DATA

●  
Well Label

#### ATTRIBUTE MAP

● Any Digital Log IS PRESENT  
 ■ Any Raster Log IS PRESENT

#### WELL SYMBOLS

- ▲ Drilled 2007
- ▲ W/O BIA
- ▲ Approved APD
- ◆ W/O Arch
- W/O Survey
- ◆ Geologic Prognosis Prepared
- Abandon Location
- Oil Well
- Location Only

November 2, 2007

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list
2. NAME OF OPERATOR: Berry Petroleum		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: Rt 2 Box 7735 CITY Roosevelt STATE UT ZIP 84066		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (435) 722-1325		8. WELL NAME and NUMBER: See Attached List
4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY: Duchesne		9. API NUMBER: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input checked="" type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Produced wastewater from Berry Petroleum Company wells (see attached well list) will be or have been used for injection in our enhanced oil recovery project(s) in the Brundage Canyon Field or they will be trucked to one of the following approved waste water disposal sites:

- R.N. Industries, Inc. Sec. 4, T2S, R2W, Bluebell
- MC & MC Disposal Sec. 12, T6S, R19E, Vernal
- LaPoint Recycle & Storage Sec. 12, T5S, R19E, LaPoint
- Water Disposal Inc. Sec. 32, T1S, R1W, Roosevelt
- ITL 4461 W 3000 So Roosevelt Location Pleasant Valley
- IWM PO Box 430 Altamont or 20250 W 2000 S Duchesne Location - Blue Bench
- Pro Water 12223 Highland Ave Ste B503 Rancho Cucamonga Ca 91739 Location - Blue Bench

**COPY SENT TO OPERATOR**

Date: 12-13-2012  
Initials: KS

**Approved by the  
Utah Division of  
Oil, Gas and Mining**

Date: 12/11/12

NAME (PLEASE PRINT) Krista Mecham

By: [Signature] TITLE Sr. Regulatory & Permitting Tech

SIGNATURE

[Signature]

DATE 11/21/2012

(This space for State use only)

*Federal Approval of this action  
required for Federal Wells.*

**RECEIVED**

**DEC 06 2012**



API	Well Name	Lease
43-013-32710	#1 DLB 12-15-56	Fee
43-013-33447	1-15-56 DLB	Fee
43-013-33378	14-11-56 DLB	Fee
43-013-30842	B C UTE TRIBAL 14-15	14-20-H62-3412
43-013-30841	B C UTE TRIBAL 16-16	14-20-H62-3413
43-013-30829	B C UTE TRIBAL 8-21	14-20-H62-3414
43-013-30755	BC UTE TRIBAL 4-22	14-20-H62-3415
43-013-33216	BERRY TRIBAL 1-23-54	14-20-H62-4943
43-013-33867	BERRY TRIBAL 2-34D-54	14-20-H62-4955
43-013-33384	BERRY TRIBAL 4-34-54	14-20-H62-4955
43-013-33381	BERRY TRIBAL 7-23-54	14-20-H62-4943
43-013-33383	BERRY TRIBAL 7-34-54	14-20-H62-4955
43-013-33417	BERRY TRIBAL 8-23D-54	14-20-H62-4943
43-013-33465	BERRY TRIBAL 9-23-54	14-20-H62-4943
43-013-33382	BERRY TRIBAL 9-34-54	14-20-H62-4955
43-013-33724	BERRY TRIBAL 10-23D-54	14-20-H62-4943
43-013-33422	BERRY TRIBAL 10-34D-54	14-20-H62-4955
43-013-33725	BERRY TRIBAL 11-23D-54	14-20-H62-4943
43-013-33529	BERRY TRIBAL 11-34D-54	14-20-H62-4955
43-013-50527	BERRY TRIBAL 12-34D-54	14-20-H62-4955
43-013-34043	BERRY TRIBAL 13-23-54	14-20-H62-4943
43-013-33989	BERRY TRIBAL 14-23D-54	14-20-H62-4943
43-013-33217	BERRY TRIBAL 15-23-54	14-20-H62-4943
43-013-33411	BERRY TRIBAL 15-34-54	14-20-H62-4955
43-013-33464	BERRY TRIBAL 16-34D-54	14-20-H62-4955
43-013-50524	FEDERAL 1-1D-64	UTU-77321
43-013-51142	FEDERAL 1-1D-65	UTU-77326
43-013-51232	FEDERAL 1-11-65	UTU-77330
43-013-50326	FEDERAL 10-1D-65	UTU-77326
43-013-33542	FEDERAL 10-2-65	UTU-77326
43-013-33386	FEDERAL 10-3-65	UTU-77326
43-013-50735	FEDERAL 10-6D-64	UTU-77322
43-013-33451	FEDERAL 11-10-65	UTU-77330
43-013-50327	FEDERAL 11-1D-65	UTU-77326
43-013-50763	FEDERAL 11-2D-65	UTU-77326
43-013-50565	FEDERAL 11-4D-64	UTU-77314
43-013-50348	FEDERAL 11-5D-64	UTU-8894A
43-013-34284	FEDERAL 11-6D-64	UTU-77322
43-013-50328	FEDERAL 12-1D-65	UTU-77326
43-013-50737	FEDERAL 12-3D-64	UTU-77321
43-013-50349	FEDERAL 12-5D-64	UTU-8894A
43-013-50261	FEDERAL 12-6D-64	UTU-77322
43-013-50730	FEDERAL 1-2D-64	UTU-77321
43-013-33966	FEDERAL 1-2D-65	UTU-77326
43-013-50329	FEDERAL 13-1D-65	UTU-77326
43-013-50337	FEDERAL 13-5D-64	UTU-8894A
43-013-50347	FEDERAL 13-6D-64	UTU-77322
43-013-50330	FEDERAL 14-1D-65	UTU-77326

43-013-50338	FEDERAL 14-5D-64	UTU-8894A
43-013-34285	FEDERAL 14-6D-64	UTU-77322
43-013-51175	FEDERAL 15-1D-65	UTU-77326
43-013-50764	FEDERAL 15-2D-65	UTU-77326
43-013-50553	FEDERAL 15-5D-65	UTU-77327
43-013-51176	FEDERAL 16-1D-65	UTU-77326
43-013-33490	FEDERAL 16-5-65	UTU-77327
43-013-50266	FEDERAL 1-6-64	UTU-77322
43-013-51233	FEDERAL 2-11D-65	UTU-77326
43-013-50759	FEDERAL 2-1D-65	UTU-77326
43-013-33385	FEDERAL 2-2-65	UTU-77326
43-013-34018	FEDERAL 2-2D-64	UTU-77321
43-013-34286	FEDERAL 2-6D-64	UTU-77322
43-013-51093	FEDERAL 3-12D-65	UTU-77326
43-013-50760	FEDERAL 3-1D-65	UTU-77326
43-013-34001	FEDERAL 3-2D-65	UTU-77326
43-013-50782	FEDERAL 3-4D-65	UTU-77327
43-013-34287	FEDERAL 3-5D-64	UTU-8894A
43-013-50268	FEDERAL 3-6D-64	UTU-77322
43-013-51094	FEDERAL 4-12D-65	UTU-77326
43-013-50736	FEDERAL 4-3D-64	UTU-77321
43-013-50521	FEDERAL 4-4D-65	UTU-77327
43-013-50263	FEDERAL 4-5D-64	UTU-8894A
43-013-50267	FEDERAL 4-6D-64	UTU-77322
43-013-51095	FEDERAL 5-12D-65	UTU-77330
43-013-50761	FEDERAL 5-1D-65	UTU-77326
43-013-33448	FEDERAL 5-3-64	UTU-77321
43-013-33450	FEDERAL 5-4-64	UTU-77326
43-013-33387	FEDERAL 5-4-65	UTU-77327
43-013-50259	FEDERAL 5-5D-64	UTU-8894A
43-013-33489	FEDERAL 5-6-65	UTU-77327
43-013-50269	FEDERAL 5-6D-64	UTU-77322
43-013-33491	FEDERAL 6-11-65	UTU-77330
43-013-51096	FEDERAL 6-12D-65	UTU-77330
43-013-32699	FEDERAL 6-1-65	UTU-77325
43-013-32557	FEDERAL 6-2-65	UTU-77326
43-013-50522	FEDERAL 6-3D-64	UTU-77321
43-013-34288	FEDERAL 6-5D-64	UTU-8894A
43-013-33745	FEDERAL 6-6D-64	UTU-77322
43-013-50566	FEDERAL 6-6D-65	UTU-77327
43-013-34061	FEDERAL 7-11D-65	UTU-77330
43-013-34015	FEDERAL 7-1D-65	UTU-77325
43-013-50734	FEDERAL 7-2D-64	UTU-77321
43-013-50525	FEDERAL 7-2D-65	UTU-77326
43-013-34065	FEDERAL 7-3D-65	UTU-77326
43-013-34020	FEDERAL 7-6D-64	UTU-77322
43-013-51232	FEDERAL 8-11D-65	UTU-77326
43-013-33449	FEDERAL 8-1-64	UTU-77321
43-013-50350	FEDERAL 8-1D-65	UTU-77326

43-013-33581	FEDERAL 8-2D-64	UTU-77321
43-013-50719	FEDERAL 8-2D-65	UTU-77326
43-013-50325	FEDERAL 8-6D-64	UTU-77322
43-013-50342	FEDERAL 9-1D-65	UTU-77326
43-013-50762	FEDERAL 9-2D-65	UTU-77326
43-013-51218	FEDERAL 9-6D-64	UTU-77322
43-013-32351	FOY TRIBAL 11-34-55	UTU-76968
43-013-33799	FOY TRIBAL 12H-33-55	FEE
43-013-51288	LC FEE 10-28D-56	FEE
43-013-50994	LC FEE 10-31D-45	FEE
43-013-50965	LC FEE 1-22-57	FEE
43-013-50718	LC FEE 1-22D-56	FEE
43-013-51371	LC FEE 1-31D-45	FEE
43-013-50929	LC FEE 13-29-45	FEE
43-013-50870	LC FEE 15-23D-56	FEE
43-013-50601	LC FEE 16-16D-56	FEE
43-013-50777	LC FEE 2-20D-56	FEE
43-013-33593	LC FEE 6-12-57	FEE
43-013-50867	LC FEE 8-28D-56	FEE
43-013-50928	LC FEE 8-29-45	FEE
43-013-50963	LC FEE 9-12D-57	FEE
43-013-51192	LC FEE 9-19-56	FEE
43-013-50602	LC TRIBAL 10-16D-56	14-20-H62-6301
43-013-50999	LC TRIBAL 10-21-56	14-20-H62-3433
43-013-33677	LC TRIBAL 11-17-56	14-20-H62-6300
43-013-50751	LC TRIBAL 11-3D-56	14-20-H62-6435
43-013-50780	LC TRIBAL 12-22D-56	14-20-H62-6302
43-013-33606	LC TRIBAL 12H-6-56	14-20-H62-5500
43-013-34282	LC TRIBAL 13-16D-56	14-20-H62-5623
43-013-33591	LC TRIBAL 13H-3-56	14-20-H62-6435
43-013-50776	LC TRIBAL 14-14D-56	14-20-H62-6436
43-013-50834	LC TRIBAL 14-15D-56	14-20-H62-6435
43-013-33492	LC TRIBAL 14-2-56	14-20-H62-6472
43-013-51030	LC TRIBAL 15-15D-56	14-20-H62-6435
43-013-50606	LC TRIBAL 15-22D-56	14-20-H62-6302
43-013-50871	LC TRIBAL 15-26-56	14-20-H62-6471
43-013-51132	LC TRIBAL 16-30D-56	2OG-000-5500
43-013-33608	LC TRIBAL 1-9-56	14-20-H62-5657
43-013-33538	LC TRIBAL 2-16D-56	14-20-H62-5623
43-013-51429	LC TRIBAL 2-28D-45	2OG-000-5500
43-013-50866	LC TRIBAL 2-28D-56	14-20-H62-6473
43-013-50925	LC TRIBAL 2-5D-56	14-20-H62-6432
43-013-50926	LC TRIBAL 2-9D-56	14-20-H62-5657
43-013-50598	LC TRIBAL 3-15D-56	14-20-H62-6435
43-013-33541	LC TRIBAL 3-17-56	14-20-H62-5655
43-013-50751	LC TRIBAL 3-21D-56	14-20-H62-3433
43-013-50976	LC TRIBAL 3-34-45	2OG-000-5500
43-013-33580	LC TRIBAL 3-5-56	14-20-H62-6257
43-013-33539	LC TRIBAL 4-16-56	14-20-H62-6301



43-013-50262	LC TRIBAL 4-27D-56	14-20-H62-6303
43-013-50661	LC TRIBAL 5-14D-56	14-20-H62-6436
43-013-50752	LC TRIBAL 5-21D-56	14-20-H62-3433
43-013-50625	LC TRIBAL 5-23D-56	14-20-H62-6434
43-013-50260	LC TRIBAL 6-22D-56	14-20-H62-6302
43-013-50868	LC TRIBAL 6-27D-56	14-20-H62-6303
43-013-51034	LC TRIBAL 6-28-45	2OG-000-5500
43-013-51073	LC TRIBAL 7-27-45	2OG-000-5500
43-013-33577	LC TRIBAL 7-3-56	14-20-H62-5656
43-013-50599	LC TRIBAL 8-16D-56	14-20-H62-6301
43-013-33576	LC TRIBAL 8-28-46	14-20-H62-5500
43-013-51131	LC TRIBAL 8-30D-56	2OG-000-5500
43-013-33605	LC TRIBAL 8-4-56	14-20-H62-6256
43-013-51031	LC TRIBAL 9-15D-56	14-20-H62-6435
43-013-51430	LC TRIBAL 9-28D-45	2OG-000-5500
43-013-51112	LC TRIBAL 9-8D-56	2OG-000-5500
43-013-51198	LC TRIBAL 9-9D-56	2OG-000-5500
43-013-51076	LC Tribal 11-24-45	2OG-000-5500
43-013-32931	MOON TRIBAL 10-2-54	14-20-H62-3404
43-013-32540	MOON TRIBAL 10-27-54	14-20-H62-3375
43-013-32845	MOON TRIBAL 11-27-54	14-20-H62-3375
43-013-32347	MOON TRIBAL 12-23-54	14-20-H62-4943
43-013-32541	MOON TRIBAL 12-27-54	14-20-H62-3375
43-013-32937	MOON TRIBAL 1-27-54	14-20-H62-3375
43-013-32801	MOON TRIBAL 13-27-54	14-20-H62-3375
43-013-32408	MOON TRIBAL 14-27-54	14-20-H62-3375
43-013-32846	MOON TRIBAL 15-27-54	14-20-H62-3375
43-013-32927	MOON TRIBAL 16-23-54	14-20-H62-4943
43-013-34109	MOON TRIBAL 16-27D-54	14-20-H62-3375
43-013-32613	MOON TRIBAL 3-27-54	14-20-H62-3375
43-013-32800	MOON TRIBAL 4-23-54	14-20-H62-4943
43-013-32938	MOON TRIBAL 5-23-54	14-20-H62-4943
43-013-32802	MOON TRIBAL 5-27-54	14-20-H62-3375
43-013-32843	MOON TRIBAL 6-23-54	14-20-H62-4943
43-013-32407	MOON TRIBAL 6-27-54	14-20-H62-3375
43-013-33365	MOON TRIBAL 7-27D-54	14-20-H62-3375
43-013-32543	MOON TRIBAL 8-27-54	14-20-H62-3375
43-013-32782	MYRIN TRIBAL 14-19-55	14-20-H62-5058
43-013-32934	MYRIN TRIBAL 16-19-55	14-20-H62-5058
43-013-33152	NIELSEN FEE 13-11-56	14-20-H62-5620
43-013-32737	NIELSEN MARSING 13-14-56	FEE
43-013-31131	S BRUNDAGE CYN UTE TRIBAL 4-27	14-20-H62-3375
43-013-30948	S BRUNDAGE UTE TRIBAL 1-30	14-20-H62-3417
43-013-30933	S COTTONWOOD RIDGE UTE TRIBAL 1-19	14-20-H62-4919
43-007-30890	SCOFIELD THORPE 22-41X RIG SKID	FEE
43-007-31001	SCOFIELD-THORPE 23-31	FEE
43-007-30991	SCOFIELD-THORPE 35-13	FEE
43-013-50686	SFW FEE 14-10D-54	FEE
43-013-50247	SFW FEE 15-10-54	FEE

43-013-34295	SFW TRIBAL 10-10D-54	14-20-H62-5517
43-013-34296	SFW TRIBAL 9-10D-54	14-20-H62-5517
43-013-31701	SOWERS CANYON 9-27	14-20-H62-4753/UTU-76967
43-013-30955	SOWERS CYN UTE TRIBAL 3-26	14-20-H62-3444
43-013-33916	ST TRIBAL 1-15D-54	14-20-H62-4661
43-013-32849	ST TRIBAL 2-15-54	14-20-H62-4661
43-013-34059	ST TRIBAL 3-15D-54	14-20-H62-4661
43-013-32850	ST TRIBAL 4-15-54	14-20-H62-4661
43-013-34060	ST TRIBAL 5-15D-54	14-20-H62-4661
43-013-32848	ST TRIBAL 6-15-54	14-20-H62-4661
43-013-33950	ST TRIBAL 7-15D-54	14-20-H62-4661
43-013-32851	ST TRIBAL 8-15-54	14-20-H62-4661
43-013-33951	ST TRIBAL 9-15D-54	14-20-H62-4661
43-013-50245	STATE TRIBAL 16-10-54	14-20-H62-5517
43-013-32953	STATE TRIBAL 5-18-54	14-20-H62-5035
43-013-32952	STATE TRIBAL 7-18-54	14-20-H62-5035
43-013-30999	T C UTE TRIBAL 9-23X	14-20-H62-3443
43-013-31699	TABBY CANYON 1-21	14-20-H62-4825/UTU-76965
43-013-31700	TABBY CANYON 8-22	14-20-H62-4754/UTU-76966
43-013-30945	TABBY CYN UTE TRIBAL 1-25	14-20-H62-3537
43-013-33121	TAYLOR FEE 13-22-56	FEE
43-013-33140	TAYLOR FEE 7-14-56	FEE
43-013-32738	TAYLOR HERRICK 10-22-56	FEE
43-013-51271	UTE FEE 14-9D-54	FEE
43-013-51272	UTE FEE 15-9D-54	FEE
43-013-33720	UTE FEE 2-13-55	FEE
43-013-51259	UTE FEE 9-9-54	FEE
43-013-33055	UTE TRIBAL 10-12-55	14-20-H62-5056
43-013-33205	UTE TRIBAL 10-14-54	14-20-H62-5033
43-013-32601	UTE TRIBAL 10-14-55	14-20-H62-5016
43-013-32587	UTE TRIBAL 10-15-54	14-20-H62-4661
43-013-32977	UTE TRIBAL 10-15-55	14-20-H62-5017
43-013-33129	UTE TRIBAL 10-16-54	14-20-H62-3413
43-013-32345	UTE TRIBAL 10-16-55	14-20-H62-5024
43-013-33133	UTE TRIBAL 10-17-54	14-20-H62-4731
43-013-33300	UTE TRIBAL 10-18-54	14-20-H62-4919
43-013-32717	UTE TRIBAL 10-19-54	14-20-H62-3528
43-013-32740	UTE TRIBAL 10-20-54	14-20-H62-3529
43-013-32603	UTE TRIBAL 10-21-55	14-20-H62-4825
43-013-32592	UTE TRIBAL 10-22-54	14-20-H62-3415
43-013-33722	UTE TRIBAL 10-22D-55	14-20-H62-4754
43-013-33358	UTE TRIBAL 10-23D-55	14-20-H62-3443
43-013-32932	UTE TRIBAL 10-24-54	14-20-H62-4716
43-013-33156	UTE TRIBAL 10-24D-55	14-20-H62-4749
43-013-32749	UTE TRIBAL 10-25-55	14-20-H62-3537
43-013-33620	UTE TRIBAL 10-26D-54	14-20-H62-4954
43-013-33360	UTE TRIBAL 10-26D-55	14-20-H62-3444
43-013-33683	UTE TRIBAL 10-27D-55	14-20-H62-4753
43-013-32764	UTE TRIBAL 10-28-54	14-20-H62-4740

43-013-32419	UTE TRIBAL 10-28-55	14-20-H62-5019
43-013-33155	UTE TRIBAL 10-29-54	14-20-H62-5036
43-013-33157	UTE TRIBAL 10-29D-55	14-20-H62-5020
43-013-32847	UTE TRIBAL 10-31-54	14-20-H62-4946
43-013-32936	UTE TRIBAL 10-31-55	14-20-H62-5060
43-013-33902	UTE TRIBAL 10-32-54	14-20-H62-4947
43-013-33092	UTE TRIBAL 10-33-54	14-20-H62-4948
43-013-32353	UTE TRIBAL 10-35-55	14-20-H62-4945
43-013-33968	UTE TRIBAL 10-36D-55	14-20-H62-4944
43-013-50854	UTE TRIBAL 10S-21D-54	14-20-H62-3141
43-013-32721	UTE TRIBAL 11-12-55	14-20-H62-5518
43-013-32568	UTE TRIBAL 11-13-54	14-20-H62-4894
43-013-33268	UTE TRIBAL 11-13-55	14-20-H62-4845
43-013-32693	UTE TRIBAL 11-14-55	14-20-H62-5016
43-013-33206	UTE TRIBAL 11-15-54	14-20-H62-4661
43-013-32980	UTE TRIBAL 11-15-55	14-20-H62-5017
43-013-32589	UTE TRIBAL 11-16-54	14-20-H62-3413
43-013-32145	UTE TRIBAL 11-17	14-20-H62-4731
43-013-31547	UTE TRIBAL 11-19	14-20-H62-3528
43-013-32168	UTE TRIBAL 11-20	14-20-H62-3529
43-013-32415	UTE TRIBAL 11-20-55	14-20-H62-5018
43-013-33115	UTE TRIBAL 11-21-54	14-20-H62-3414
43-013-33116	UTE TRIBAL 11-22-54	14-20-H62-3415
43-013-32607	UTE TRIBAL 11-22-55	14-20-H62-4754
43-013-32269	UTE TRIBAL 11-23-55	14-20-H62-3443
43-013-31909	UTE TRIBAL 11-24	14-20-H62-4749
43-013-31911	UTE TRIBAL 11-25	14-20-H62-3537
43-013-32856	UTE TRIBAL 11-25-54	14-20-H62-3440
43-013-32990	UTE TRIBAL 11-25-56	14-20-H62-5065
43-013-32844	UTE TRIBAL 11-26-54	14-20-H62-4954
43-013-33478	UTE TRIBAL 11-26D-55	14-20-H62-3444
43-013-32615	UTE TRIBAL 11-27-55	14-20-H62-4753
43-013-32192	UTE TRIBAL 11-28	14-20-H62-4740
43-013-34057	UTE TRIBAL 11-28-55	14-20-H62-5019
43-013-32563	UTE TRIBAL 11-29-54	14-20-H62-5032
43-013-32512	UTE TRIBAL 11-30-54	14-20-H62-4662
43-013-32530	UTE TRIBAL 11-31-54	14-20-H62-4946
43-013-33793	UTE TRIBAL 11-32D-54	14-20-H62-4947
43-013-32522	UTE TRIBAL 11-33-54	14-20-H62-4948
43-013-33783	UTE TRIBAL 11-35-55	14-20-H62-5053
43-013-33214	UTE TRIBAL 11-36D-55	14-20-H62-4944
43-013-33769	UTE TRIBAL 1-14D-54	14-20-H62-5033
43-013-33279	UTE TRIBAL 1-14D-55	14-20-H62-5016
43-013-32664	UTE TRIBAL 11-5-54	14-20-H62-5516
43-013-32978	UTE TRIBAL 1-15-55	14-20-H62-5017
43-013-33128	UTE TRIBAL 1-16-54	14-20-H62-3413
43-013-30966	UTE TRIBAL 1-20	14-20-H62-3529
43-013-32414	UTE TRIBAL 1-20-55	14-20-H62-5018
43-013-32369	UTE TRIBAL 12-14-54	14-20-H62-5033

43-013-50476	UTE TRIBAL 12-14D-55	14-20-H62-4661
43-013-32205	UTE TRIBAL 12-15	14-20-H62-5017
43-013-32981	UTE TRIBAL 12-15-55	14-20-H62-3413
43-013-33131	UTE TRIBAL 12-16-54	14-20-H62-4919
43-013-32146	UTE TRIBAL 12-17	14-20-H62-5035
43-013-33077	UTE TRIBAL 12-18-54	14-20-H62-3528
43-013-32716	UTE TRIBAL 12-19-54	14-20-H62-3529
43-013-32866	UTE TRIBAL 12-20-54	14-20-H62-3414
43-013-32385	UTE TRIBAL 12-21-54	14-20-H62-4825
43-013-33694	UTE TRIBAL 12-21D-55	14-20-H62-4754
43-013-32616	UTE TRIBAL 12-22-55	14-20-H62-3443
43-013-33908	UTE TRIBAL 12-23D-55	14-20-H62-4749
43-013-33134	UTE TRIBAL 12-24D-55	14-20-H62-4749
43-013-32769	UTE TRIBAL 12-25-55	14-20-H62-3537
43-013-33801	UTE TRIBAL 12-26D-54	14-20-H62-3444
43-013-34118	UTE TRIBAL 12-26D-55	14-20-H62-4740
43-013-32765	UTE TRIBAL 12-28-54	14-20-H62-5019
43-013-33645	UTE TRIBAL 12-28D-55	14-20-H62-5036
43-013-32572	UTE TRIBAL 12-29-54	14-20-H62-5020
43-013-33418	UTE TRIBAL 12-29D-55	14-20-H62-5020
43-013-33215	UTE TRIBAL 1-22D-54	14-20-H62-3415
43-013-33626	UTE TRIBAL 1-22D-55	14-20-H62-4754
43-013-33907	UTE TRIBAL 12-31D-54	14-20-H62-4946
43-013-32925	UTE TRIBAL 12-32-54	14-20-H62-4947
43-013-33266	UTE TRIBAL 12-32-55	14-20-H62-5026
43-013-33090	UTE TRIBAL 12-33-54	14-20-562-4948
43-013-32524	UTE TRIBAL 1-23-55	14-20-H62-3443
43-013-33782	UTE TRIBAL 12-35D-55	14-20-H62-4945
43-013-32354	UTE TRIBAL 12-36-55	14-20-H62-4944
43-013-32259	UTE TRIBAL 1-24-55	14-20-H62-4749
43-013-31912	UTE TRIBAL 1-26	14-20-H62-3444
43-013-33680	UTE TRIBAL 1-26D-54	14-20-H62-4943
43-013-32416	UTE TRIBAL 1-27-55	14-20-H62-4753
43-013-31549	UTE TRIBAL 1-28	14-20-H62-4740
43-013-33784	UTE TRIBAL 1-28D-55	14-20-H62-5019
43-013-33184	UTE TRIBAL 12Q-25-55	14-20-H62-3537
43-013-32599	UTE TRIBAL 13-13-55	14-20-H62-4845
43-013-33364	UTE TRIBAL 13-14-54	14-20-H62-5033
43-013-32600	UTE TRIBAL 13-14-55	14-20-H62-5016
43-013-32526	UTE TRIBAL 1-31-54	14-20-H62-4946
43-013-32602	UTE TRIBAL 13-15-55	14-20-H62-5017
43-013-33039	UTE TRIBAL 13-15D-54	14-20-H662-4661
43-013-32511	UTE TRIBAL 13-16-54	14-20-H62-3413
43-013-31546	UTE TRIBAL 13-17	14-20-H62-4919
43-013-32571	UTE TRIBAL 13-18-54	14-20-H62-5032
43-013-31284	UTE TRIBAL 13-19	14-20-H62-3528
43-013-32206	UTE TRIBAL 13-20	14-20-H62-3529
43-013-32841	UTE TRIBAL 13-20-55	14-20-H62-5018
43-013-33113	UTE TRIBAL 13-21-54	14-20-H62-3414

43-013-31548	UTE TRIBAL 13-22	14-20-H62-3415
43-013-33716	UTE TRIBAL 13-22D-55	14-20-H62-4754
43-013-32513	UTE TRIBAL 13-23-55	14-20-H62-3443
43-013-31910	UTE TRIBAL 13-24	14-20-H62-4749
43-013-32169	UTE TRIBAL 13-25	14-20-H62-3537
43-013-32891	UTE TRIBAL 13-26-54	14-20-H62-4954
43-013-34002	UTE TRIBAL 13-26D-55	14-20-H62-3444
43-013-32387	UTE TRIBAL 13-28-54	14-20-H62-4740
43-013-33646	UTE TRIBAL 13-28D-55	14-20-H62-5019
43-013-32564	UTE TRIBAL 13-29-54	14-20-H62-5032
43-013-33501	UTE TRIBAL 1-31-55	14-20-H62-5060
43-013-30872	UTE TRIBAL 1-32R	14-20-H62-4947
43-013-32185	UTE TRIBAL 1-33	14-20-H62-4948
43-013-32409	UTE TRIBAL 13-30-54	14-20-H62-4662
43-013-32688	UTE TRIBAL 13-31-54	14-20-H62-4946
43-013-32692	UTE TRIBAL 13-32-54	14-20-H62-4947
43-013-32742	UTE TRIBAL 13-33-54	14-20-H62-4948
43-013-32806	UTE TRIBAL 13-35-54	14-20-H62-5053
43-013-34117	UTE TRIBAL 13-35D-55	14-20-H62-4945
43-013-33624	UTE TRIBAL 13-36D-55	14-20-H62-4944
43-013-32186	UTE TRIBAL 1-34	14-20-H62-4955
43-013-50408	UTE TRIBAL 1-34D-55	14-20-H62-5028
43-013-32567	UTE TRIBAL 1-35-54	14-20-H62-5032
43-013-33967	UTE TRIBAL 1-35D-55	14-20-H62-4945
43-013-32760	UTE TRIBAL 1-36-55	14-20-H62-4944
43-013-33380	UTE TRIBAL 13H-16-55	14-20-H62-5024
43-013-33112	UTE TRIBAL 14-14-54	14-20-H62-5033
43-013-32979	UTE TRIBAL 14-15-55	14-20-H62-5017
43-013-33123	UTE TRIBAL 14-16-54	14-20-H62-3413
43-013-32147	UTE TRIBAL 14-17	14-20-H62-4919
43-013-32984	UTE TRIBAL 14-18-55	14-20-H62-5057
43-013-32690	UTE TRIBAL 14-19-54	14-20-H62-3528
43-013-32702	UTE TRIBAL 14-20-54	14-20-H62-3529
43-013-32384	UTE TRIBAL 14-21-54	14-20-H62-3414
43-013-32593	UTE TRIBAL 14-22-54	14-20-H62-3415
43-013-33717	UTE TRIBAL 14-22D-55	14-20-H62-4754
43-013-33915	UTE TRIBAL 14-23D-55	14-20-H62-3443
43-013-33912	UTE TRIBAL 14-24D-55	14-20-H62-4749
43-013-32988	UTE TRIBAL 14-24-56	14-20-H62-5064
43-013-33912	UTE TRIBAL 14-24D-55	14-20-H62-4749
43-013-32776	UTE TRIBAL 14-25-54	14-20-H62-3440
43-013-32750	UTE TRIBAL 14-25-55	14-20-H62-3537
43-013-33673	UTE TRIBAL 14-26D-54	14-20-H62-4954
43-013-33361	UTE TRIBAL 14-26D-55	14-20-H62-3444
43-013-33684	UTE TRIBAL 14-27D-55	14-20-H62-4753
43-013-32348	UTE TRIBAL 14-28-55	14-20-H62-5019
43-013-33278	UTE TRIBAL 14-28D-54	14-20-H62-5036
43-013-33042	UTE TRIBAL 14-31D-54	14-20-H62-4946
43-013-32523	UTE TRIBAL 14-32-54	14-20-H62-4947

43-013-33093	UTE TRIBAL 14-33-54	14-20-H62-4949
43-013-33955	UTE TRIBAL 14-35D-55	14-20-H62-4945
43-013-32355	UTE TRIBAL 14-36-55	14-20-H62-4944
43-013-33277	UTE TRIBAL 14Q-28-54	14-20-H62-4740
43-013-33479	UTE TRIBAL 14Q-30-54	14-20-H62-4662
43-013-33212	UTE TRIBAL 15-13D-55	14-20-H62-4845
43-013-32971	UTE TRIBAL 15-15-54	14-20-H62-4661
43-013-32855	UTE TRIBAL 15-15-55	14-20-H62-5017
43-013-31648	UTE TRIBAL 15-16	14-20-H62-3413
43-013-31649	UTE TRIBAL 15-17	14-20-H62-4731
43-013-32358	UTE TRIBAL 15-17-55	14-20-H62-5025
43-013-32148	UTE TRIBAL 15-18	14-20-H62-4919
43-013-31832	UTE TRIBAL 15-19	14-20-H62-3528
43-013-32386	UTE TRIBAL 15-20-54	14-20-H62-3529
43-013-33357	UTE TRIBAL 15-21-55	14-20-H62-3414
43-013-32617	UTE TRIBAL 15-22-55	14-20-H62-4754
43-013-34116	UTE TRIBAL 15-22D-54	14-20-H62-3415
43-013-31671	UTE TRIBAL 15-23	14-20-H62-3443
43-013-31129	UTE TRIBAL 15-24R	14-20-H62-4749
43-013-32271	UTE TRIBAL 15-25-55	14-20-H62-3537
43-013-33768	UTE TRIBAL 15-26D-54	14-20-H62-4954
43-013-33362	UTE TRIBAL 15-26D-55	14-20-H62-3444
43-013-32339	UTE TRIBAL 15-27-55	14-20-H62-4753
43-013-32389	UTE TRIBAL 15-28-54	14-20-H62-4740
43-013-32561	UTE TRIBAL 15-29-54	14-20-H62-5036
43-013-32382	UTE TRIBAL 15-30-54	14-20-H62-4662
43-013-32743	UTE TRIBAL 15-31-54	14-20-H62-4946
43-013-32666	UTE TRIBAL 15-32-54	14-20-H62-4947
43-013-32768	UTE TRIBAL 15-33-54	14-20-H62-4948
43-013-32804	UTE TRIBAL 15-35-54	14-20-H62-5053
43-013-33954	UTE TRIBAL 15-35D-55	14-20-H62-4945
43-013-33049	UTE TRIBAL 15-36-55	14-20-H62-4944
43-013-33327	UTE TRIBAL 16-13D-55	14-20-H62-4845
43-013-32272	UTE TRIBAL 16-14-55	14-20-H62-5016
43-013-32588	UTE TRIBAL 16-15-54	14-20-H62-4661
43-013-32757	UTE TRIBAL 16-16-55	14-20-H62-5024
43-013-33132	UTE TRIBAL 16-17-54	14-20-H62-4731
43-013-31650	UTE TRIBAL 16-18	14-20-H62-4919
43-013-32691	UTE TRIBAL 16-19-54	14-20-H62-3528
43-013-32739	UTE TRIBAL 16-20-54	14-20-H62-3529
43-013-32381	UTE TRIBAL 16-21-54	14-20-H62-3414
43-013-32842	UTE TRIBAL 16-22-54	14-20-H62-3415
43-013-33267	UTE TRIBAL 16-22D-55	14-20-H62-4754
43-013-33046	UTE TRIBAL 16-23-55	14-20-H-62-3443
43-013-32775	UTE TRIBAL 16-24-54	14-20-H62-4716
43-013-32672	UTE TRIBAL 16-24-55	14-20-H62-3440
43-013-32759	UTE TRIBAL 16-25-55	14-20-H62-3537
43-013-34042	UTE TRIBAL 16-26-54	14-20-H62-4954
43-013-33965	UTE TRIBAL 16-26D-55	14-20-H62-3444

43-013-33786	UTE TRIBAL 16-27D-55	14-20-H62-4753
43-013-33041	UTE TRIBAL 16-28D-54	14-20-H62-4740
43-013-33076	UTE TRIBAL 16-29-54	14-20-H62-5036
43-013-32349	UTE TRIBAL 16-29-55	14-20-H62-5020
43-013-32665	UTE TRIBAL 16-3-54	14-20-H62-4778
43-013-32718	UTE TRIBAL 16-30-54	14-20-H62-4662
43-013-33326	UTE TRIBAL 16-31D-54	14-20-H62-4946
43-013-32926	UTE TRIBAL 16-32D-54	14-20-H62-4947
43-013-33091	UTE TRIBAL 16-33-54	14-20-H62-4948
43-013-32352	UTE TRIBAL 16-35-55	14-20-H62-4945
43-013-32356	UTE TRIBAL 16-36-55	14-20-H62-4944
43-013-33393	UTE TRIBAL 1A-29-54	14-20-H62-5036
43-013-33186	UTE TRIBAL 1I-36-55	14-20-H62-4944
43-013-33111	UTE TRIBAL 2-14-54	14-20-H962-5033
43-013-32140	UTE TRIBAL 2-19	14-20-H62-4919
43-013-32974	UTE TRIBAL 2-20-54	14-20-H62-3529
43-013-33117	UTE TRIBAL 2-21-55	14-20-H62-4825
43-013-32591	UTE TRIBAL 2-22-54	14-20-H62-3415
43-013-32604	UTE TRIBAL 2-22-55	14-20-H62-4754
43-013-33045	UTE TRIBAL 2-23-55	14-20-H62-3443
43-013-32569	UTE TRIBAL 2-24-54	14-20-H62-4716
43-013-31833	UTE TRIBAL 2-25	14-20-H62-3537
43-013-32868	UTE TRIBAL 2-26-54	14-20-H62-4954
43-013-33979	UTE TRIBAL 2-26D-55	14-20-H62-3444
43-013-32179	UTE TRIBAL 2-27	14-20-H62-3375
43-013-33628	UTE TRIBAL 2-27D-55	14-20-H62-4753
43-013-32763	UTE TRIBAL 2-28-54	14-20-H62-4740
43-013-33714	UTE TRIBAL 2-29D-55	14-20-H62-5036
43-013-32680	UTE TRIBAL 2-30-55	14-20-H62-5059
43-013-32894	UTE TRIBAL 2-30D-54	14-20-H62-4662
43-013-32762	UTE TRIBAL 2-31-54	14-20-H62-4946
43-013-32935	UTE TRIBAL 2-31-55	14-20-H62-5060
43-013-32803	UTE TRIBAL 2-32-54	14-20-H62-4947
43-013-32350	UTE TRIBAL 2-32-55	14-20-H62-5026
43-013-32898	UTE TRIBAL 2-33D-54	14-20-H62-4948
43-013-32187	UTE TRIBAL 2-35	14-20-H62-4945
43-013-32422	UTE TRIBAL 2-36-55	14-20-H62-4944
43-013-32663	UTE TRIBAL 3-10-54	14-20-H62-5517
43-013-50478	UTE TRIBAL 3-14-55	14-20-H62-5016
43-013-50389	UTE TRIBAL 3-14D-54	14-20-H62-5033
43-013-31830	UTE TRIBAL 3-19	14-20-H62-3528
43-013-32377	UTE TRIBAL 3-20-54	14-20-H62-4919
43-013-32867	UTE TRIBAL 3-21-54	14-20-H62-3414
43-013-32758	UTE TRIBAL 3-21-55	14-20-H62-4825
43-013-33208	UTE TRIBAL 3-22-54	14-20-H62-3415
43-013-32605	UTE TRIBAL 3-22-55	14-20-H62-4754
43-013-32536	UTE TRIBAL 3-23-55	14-20-H62-3443
43-013-30960	UTE TRIBAL 3-24R-55 (REENTRY)	14-20-H62-4749
43-013-31834	UTE TRIBAL 3-25	14-20-H62-3537



43-013-32993	UTE TRIBAL 3-25-56	14-20-H62-5065
43-013-33681	UTE TRIBAL 3-26D-54	14-20-H62-4954
43-013-32417	UTE TRIBAL 3-27-55	14-20-H62-4753
43-013-32261	UTE TRIBAL 3-28-54	14-20-H62-4740
43-013-33723	UTE TRIBAL 3-29-55	14-20-H62-5020
43-013-32625	UTE TRIBAL 3-30-54	14-20-H62-4662
43-013-32862	UTE TRIBAL 3-30-55	14-20-H62-5059
43-013-32527	UTE TRIBAL 3-31-54	14-20-H62-4946
43-013-32410	UTE TRIBAL 3-32-54	14-20-H62-4947
43-013-33363	UTE TRIBAL 3-32D-55	14-20-H62-5206
43-013-32412	UTE TRIBAL 3-33-54	14-20-H62-4948
43-013-33888	UTE TRIBAL 3-35D-55	14-20-H62-5053
43-013-33888	UTE TRIBAL 3-35D-55	14-20-H62-4945
43-013-32751	UTE TRIBAL 3-36-55	14-20-H62-4944
43-013-33185	UTE TRIBAL 3G-31-54	14-20-H62-4946
43-013-33270	UTE TRIBAL 4-14D-54	14-20-H62-5033
43-013-32972	UTE TRIBAL 4-19-54	14-20-H62-3528
43-013-32621	UTE TRIBAL 4-20-54	14-20-H62-4919
43-013-33549	UTE TRIBAL 4-20D-55	14-20-H62-5018
43-013-32378	UTE TRIBAL 4-21-54	14-20-H62-3414
43-013-33044	UTE TRIBAL 4-22-55	14-20-H62-4754
43-013-33627	UTE TRIBAL 4-23D-55	14-20-H62-3443
43-013-32573	UTE TRIBAL 4-24-54	14-20-H62-4716
43-013-33726	UTE TRIBAL 4-24D-55	14-20-H62-4749
43-013-32928	UTE TRIBAL 4-25-55	14-20-H62-3537
43-013-33595	UTE TRIBAL 4-26D-54	14-20-H62-4954
43-013-33978	UTE TRIBAL 4-26D-55	14-20-H62-3444
43-013-33797	UTE TRIBAL 4-27D-55	14-20-H62-4753
43-013-32741	UTE TRIBAL 4-28-54	14-20-H62-4740
43-013-33118	UTE TRIBAL 4-28-55	14-20-H62-5019
43-013-32565	UTE TRIBAL 4-29-54	14-20-H62-5036
43-013-31550	UTE TRIBAL 4-30	14-20-H62-4662
43-013-32767	UTE TRIBAL 4-31-54	14-20-H62-4946
43-013-32896	UTE TRIBAL 4-32-54	14-20-H62-4947
43-013-33379	UTE TRIBAL 4-32-55	14-20-H62-5026
43-013-32871	UTE TRIBAL 4-33-54	14-20-H62-4948
43-013-32357	UTE TRIBAL 4-33-55	14-20-H62-5027
43-013-32188	UTE TRIBAL 4-36	14-20-H62-4944
43-013-31152	UTE TRIBAL 5-13	14-20-H62-4845
43-013-33075	UTE TRIBAL 5-13-54	14-20-H62-4894
43-013-33619	UTE TRIBAL 5-14-54	14-20-H62-5033
43-013-50479	UTE TRIBAL 5-14-55	14-20-H62-5016
43-013-32344	UTE TRIBAL 5-15-55	14-20-H62-5017
43-013-50475	UTE TRIBAL 5-16D-54	14-20-H62-3413
43-013-32204	UTE TRIBAL 5-19	14-20-H62-3528
43-013-31651	UTE TRIBAL 5-20	14-20-H62-4919
43-013-33324	UTE TRIBAL 5-21-54	14-20-H62-3414
43-013-33706	UTE TRIBAL 5-21D-55	14-20-H62-4825
43-013-32624	UTE TRIBAL 5-22-54	14-20-H62-3415

43-013-32537	UTE TRIBAL 5-23-55	14-20-H62-3443
43-013-32263	UTE TRIBAL 5-24-55	14-20-H62-4749
43-013-32992	UTE TRIBAL 5-25-56	14-20-H62-5065
43-013-33421	UTE TRIBAL 5-25D-55	14-20-H62-3537
43-013-32890	UTE TRIBAL 5-26-54	14-20-H62-4954
43-013-32264	UTE TRIBAL 5-26-55	14-20-H62-3444
43-013-32614	UTE TRIBAL 5-27-55	14-20-H62-4753
43-013-32189	UTE TRIBAL 5-28	14-20-H62-4740
43-013-32525	UTE TRIBAL 5-29-54	14-20-H62-5032
43-013-32380	UTE TRIBAL 5-30-54	14-20-H62-4662
43-013-32190	UTE TRIBAL 5-31	14-20-H62-4946
43-013-32539	UTE TRIBAL 5-32-54	14-20-H62-4947
43-013-32521	UTE TRIBAL 5-33-54	14-20-H62-4948
43-013-32805	UTE TRIBAL 5-35-54	14-20-H62-5053
43-013-32930	UTE TRIBAL 5-36-55	14-20-H62-4944
43-013-32586	UTE TRIBAL 6-14-54	14-20-H62-5033
43-013-50246	UTE TRIBAL 6-14D-55	14-20-H62-5016
43-013-32865	UTE TRIBAL 6-19-54	14-20-H62-3528
43-013-32622	UTE TRIBAL 6-20-54	14-20-H62-4919
43-013-32164	UTE TRIBAL 6-21	14-20-H62-3414
43-013-32163	UTE TRIBAL 6-22	14-20-H62-3415
43-013-33213	UTE TRIBAL 6-22D-55	14-20-H62-4728
43-013-33187	UTE TRIBAL 6-23D-55	14-20-H62-3443
43-013-32570	UTE TRIBAL 6-24-54	14-20-H62-4716
43-013-32143	UTE TRIBAL 6-25H	14-20-H62-3537
43-013-33625	UTE TRIBAL 6-26D-54	14-20-H62-4954
43-013-33476	UTE TRIBAL 6-26D-55	14-20-H62-3444
43-013-32892	UTE TRIBAL 6-28D-54	14-20-H62-4740
43-013-33172	UTE TRIBAL 6-29-54	14-20-H62-5036
43-013-33120	UTE TRIBAL 6-29-55	14-20-H62-5020
43-013-32783	UTE TRIBAL 6-30-55	14-20-H62-5059
43-013-33325	UTE TRIBAL 6-31D-54	14-20-H62-4946
43-013-32420	UTE TRIBAL 6-32-55	14-20-H62-5026
43-013-32897	UTE TRIBAL 6-32D-54	14-20-H62-4947
43-013-32872	UTE TRIBAL 6-33-54	14-20-H62-4948
43-013-34028	UTE TRIBAL 6-35D-55	14-20-H62-4945
43-013-32265	UTE TRIBAL 6-36-55	14-20-H62-4944
43-013-50409	UTE TRIBAL 7-14-54	14-20-H62-5033
43-013-33269	UTE TRIBAL 7-14-55	14-20-H62-5016
43-013-32976	UTE TRIBAL 7-15-55	14-20-H62-5017
43-013-33130	UTE TRIBAL 7-16-54	14-20-H62-3413
43-013-32863	UTE TRIBAL 7-19-55	14-20-H62-5058
43-013-32346	UTE TRIBAL 7-20-55	14-20-H62-5018
43-013-31281	UTE TRIBAL 7-20R-54	14-20-H62-3529
43-013-32623	UTE TRIBAL 7-21-54	14-20-H62-3414
43-013-32761	UTE TRIBAL 7-22-54	14-20-H62-3415
43-013-33721	UTE TRIBAL 7-22D-55	14-20-H62-4754
43-013-32514	UTE TRIBAL 7-23-55	14-20-H62-3443
43-013-32991	UTE TRIBAL 7-24-56	14-20-H62-5064

43-013-32991	UTE TRIBAL 7-25-56	14-20-H62-5065
43-013-33621	UTE TRIBAL 7-26D-54	14-20-H62-4954
43-013-33477	UTE TRIBAL 7-26D-55	14-20-H62-3444
43-013-32418	UTE TRIBAL 7-27-55	14-20-H62-4753
43-013-32166	UTE TRIBAL 7-28	14-20-H62-4740
43-013-33788	UTE TRIBAL 7-28D-55	14-20-H62-5019
43-013-32562	UTE TRIBAL 7-29-54	14-20-H62-5036
43-013-33715	UTE TRIBAL 7-29D-55	14-20-H62-5020
43-013-32167	UTE TRIBAL 7-30	14-20-H62-4662
43-013-32528	UTE TRIBAL 7-31-54	14-20-H62-4946
43-013-32411	UTE TRIBAL 7-32-54	14-20-H62-4947
43-013-32413	UTE TRIBAL 7-33-54	14-20-H62-4948
43-013-50510	UTE TRIBAL 7-34-55	14-20-H62-5028
43-013-32774	UTE TRIBAL 7-35-54	14-20-H62-5053
43-013-33048	UTE TRIBAL 7-35-55	14-20-H62-4945
43-013-32929	UTE TRIBAL 7-36-55	14-20-H62-4944
43-013-50852	UTE TRIBAL 7I-21-54	14-20-H62-3414
43-013-50488	UTE TRIBAL 8-10D-54	14-20-H62-5517
43-013-33204	UTE TRIBAL 8-14-54	14-20-H62-5033
43-013-50477	UTE TRIBAL 8-15D-55	14-20-H62-5017
43-013-32840	UTE TRIBAL 8-19-54	14-20-H62-3528
43-013-32864	UTE TRIBAL 8-19-55	14-20-H62-5058
43-013-32973	UTE TRIBAL 8-20-54	14-20-H62-3529
43-013-50435	UTE TRIBAL 8-21D-55	14-20-H62-4825
43-013-32590	UTE TRIBAL 8-22-54	14-20-H62-3415
43-013-33552	UTE TRIBAL 8-23D-55	14-20-H62-3443
43-013-33420	UTE TRIBAL 8-24-55	14-20-H62-4716
43-013-32780	UTE TRIBAL 8-25-54	14-20-H62-3440
43-013-32620	UTE TRIBAL 8-25-55	14-20-H62-3537
43-013-33682	UTE TRIBAL 8-26D-54	14-20-H62-4954
43-013-33859	UTE TRIBAL 8-26D-55	14-20-H62-3444
43-013-34058	UTE TRIBAL 8-27D-55	14-20-H62-4753
43-013-32766	UTE TRIBAL 8-28-54	14-20-H62-4740
43-013-32694	UTE TRIBAL 8-28-55	14-20-H62-5019
43-013-33119	UTE TRIBAL 8-29-55	14-20-H62-5020
43-013-32746	UTE TRIBAL 8-30-54	14-20-H62-4662
43-013-32869	UTE TRIBAL 8-31-54	14-20-H62-4946
43-013-32673	UTE TRIBAL 8-31-55	14-20-H62-5032
43-013-32870	UTE TRIBAL 8-32-54	14-20-H62-4947
43-013-32421	UTE TRIBAL 8-32-55	14-20-H62-5026
43-013-33089	UTE TRIBAL 8-33-54	14-20-H62-4948
43-013-50436	UTE TRIBAL 8-34D-55	14-20-H62-5028
43-013-32267	UTE TRIBAL 8-35-55	14-20-H62-4945
43-013-32423	UTE TRIBAL 8-36-55	14-20-H62-4944
43-013-50853	UTE TRIBAL 8L-21D-54	14-20-H62-3141
43-013-33328	UTE TRIBAL 9-13D-55	14-20-H62-4845
43-013-33796	UTE TRIBAL 9-14D-54	14-20-H62-5033
43-013-32701	UTE TRIBAL 9-15-55	14-20-H62-5017
43-013-33207	UTE TRIBAL 9-16-54	14-20-H62-3413

43-013-32687	UTE TRIBAL 9-17-54	14-20-H62-4731
43-013-32144	UTE TRIBAL 9-18	14-20-H62-4919
43-013-31831	UTE TRIBAL 9-19	14-20-H62-3528
43-013-32379	UTE TRIBAL 9-20-54	14-20-H62-3529
43-013-33675	UTE TRIBAL 9-20D-55	14-20-H62-5018
43-013-33040	UTE TRIBAL 9-21-54	14-20-H62-3414
43-013-32889	UTE TRIBAL 9-22-54	14-20-H62-3415
43-013-32606	UTE TRIBAL 9-22-55	14-20-H62-4754
43-013-32268	UTE TRIBAL 9-24-55	14-20-H62-4749
43-013-32390	UTE TRIBAL 9-25-55	14-20-H62-3537
43-013-32191	UTE TRIBAL 9-26	14-20-H62-4728
43-013-33359	UTE TRIBAL 9-26D-55	14-20-H62-3444
43-013-32388	UTE TRIBAL 9-28-54	14-20-H62-4740
43-013-33787	UTE TRIBAL 9-28D-55	14-20-H62-5019
43-013-32566	UTE TRIBAL 9-29-54	14-20-H62-5036
43-013-32383	UTE TRIBAL 9-30-54	14-20-H62-4662
43-013-32529	UTE TRIBAL 9-31-54	14-20-H62-4946
43-013-33508	UTE TRIBAL 9-31-55	14-20-H62-5060
43-013-32538	UTE TRIBAL 9-32-54	14-20-H62-4947
43-013-32549	UTE TRIBAL 9-33-54	14-20-H62-4948
43-013-32781	UTE TRIBAL 9-35-54	14-20-H62-5053
43-013-33047	UTE TRIBAL 9-35-55	14-20-H62-4945
43-013-33239	UTE TRIBAL 9-36D-55	14-20-H62-4944
43-013-33276	UTE TRIBAL 9S-19-54	14-20-H62-3528
43-013-33245	UTE TRIBAL 9S-25-55	14-20-H62-3537
43-013-50997	Vieira Tribal 4-4-54	14-20-H62-5659
43-013-33122	WILCOX ELIASON 7-15-56	FEE
43-013-33150	WILCOX FEE 1-20-56	FEE
43-013-33151	WILCOX FEE 15-16-56	FEE
43-013-32550	WILLIAMSON TRIBAL 3-34-54	14-20-H62-4955
43-013-32551	WILLIAMSON TRIBAL 5-34-54	14-20-H62-4955
43-013-31311	Z and T UTE TRIBAL 12-22	14-20-H62-3415
43-013-31280	Z and T UTE TRIBAL 2-21	14-20-H62-3414
43-013-31282	Z and T UTE TRIBAL 7-19	14-20-H62-4919
43-013-31310	Z and T UTE TRIBAL 7-25	14-20-H62-3537

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET (for state use only)**

**ROUTING**  
**CDW**

**X - Change of Operator (Well Sold)**

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

**6/1/2014**

**FROM: (Old Operator):**

Berry Petroelum Company, LLC N4075  
 1999 Broadway Street , Suite 3700  
 Denver, CO 80202  
 Phone: 1 (303) 999-4400

**TO: ( New Operator):**

Linn Operating, Inc. N4115  
 1999 Broadway Street, Suite 3700  
 Denver, CO 80202  
 Phone: 1 (303) 999-4400

**CA No.**

**Unit:**

**Berry Pilot EOR 246-02  
 Brundage Canyon**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See Attached List								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/13/2014
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/13/2014
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/17/2014
- 4a. Is the new operator registered in the State of Utah: \_\_\_\_\_ Business Number: 9031632-0143
- 5a. (R649-9-2)Waste Management Plan has been received on: N/A
- 5b. Inspections of LA PA state/fee well sites complete on: Yes
- 5c. Reports current for Production/Disposition & Sundries on: 6/17/2014
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA Not Yet
- Federal and Indian Units:**  
 The BLM or BIA has approved the successor of unit operator for wells listed on: Not Yet
- Federal and Indian Communization Agreements ("CA"):**  
 The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/18/2014
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/18/2014
- Bond information entered in RBDMS on: 6/23/2014
- Fee/State wells attached to bond in RBDMS on: 6/23/2014
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: 6/18/2014
- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: Yes

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: NMB000501
- Indian well(s) covered by Bond Number: NMB000501
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number LPM9149893
- 3b. The **FORMER** operator has requested a release of liability from their bond on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 6/23/2014

**COMMENTS:**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

5. LEASE DESIGNATION AND SERIAL NUMBER:

See attached list

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL

OIL WELL ☒

GAS WELL ☐

OTHER \_\_\_\_\_

2. NAME OF OPERATOR:

Linn Operating, Inc.

3. ADDRESS OF OPERATOR:

1999 Broadway, Ste 3700

CITY

Denver

STATE

CO

ZIP

80202

PHONE NUMBER:

(303) 999-4400

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ NOTICE OF INTENT  
(Submit in Duplicate)

Approximate date work will start:

☐ SUBSEQUENT REPORT  
(Submit Original Form Only)

Date of work completion:

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☐ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☒ OTHER: Change of operator

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Notice of Change of Operator from Berry Petroleum Company, LLC to Linn Operating, Inc., effective June 1, 2014. On December 16, 2013, Berry Petroleum Company became an indirect subsidiary of Linn Energy, LLC. As a result, Berry Petroleum Company converted into a limited liability company named, "Berry Petroleum Company, LLC". On March 5, 2014, Berry Petroleum Company, LLC authorized and empowered Linn Operating, Inc. to act as operator on its behalf. I have attached a copy of the original declaration amending the name change along with a copy of the agency agreement and power of attorney for the operator change.

RECEIVED

JUN 10 2014

Div. of Oil, Gas & Mining

NAME (PLEASE PRINT) Beverly Decker

TITLE Sr Engineering Technician

SIGNATURE

*Beverly Decker*

DATE 6/1/2014

(This space for State use only)

APPROVED

JUN 18 2014

DIV. OIL GAS & MINING

BY: Rachel Medina

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list
2. NAME OF OPERATOR: Berry Petroleum Company, LLC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1999 Broadway, Ste 3700 CITY Denver STATE CO ZIP 80202		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (303) 999-4400		8. WELL NAME and NUMBER:
4. LOCATION OF WELL FOOTAGES AT SURFACE:		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On December 16th, 2013 Berry Petroleum Company and Linn Energy merged. As a result of this merger the companies name has changed to "Berry Petroleum Company, LLC". On March 5th, 2014 Berry Petroleum Company, LLC agreed that Linn Operating, Inc would become the operator of record effective June 1, 2014. I have attached a copy of the original declaration amending the name change along with a copy of the agency agreement and power of attorney for the operator change.

Should you have any questions please don't hesitate to contact me.

RECEIVED  
JUN 13 2014  
Div. of Oil, Gas & Mining

NAME (PLEASE PRINT) <u>Beverly Decker</u>	TITLE <u>Sr Engineering Technician</u>
SIGNATURE <u><i>Beverly Decker</i></u>	DATE <u>6/1/2014</u>

(This space for State use only)

APPROVED

JUN 18 2014

DIV. OIL GAS & MINING

BY: *Rachel Medina*



**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

**Request to Transfer Application or Permit to Drill**


(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

<b>Well name:</b>	See Attached
<b>API number:</b>	
<b>Location:</b>	Qtr-Qtr:                      Section                      Township                      Range:
<b>Company that filed original application:</b>	Berry Petroleum Company LLC
<b>Date original permit was issued:</b>	
<b>Company that permit was issued to:</b>	Linn Operating, Inc

Check one	Desired Action:
	<b>Transfer pending (unapproved) Application for Permit to Drill to new operator</b>
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
<input checked="" type="checkbox"/>	<b>Transfer approved Application for Permit to Drill to new operator</b>
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.	Yes	No
If located on private land, has the ownership changed?		<input checked="" type="checkbox"/>
<input type="checkbox"/> If so, has the surface agreement been updated?		
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?		<input checked="" type="checkbox"/>
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?		<input checked="" type="checkbox"/>
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?		<input checked="" type="checkbox"/>
Has the approved source of water for drilling changed?		<input checked="" type="checkbox"/>
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?		<input checked="" type="checkbox"/>
Is bonding still in place, which covers this proposed well? Bond No. <u>LPM9149893</u>	<input checked="" type="checkbox"/>	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) Beverly Decker Title Sr Engineering Technician  
Signature  Date \_\_\_\_\_  
Representing (company name) Berry Petroleum Company LLC and Linn Operating, Inc

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

**Request to Transfer Application or Permit to Drill**


(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

<b>Well name:</b>	See Attached
<b>API number:</b>	
<b>Location:</b>	Qtr-Qtr:                      Section:                      Township:                      Range:
<b>Company that filed original application:</b>	Berry Petroleum Company LLC
<b>Date original permit was issued:</b>	
<b>Company that permit was issued to:</b>	Linn Operating, Inc

Check one	Desired Action:
<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<b>Transfer pending (unapproved) Application for Permit to Drill to new operator</b>
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
<input type="checkbox"/>	<b>Transfer approved Application for Permit to Drill to new operator</b>
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.		Yes	No
If located on private land, has the ownership changed?			<input checked="" type="checkbox"/>
<input type="checkbox"/>	If so, has the surface agreement been updated?		
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?			<input checked="" type="checkbox"/>
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?			<input checked="" type="checkbox"/>
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?			<input checked="" type="checkbox"/>
Has the approved source of water for drilling changed?			<input checked="" type="checkbox"/>
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?			<input checked="" type="checkbox"/>
Is bonding still in place, which covers this proposed well? Bond No. <u>LPM9149893</u>		<input checked="" type="checkbox"/>	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) Beverly Decker Title Sr Engineering Technician  
Signature  Date \_\_\_\_\_  
Representing (company name) Berry Petroleum Company LLC and Linn Operating, Inc

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

Well Name	Section	TWN	RNG	API Number	Entity	Mineral Lease	Well Type	Well Status	Unit
Z and T UTE TRIBAL 2-21	21	050S	040W	4301331280	11130	Indian	WI	A	BRUNDAGE CANYON
UTE TRIBAL 12-30-54	30	050S	040W	4301332747	14747	Indian	WI	A	BRUNDAGE CANYON
UTE TRIBAL 14-30-54	30	050S	040W	4301332748	14778	Indian	WI	A	BRUNDAGE CANYON
UTE TRIBAL 10-30D-54	30	050S	040W	4301332893	15246	Indian	WI	A	BRUNDAGE CANYON
UTE TRIBAL 6-30-54	30	050S	040W	4301332975	15300	Indian	WI	A	BRUNDAGE CANYON
UTE TRIBAL 1-21-54	21	050S	040W	4301333388	15937	Indian	WI	A	BRUNDAGE CANYON
UTE TRIBAL 13-17D-55	17	050S	050W	4301333550		Indian	OW	APD	
UTE TRIBAL 11-14D-54	14	050S	040W	4301333596		Indian	OW	APD	
UTE TRIBAL 16-17D-55	17	050S	050W	4301333622		Indian	OW	APD	
UTE TRIBAL 15-28D-55	28	050S	050W	4301333623		Indian	OW	APD	
LC TRIBAL 14-16D-56	16	050S	060W	4301334283		Indian	OW	APD	
FEDERAL 10-10D-65	10	060S	050W	4301350523		Federal	OW	APD	
LC TRIBAL 3-23D-56	23	050S	060W	4301350624		Indian	OW	APD	
FEDERAL 2-1D-64	1	060S	040W	4301350765		Federal	OW	APD	
FEDERAL 7-1D-64	1	060S	040W	4301350766		Federal	OW	APD	
FEDERAL 9-1D-64	1	060S	040W	4301350767		Federal	OW	APD	
LC TRIBAL 1-28D-56	28	050S	060W	4301350865		Indian	OW	APD	
LC TRIBAL 13H-9-56	10	050S	060W	4301350874		Indian	OW	APD	
CC FEE 8-24-38	24	030S	080W	4301350885		Fee	OW	APD	
LC TRIBAL 4H-26-56	26	050S	060W	4301350951		Indian	OW	APD	
LC FEE 4H-12-57	12	050S	070W	4301350952		Fee	OW	APD	
CC TRIBAL 4-2-48	2	040S	080W	4301350964		Indian	OW	APD	
LC TRIBAL 5H-34-45	34	040S	050W	4301350974		Indian	OW	APD	
LC TRIBAL 11-34-45	34	040S	050W	4301350975		Indian	OW	APD	
LC TRIBAL 7-2D-56	2	050S	060W	4301350988		Indian	OW	APD	
LC TRIBAL 10-18D-56	18	050S	060W	4301350989		Indian	OW	APD	
CC TRIBAL 4-30D-38	19	030S	080W	4301350993		Indian	OW	APD	
FEDERAL 4-1-65	1	060S	050W	4301351016		Federal	OW	APD	
LC TRIBAL 3-16D-56	16	050S	060W	4301351032		Indian	OW	APD	
CC FEE 6-21-38	21	030S	080W	4301351059		Fee	OW	APD	
LC TRIBAL 13H-28-45	28	040S	050W	4301351061		Indian	OW	APD	
LC TRIBAL 5H-23-45	23	040S	050W	4301351071		Indian	OW	APD	
LC TRIBAL 4H-27-45	27	040S	050W	4301351072		Indian	OW	APD	
LC TRIBAL 16-27-45	27	040S	050W	4301351074		Indian	OW	APD	
LC TRIBAL 12-27-45	27	040S	050W	4301351075		Indian	OW	APD	
LC TRIBAL 16-23-45	23	040S	050W	4301351077		Indian	OW	APD	
LC TRIBAL 12H-30-56	30	050S	060W	4301351133		Indian	OW	APD	
LC TRIBAL 5-29D-56	29	050S	060W	4301351184		Indian	OW	APD	
LC TRIBAL 12H-19-56	19	050S	060W	4301351193		Indian	OW	APD	
LC FEE 15-11D-56	11	050S	060W	4301351197		Fee	OW	APD	
LC TRIBAL 13H-10-56	11	050S	060W	4301351209		Indian	OW	APD	
LC TRIBAL 2-31D-45	31	040S	050W	4301351261		Indian	OW	APD	
LC TRIBAL 13H-24-45	24	040S	050W	4301351273		Indian	OW	APD	
UTE TRIBAL 6-21D-55	21	050S	050W	4301351274		Indian	OW	APD	
UTE TRIBAL 15-16D-55	16	050S	050W	4301351284		Indian	OW	APD	
UTE TRIBAL 4H-15-55	15	050S	050W	4301351292		Indian	OW	APD	
UTE TRIBAL 13H-14-54	14	050S	040W	4301351297		Indian	OW	APD	
UTE TRIBAL 1-32-55	32	050S	050W	4301351298		Indian	OW	APD	
UTE TRIBAL 4-21D-55	21	050S	050W	4301351299		Indian	OW	APD	
LC TRIBAL 12-33-45	33	040S	050W	4301351301		Indian	OW	APD	
UTE TRIBAL 16-15D-55	15	050S	050W	4301351302		Indian	OW	APD	
UTE TRIBAL 2-24-55	24	050S	050W	4301351304		Indian	OW	APD	
LC TRIBAL 11-32D-56	32	050S	060W	4301351315		Indian	OW	APD	
LC TRIBAL 1-32D-56	32	050S	060W	4301351317		Indian	OW	APD	
LC TRIBAL 5H-32-56	32	050S	060W	4301351318		Indian	OW	APD	
LC TRIBAL 5H-33-45	33	040S	050W	4301351338		Indian	OW	APD	
LC TRIBAL 14-28-45	28	040S	050W	4301351339		Indian	OW	APD	
LC TRIBAL 16-32D-45	32	040S	050W	4301351340		Indian	OW	APD	
LC TRIBAL 3-31-45	31	040S	050W	4301351347		Indian	OW	APD	
LC TRIBAL 1-18D-56	18	050S	060W	4301351367		Indian	OW	APD	
LC TRIBAL 9-18D-56	18	050S	060W	4301351368		Indian	OW	APD	
LC FEE 9-23D-56	23	050S	060W	4301351380		Fee	OW	APD	
LC TRIBAL 1-34D-45	34	040S	050W	4301351382		Indian	OW	APD	
LC TRIBAL 12-21D-56	21	050S	060W	4301351383		Indian	OW	APD	
LC TRIBAL 7-29D-56	29	050S	060W	4301351386		Indian	OW	APD	

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

UTE TRIBAL 6-15-55	15	050S	050W	4301351399	Indian	OW	APD
UTE TRIBAL 13H-21-55	21	050S	050W	4301351403	Indian	OW	APD
LC TRIBAL 6-16D-56	16	050S	060W	4301351406	Indian	OW	APD
LC TRIBAL 3-14D-56	14	050S	060W	4301351408	Indian	OW	APD
CC FEE 13-9D-37	9	030S	070W	4301351409	Fee	OW	APD
CC FEE 16-21D-38	21	030S	080W	4301351410	Fee	OW	APD
UTE TRIBAL 5H-10-54	10	050S	040W	4301351415	Indian	OW	APD
LC TRIBAL 13-6D-57	6	050S	070W	4301351417	Indian	OW	APD
LC TRIBAL 9-23-45	23	040S	050W	4301351432	Indian	OW	APD
LC TRIBAL 5-28D-56	29	050S	060W	4301351441	Indian	OW	APD
LC TRIBAL 15-20D-56	29	050S	060W	4301351443	Indian	OW	APD
LC FEE 14-1-56	1	050S	060W	4301351457	Fee	OW	APD
LC TRIBAL 5-3D-56	3	050S	060W	4301351459	Indian	OW	APD
LC Tribal 16-33-45	33	040S	050W	4301351463	Indian	OW	APD
LC TRIBAL 7-23D-56	23	050S	060W	4301351479	Indian	OW	APD
LC TRIBAL 4-7-56	7	050S	060W	4301351482	Indian	OW	APD
LC TRIBAL 3-2-56	2	050S	060W	4301351483	Indian	OW	APD
LC TRIBAL 12H-23-56	23	050S	060W	4301351488	Indian	OW	APD
CC TRIBAL 15-34D-38	2	040S	080W	4301351490	Indian	OW	APD
CC TRIBAL 14-35D-38	2	040S	080W	4301351491	Indian	OW	APD
CC TRIBAL 8-3D-48	2	040S	080W	4301351493	Indian	OW	APD
LC TRIBAL 12HH-31-45	32	040S	050W	4301351499	Indian	OW	APD
LC TRIBAL 1-10D-56	10	050S	060W	4301351510	Indian	OW	APD
LC TRIBAL 3-10D-56	10	050S	060W	4301351511	Indian	OW	APD
LC TRIBAL 7-10D-56	10	050S	060W	4301351512	Indian	OW	APD
LC TRIBAL 9-29D-56	29	050S	060W	4301351513	Indian	OW	APD
UTE TRIBAL 1-16-55	16	050S	050W	4301351519	Indian	OW	APD
CC Tribal 3-27D-38	27	030S	080W	4301351604	Indian	OW	APD
LC FEE 10-36D-56	36	050S	060W	4301351622	Fee	OW	APD
Myrin Fee 3-16D-55	16	050S	050W	4301351633	Fee	OW	APD
LC TRIBAL 12H-34-56	34	050S	060W	4301351634	Indian	OW	APD
UTE FEE 12-16D-55	16	050S	050W	4301351635	Fee	OW	APD
LC TRIBAL 15-27-56	27	050S	060W	4301351649	Indian	OW	APD
LC TRIBAL 11-27D-56	27	050S	060W	4301351650	Indian	OW	APD
LC TRIBAL 1-17-56	17	050S	060W	4301351704	Indian	OW	APD
LC Tribal 13-11D-58	11	050S	080W	4301351708	Indian	OW	APD
LC Tribal 15-11D-58	11	050S	080W	4301351709	Indian	OW	APD
LC Tribal 4HW-8-56	8	050S	060W	4301351710	Indian	OW	APD
LC FEE 1-11D-56	11	050S	060W	4301351712	Fee	OW	APD
LC TRIBAL 3-11D-56	11	050S	060W	4301351713	Indian	OW	APD
LC TRIBAL 7-11D-56	11	050S	060W	4301351714	Indian	OW	APD
LC TRIBAL 9-34D-45	34	040S	050W	4301351717	Indian	OW	APD
LC Tribal 8M-23-45	23	040S	050W	4301351722	Indian	OW	APD
LC TRIBAL 4-34D-45	34	040S	050W	4301351723	Indian	OW	APD
LC TRIBAL 7-34D-45	34	040S	050W	4301351724	Indian	OW	APD
LC Tribal 3-14D-58	11	050S	080W	4301351726	Indian	OW	APD
LC Tribal 11-11D-58	11	050S	080W	4301351729	Indian	OW	APD
LC TRIBAL 8-31D-56	31	050S	060W	4301351746	Indian	OW	APD
LC TRIBAL 13-34D-45	34	040S	050W	4301351747	Indian	OW	APD
LC Fee 2-6D-57	6	050S	070W	4301351749	Fee	OW	APD
LC Tribal 15-12D-58	12	050S	080W	4301351783	Indian	OW	APD
LC Tribal 9-12D-58	12	050S	080W	4301351784	Indian	OW	APD
LC Tribal 1-13D-58	12	050S	080W	4301351785	Indian	OW	APD
LC Tribal 13-7D-57	12	050S	080W	4301351786	Indian	OW	APD
LC Tribal 9-2D-58	2	050S	080W	4301351788	Indian	OW	APD
LC Tribal 1-2D-58	2	050S	080W	4301351789	Indian	OW	APD
LC Tribal 5-1D-58	2	050S	080W	4301351790	Indian	OW	APD
LC TRIBAL 12-31D-56	31	050S	060W	4301351799	Indian	OW	APD
LC TRIBAL 8-20D-56	20	050S	060W	4301351800	Indian	OW	APD
LC TRIBAL 6-31D-56	31	050S	060W	4301351801	Indian	OW	APD
LC Tribal 11-7D-57	7	050S	070W	4301351814	Indian	OW	APD
LC Tribal 5-7D-57	7	050S	070W	4301351815	Indian	OW	APD
LC Fee 15-6D-57	6	050S	070W	4301351816	Fee	OW	APD
LC Tribal 11-6D-57	6	050S	070W	4301351817	Indian	OW	APD
LC TRIBAL 9-27-56	27	050S	060W	4301351822	Indian	OW	APD
LC TRIBAL 7-27D-56	27	050S	060W	4301351823	Indian	OW	APD

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

LC Fee 7-31D-45	31	040S	050W	4301351857	Fee	OW	APD
LC Tribal 5-31D-45	31	040S	050W	4301351858	Indian	OW	APD
LC Tribal 8-33-45	33	040S	050W	4301351859	Indian	OW	APD
LC Tribal 16-31-45	31	040S	050W	4301351863	Indian	OW	APD
LC Tribal 7-23D-45	23	040S	050W	4301351865	Indian	OW	APD
LC Tribal 1-23D-56	23	050S	060W	4301351866	Indian	OW	APD
LC TRIBAL 1-19-56	19	050S	060W	4301351867	Indian	OW	APD
LC TRIBAL 7-19D-56	19	050S	060W	4301351868	Indian	OW	APD
LC TRIBAL 9-4D-56	4	050S	060W	4301351869	Indian	OW	APD
LC Tribal 14-32D-45	32	040S	050W	4301351879	Indian	OW	APD
LC TRIBAL 7-17D-56	17	050S	060W	4301351886	Indian	OW	APD
LC TRIBAL 5-17D-56	17	050S	060W	4301351887	Indian	OW	APD
LC FEE 4-32D-45	31	040S	050W	4301351892	Fee	OW	APD
LC TRIBAL 9-2D-56	2	050S	060W	4301351893	Indian	OW	APD
LC TRIBAL 1-2D-56	2	050S	060W	4301351894	Indian	OW	APD
LC Tribal 15-23D-45	23	040S	050W	4301351895	Indian	OW	APD
LC TRIBAL 11-34D-56	34	050S	060W	4301351900	Indian	OW	APD
LC TRIBAL 9-5D-56	4	050S	060W	4301351901	Indian	OW	APD
LC Tribal 10-28D-45	28	040S	050W	4301351903	Indian	OW	APD
LC TRIBAL 13-20D-56	20	050S	060W	4301351904	Indian	OW	APD
Ute Tribal 14-17-55	17	050S	050W	4301351908	Indian	OW	APD
LC Tribal 3-27D-45	27	040S	050W	4301351911	Indian	OW	APD
LC TRIBAL 9-34D-56	34	050S	060W	4301351914	Indian	OW	APD
CC Fee 8R-9-37	9	030S	070W	4301351937	Fee	OW	APD
LC Tribal 10-33D-45	33	040S	050W	4301351939	Indian	OW	APD
LC Tribal 14-33D-45	33	040S	050W	4301351940	Indian	OW	APD
LC Tribal 10-27D-45	27	040S	050W	4301351941	Indian	OW	APD
LC Tribal 14-27D-45	27	040S	050W	4301351951	Indian	OW	APD
LC Tribal 6-33D-45	33	040S	050W	4301351955	Indian	OW	APD
LC Tribal 6-32D-45	32	040S	050W	4301351956	Indian	OW	APD
Federal 3-11D-65	11	060S	050W	4301351982	Federal	OW	APD
Federal 2-4-64	4	060S	040W	4301351983	Federal	OW	APD
Federal 5-11D-65	11	060S	050W	4301351984	Federal	OW	APD
Federal 7-4D-64	4	060S	040W	4301351985	Federal	OW	APD
Federal 3-4D-64	4	060S	040W	4301351986	Federal	OW	APD
Federal 8-4D-64	4	060S	040W	4301351988	Federal	OW	APD
Federal 6-4D-64	4	060S	040W	4301351989	Federal	OW	APD
Federal 7-9D-64	9	060S	040W	4301351990	Federal	OW	APD
Federal 4-4D-64	4	060S	040W	4301351991	Federal	OW	APD
Federal 9-4D-64	4	060S	040W	4301352004	Federal	OW	APD
Federal 10-4D-64	4	060S	040W	4301352011	Federal	OW	APD
Federal 3-9D-64	9	060S	040W	4301352015	Federal	OW	APD
Federal 1-9D-64	9	060S	040W	4301352020	Federal	OW	APD
Federal 6-9-64	9	060S	040W	4301352021	Federal	OW	APD
Federal 8-9D-64	9	060S	040W	4301352023	Federal	OW	APD
Federal 1-4D-64	4	060S	040W	4301352025	Federal	OW	APD
Federal 16-4D-64	4	060S	040W	4301352026	Federal	OW	APD
LC Tribal 10-23D-45	23	040S	050W	4301352029	Indian	OW	APD
Federal 15-4D-64	4	060S	040W	4301352032	Federal	OW	APD
Federal 5-9D-64	9	060S	040W	4301352035	Federal	OW	APD
Federal 9-9D-64	9	060S	040W	4301352036	Federal	OW	APD
Federal 11-9D-64	9	060S	040W	4301352037	Federal	OW	APD
Federal 12-9D-64	9	060S	040W	4301352038	Federal	OW	APD
Federal 13-9D-64	9	060S	040W	4301352039	Federal	OW	APD
FEDERAL 14-9D-64	9	060S	040W	4301352040	Federal	OW	APD
Federal 10-9D-64	9	060S	040W	4301352041	Federal	OW	APD
Federal 2-9D-64	9	060S	040W	4301352042	Federal	OW	APD
Federal 15-9D-64	9	060S	040W	4301352043	Federal	OW	APD
Federal 16-9D-64	9	060S	040W	4301352044	Federal	OW	APD
LC Tribal 10-32D-45	32	040S	050W	4301352065	Indian	OW	APD
LC Tribal 16-28D-45	28	040S	050W	4301352073	Indian	OW	APD
LC Tribal 15-24D-45	24	040S	050W	4301352074	Indian	OW	APD
LC Tribal 13-17D-56	17	050S	060W	4301352076	Indian	OW	APD
LC Tribal 15-17D-56	17	050S	060W	4301352077	Indian	OW	APD
LC Tribal 5-26D-56	26	050S	060W	4301352097	Indian	OW	APD
LC Tribal 11-26D-56	26	050S	060W	4301352098	Indian	OW	APD

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

LC Tribal 13-26D-56	26	050S	060W	4301352099	Indian	OW	APD	
LC Tribal 2-27D-45	27	040S	050W	4301352100	Indian	OW	APD	
LC Tribal 8-27D-45	27	040S	050W	4301352101	Indian	OW	APD	
LC Tribal 4-9D-56	9	050S	060W	4301352102	Indian	OW	APD	
LC Tribal 8-32D-45	32	040S	050W	4301352135	Indian	OW	APD	
UTE Tribal 15-24D-54	24	050S	040W	4301352156	Indian	GW	APD	
UTE Tribal 9-24D-54	24	050S	040W	4301352157	Indian	GW	APD	
UTE Tribal 1-25D-54	25	050S	040W	4301352173	Indian	GW	APD	
UTE Tribal 9-25D-54	25	050S	040W	4301352177	Indian	GW	APD	
Myrin Tribal 9-10D-55	10	050S	050W	4301352189	Indian	OW	APD	
Myrin Tribal 16-10D-55	10	050S	050W	4301352190	Indian	OW	APD	
Myrin Tribal 10-10D-55	10	050S	050W	4301352191	Indian	OW	APD	
UTE Tribal 1-24D-54	24	050S	040W	4301352304	Indian	GW	APD	
UTE Tribal 7-24D-54	24	050S	040W	4301352306	Indian	GW	APD	
UTE Tribal 12-25D-54	25	050S	040W	4301352308	Indian	GW	APD	
UTE Tribal 4-13D-54	13	050S	040W	4301352321	Indian	GW	APD	
UTE Tribal 13-25D-54	25	050S	040W	4301352322	Indian	GW	APD	
Abbott Fee 1-6D-54	6	050S	040W	4301352324	Fee	OW	APD	
Abbott Fee 7-6D-54	6	050S	040W	4301352327	Fee	OW	APD	
UTE Tribal 3-24D-54	24	050S	040W	4301352347	Indian	GW	APD	
UTE Tribal 5-24D-54	24	050S	040W	4301352348	Indian	GW	APD	
State Tribal 7-12D-55	12	050S	050W	4301352369	Indian	OW	APD	
State Tribal 14-1D-55	1	050S	050W	4301352372	Indian	OW	APD	
State Tribal 11-1D-55	1	050S	050W	4301352373	Indian	OW	APD	
State Tribal 13-1D-55	1	050S	050W	4301352374	Indian	OW	APD	
State Tribal 12-2D-55	2	050S	050W	4301352391	Indian	OW	APD	
State Tribal 14-2D-55	2	050S	050W	4301352392	Indian	OW	APD	
State Tribal 13-2D-55	2	050S	050W	4301352393	Indian	OW	APD	
State Tribal 14-3D-55	3	050S	050W	4301352430	Indian	OW	APD	
State Tribal 11-3D-55	3	050S	050W	4301352434	Indian	OW	APD	
State Tribal 13-3D-55	3	050S	050W	4301352435	Indian	OW	APD	
UTE TRIBAL 2-5D-55	5	050S	050W	4301352450	Indian	OW	APD	
Ute Tribal 1-5D-55	5	050S	050W	4301352456	Indian	OW	APD	BRUNDAGE CANYON
Ute Tribal 7-5-55	5	050S	050W	4301352459	Indian	OW	APD	
Ute Tribal 3-16D-54	9	050S	040W	4301352467	Indian	OW	APD	
State Tribal 1-3D-55	3	050S	050W	4301352471	Indian	OW	APD	
State Tribal 2-3D-55	3	050S	050W	4301352472	Indian	OW	APD	
State Tribal 7-3D-55	3	050S	050W	4301352473	Indian	OW	APD	
State Tribal 8-3D-55	3	050S	050W	4301352474	Indian	OW	APD	
UTE FEE 10-9D-54	9	050S	040W	4301352475	Fee	OW	APD	
UTE FEE 12-9D-54	9	050S	040W	4301352476	Fee	OW	APD	
UTE FEE 16-9D-54	9	050S	040W	4301352478	Fee	OW	APD	
Ute Tribal 2-16D-54	9	050S	040W	4301352481	Indian	OW	APD	
Federal 14-6D-65	6	060S	050W	4301352495	Federal	OW	APD	
Federal 13-6D-65	6	060S	050W	4301352496	Federal	OW	APD	
Federal 11-6D-65	6	060S	050W	4301352497	Federal	OW	APD	
Federal 10-6D-65	6	060S	050W	4301352498	Federal	OW	APD	
State Tribal 3-3D-55	3	050S	050W	4301352532	Indian	OW	APD	
State Tribal 4-3D-55	3	050S	050W	4301352533	Indian	OW	APD	
State Tribal 5-3D-55	3	050S	050W	4301352535	Indian	OW	APD	
State Tribal 6-3D-55	3	050S	050W	4301352536	Indian	OW	APD	
Federal 2-7D-65	7	060S	050W	4301352537	Federal	OW	APD	
Federal 5-7D-65	7	060S	050W	4301352538	Federal	OW	APD	
Federal 4-7D-65	7	060S	050W	4301352541	Federal	OW	APD	
UTE FEE 11-9D-54	9	050S	040W	4301352544	Fee	OW	APD	
UTE TRIBAL 15-12D-55	12	050S	050W	4301352549	Indian	OW	APD	
UTE TRIBAL 6-5D-55	5	050S	050W	4301352556	Indian	OW	APD	
UTE TRIBAL 5-5D-55	5	050S	050W	4301352557	Indian	OW	APD	
UTE TRIBAL 4-5D-55	5	050S	050W	4301352558	Indian	OW	APD	
UTE TRIBAL 3-5D-55	5	050S	050W	4301352559	Indian	OW	APD	
Federal 3-7-65	7	060S	050W	4301352560	Federal	OW	APD	
Ute Tribal 9-11D-55	11	050S	050W	4301352564	Indian	OW	APD	
UTE TRIBAL 10-11D-55	11	050S	050W	4301352566	Indian	OW	APD	
UTE TRIBAL 15-11D-55	11	050S	050W	4301352567	Indian	OW	APD	
Federal 1-7D-65	6	060S	050W	4301352589	Federal	OW	APD	
Federal 16-6D-65	6	060S	050W	4301352590	Federal	OW	APD	

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

Federal 15-6D-65	6	060S	050W	4301352591	Federal	OW	APD
UTE TRIBAL 14-12D-55	12	050S	050W	4301352592	Indian	OW	APD
UTE TRIBAL 13-12D-55	12	050S	050W	4301352593	Indian	OW	APD
UTE TRIBAL 10-11D-54	11	050S	040W	4301352603	Indian	OW	APD
UTE TRIBAL 9-11D-54	11	050S	040W	4301352604	Indian	OW	APD
UTE TRIBAL 15-11-54	11	050S	040W	4301352605	Indian	OW	APD
UTE TRIBAL 16-11D-54	11	050S	040W	4301352606	Indian	OW	APD
UTE TRIBAL 14-11D-55	11	050S	050W	4301352610	Indian	OW	APD
UTE TRIBAL 13-11D-55	11	050S	050W	4301352611	Indian	OW	APD
UTE TRIBAL 12-11D-55	11	050S	050W	4301352612	Indian	OW	APD
UTE TRIBAL 11-11D-55	11	050S	050W	4301352613	Indian	OW	APD
Federal 6-7D-65	7	060S	050W	4301352682	Federal	OW	APD
Federal 11-7D-65	7	060S	050W	4301352683	Federal	OW	APD
Federal 10-7D-65	7	060S	050W	4301352684	Federal	OW	APD
Federal 7-7D-65	7	060S	050W	4301352685	Federal	OW	APD
UTE TRIBAL 14-30D-55	30	050S	050W	4301352687	Indian	OW	APD
UTE TRIBAL 13-30D-55	30	050S	050W	4301352688	Indian	OW	APD
UTE TRIBAL 12-30D-55	30	050S	050W	4301352689	Indian	OW	APD
UTE TRIBAL 11-30D-55	30	050S	050W	4301352690	Indian	OW	APD
UTE TRIBAL 7-17D-55	17	050S	050W	4301352691	Indian	OW	APD
UTE TRIBAL 6-17D-55	17	050S	050W	4301352692	Indian	OW	APD
UTE TRIBAL 3-17D-55	17	050S	050W	4301352693	Indian	OW	APD
UTE TRIBAL 2-17D-55	17	050S	050W	4301352694	Indian	OW	APD
UTE TRIBAL 4-17D-55	17	050S	050W	4301352695	Indian	OW	APD
State Tribal 3-12D-55	12	050S	050W	4301352697	Indian	OW	APD
State Tribal 4-12D-55	12	050S	050W	4301352698	Indian	OW	APD
UTE TRIBAL 12-31D-55	31	050S	050W	4301352699	Indian	OW	APD
UTE TRIBAL 13-31D-55	31	050S	050W	4301352700	Indian	OW	APD
UTE TRIBAL 14-31D-55	31	050S	050W	4301352701	Indian	OW	APD
UTE TRIBAL 14-13D-54	13	050S	040W	4301352702	Indian	OW	APD
UTE TRIBAL 11-31-55	31	050S	050W	4301352703	Indian	OW	APD
State Tribal 3-11D-55	11	050S	050W	4301352704	Indian	OW	APD
State Tribal 4-11D-55	11	050S	050W	4301352705	Indian	OW	APD
State Tribal 5-11D-55	11	050S	050W	4301352706	Indian	OW	APD
State Tribal 6-11D-55	11	050S	050W	4301352707	Indian	OW	APD
State Tribal 8-11D-55	11	050S	050W	4301352708	Indian	OW	APD
State Tribal 7-11D-55	11	050S	050W	4301352709	Indian	OW	APD
State Tribal 2-11D-55	11	050S	050W	4301352710	Indian	OW	APD
State Tribal 1-11D-55	11	050S	050W	4301352711	Indian	OW	APD
UTE TRIBAL 9-4D-55	4	050S	050W	4301352713	Indian	OW	APD
State Tribal 2-10D-55	10	050S	050W	4301352714	Indian	OW	APD
State Tribal 7-10D-55	10	050S	050W	4301352715	Indian	OW	APD
State Tribal 8-10D-55	10	050S	050W	4301352716	Indian	OW	APD
UTE TRIBAL 10-4D-55	4	050S	050W	4301352717	Indian	OW	APD
UTE TRIBAL 15-4D-55	4	050S	050W	4301352718	Indian	OW	APD
State Tribal 1-10D-55	10	050S	050W	4301352720	Indian	OW	APD
UTE TRIBAL 16-4D-55	4	050S	050W	4301352721	Indian	OW	APD
State Tribal 3-10D-55	10	050S	050W	4301352723	Indian	OW	APD
State Tribal 4-10D-55	10	050S	050W	4301352724	Indian	OW	APD
State Tribal 5-10D-55	10	050S	050W	4301352725	Indian	OW	APD
State Tribal 6-10D-55	10	050S	050W	4301352726	Indian	OW	APD
UTE TRIBAL 11-5D-55	5	050S	050W	4301352727	Indian	OW	APD
UTE TRIBAL 12-5D-55	5	050S	050W	4301352728	Indian	OW	APD
UTE TRIBAL 13-5D-55	5	050S	050W	4301352729	Indian	OW	APD
UTE TRIBAL 14-5D-55	5	050S	050W	4301352730	Indian	OW	APD
UTE TRIBAL 9-30D-55	30	050S	050W	4301352731	Indian	OW	APD
State Tribal 15-2D-55	2	050S	050W	4301352732	Indian	OW	APD
State Tribal 16-2D-55	2	050S	050W	4301352733	Indian	OW	APD
State Tribal 10-2D-55	2	050S	050W	4301352734	Indian	OW	APD
State Tribal 9-2D-55	2	050S	050W	4301352735	Indian	OW	APD
UTE TRIBAL 10-30D-55	30	050S	050W	4301352736	Indian	OW	APD
UTE TRIBAL 15-30D-55	30	050S	050W	4301352737	Indian	OW	APD
UTE TRIBAL 16-30D-55	30	050S	050W	4301352738	Indian	OW	APD
Myrin Tribal 9-19D-55	19	050S	050W	4301352739	Indian	OW	APD
State Tribal 16-3D-55	3	050S	050W	4301352740	Indian	OW	APD
State Tribal 15-3D-55	3	050S	050W	4301352741	Indian	OW	APD



Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

State Tribal 10-3D-55	3	050S	050W	4301352742		Indian	OW	APD	
State Tribal 9-3D-55	3	050S	050W	4301352743		Indian	OW	APD	
Myrin Tribal 15-19D-55	19	050S	050W	4301352744		Indian	OW	APD	
Myrin Tribal 13-19D-55	19	050S	050W	4301352745		Indian	OW	APD	
Myrin Tribal 12-19D-55	19	050S	050W	4301352746		Indian	OW	APD	
UTE TRIBAL 5-4D-55	4	050S	050W	4301352747		Indian	OW	APD	
UTE TRIBAL 4-4D-55	4	050S	050W	4301352748		Indian	OW	APD	
UTE TRIBAL 3-4D-55	4	050S	050W	4301352749		Indian	OW	APD	
UTE TRIBAL 6-4D-55	4	050S	050W	4301352754		Indian	OW	APD	
UTE TRIBAL 3-31D-55	31	050S	050W	4301352757		Indian	OW	APD	
UTE TRIBAL 5-31D-55	31	050S	050W	4301352758		Indian	OW	APD	
UTE TRIBAL 6-31D-55	31	050S	050W	4301352759		Indian	OW	APD	
UTE TRIBAL 7-31D-55	31	050S	050W	4301352764		Indian	OW	APD	
Myrin Tribal 11-19D-55	19	050S	050W	4301352765		Indian	OW	APD	
Federal 8-14D-65	14	060S	050W	4301352767		Federal	OW	APD	
Federal 7-14D-65	14	060S	050W	4301352768		Federal	OW	APD	
Federal 2-14D-65	14	060S	050W	4301352769		Federal	OW	APD	
Federal 1-14D-65	14	060S	050W	4301352770		Federal	OW	APD	
UTE TRIBAL 8-5D-55	5	050S	050W	4301352773		Indian	OW	APD	
UTE TRIBAL 4-31D-55	31	050S	050W	4301352795		Indian	OW	APD	
UTE TRIBAL 4-30D-55	30	050S	050W	4301352796		Indian	OW	APD	
UTE TRIBAL 5-30D-55	30	050S	050W	4301352797		Indian	OW	APD	
UTE TRIBAL 7-30D-55	30	050S	050W	4301352799		Indian	OW	APD	
Federal 1-13D-65	13	060S	050W	4301352800		Federal	OW	APD	
Federal 7-13D-65	13	060S	050W	4301352802		Federal	OW	APD	
UTE TRIBAL 1-30D-55	30	050S	050W	4301352809		Indian	OW	APD	
LC TRIBAL 6-25D-56	25	050S	060W	4301352810		Indian	OW	APD	
LC TRIBAL 4-25D-56	25	050S	060W	4301352812		Indian	OW	APD	
Federal 6-13D-65	13	060S	050W	4301352813		Federal	OW	APD	
Federal 4-13D-65	13	060S	050W	4301352814		Federal	OW	APD	
Federal 3-13D-65	13	060S	050W	4301352815		Federal	OW	APD	
Federal 3-16D-64	16	060S	040W	4301352823		Federal	OW	APD	
Federal 4-16D-64	16	060S	040W	4301352824		Federal	OW	APD	
Federal 5-16D-64	16	060S	040W	4301352825		Federal	OW	APD	
Federal 6-16D-64	16	060S	040W	4301352826		Federal	OW	APD	
Federal 5-13D-65	13	060S	050W	4301352827		Federal	OW	APD	
LC TRIBAL 1-25D-56	25	050S	060W	4301352835		Indian	OW	APD	
LC TRIBAL 2-25D-56	25	050S	060W	4301352836		Indian	OW	APD	
LC TRIBAL 8-25D-56	25	050S	060W	4301352837		Indian	OW	APD	
UTE FEE 1-13D-55	13	050S	050W	4301352838		Fee	OW	APD	
LC TRIBAL 9-25D-56	25	050S	060W	4301352840		Indian	OW	APD	
LC TRIBAL 15-25-56	25	050S	060W	4301352844		Indian	OW	APD	
Federal 9-5D-65	5	060S	050W	4301352846		Federal	OW	APD	
Federal 10-5D-65	5	060S	050W	4301352847		Federal	OW	APD	
LC TRIBAL 16-25D-56	25	050S	060W	4301352848		Indian	OW	APD	
LC TRIBAL 10-25D-56	25	050S	060W	4301352849		Indian	OW	APD	
UTE TRIBAL 8-30D-55	29	050S	050W	4301352855		Indian	OW	APD	
UTE TRIBAL 9-29D-55	29	050S	050W	4301352870		Indian	OW	APD	
UTE TRIBAL 6-24D-55	24	050S	050W	4301352871		Indian	OW	APD	
UTE TRIBAL 16-17D-55	17	050S	050W	4301352872		Indian	OW	APD	
UTE TRIBAL 13-27D-55	27	050S	050W	4301352882		Indian	OW	APD	
UTE TRIBAL 4-29D-55	29	050S	050W	4301352883		Indian	OW	APD	
UTE TRIBAL 1-29D-55	29	050S	050W	4301352884		Indian	OW	APD	
Federal 4-2D-65	2	060S	050W	4301352885		Federal	OW	APD	
Federal 5-2D-65	2	060S	050W	4301352886		Federal	OW	APD	
Federal 12-2D-65	2	060S	050W	4301352887		Federal	OW	APD	
LC TRIBAL 12-25D-56	25	050S	060W	4301352888		Indian	OW	APD	
LC TRIBAL 13-25D-56	25	050S	060W	4301352890		Indian	OW	APD	
LC TRIBAL 14-25D-56	25	050S	060W	4301352891		Indian	OW	APD	
Federal 15-3D-65	3	060S	050W	4301352892		Federal	OW	APD	
Federal 9-3D-65	3	060S	050W	4301352893		Federal	OW	APD	
Federal 8-3D-65	3	060S	050W	4301352894		Federal	OW	APD	
Federal 6-3D-65	3	060S	050W	4301352895		Federal	OW	APD	
UTE TRIBAL 6-28D-55	28	050S	050W	4301334056	18593	Indian	OW	DRL	
MOON TRIBAL 9-27D-54	27	050S	040W	4301334108	19095	Indian	OW	DRL	
LC TRIBAL 9-16D-56	16	050S	060W	4301350600	99999	Indian	OW	DRL	

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

FEDERAL 15-6D-64	6	060S	040W	4301351219	18793	Federal	OW	DRL	
UTE TRIBAL 9-21D-55	21	050S	050W	4301351258	19401	Indian	OW	DRL	
STATE TRIBAL 2-12D-55	12	050S	050W	4301351310	19444	Indian	OW	DRL	
UTE TRIBAL 7-10D-54	10	050S	040W	4301351365	19391	Indian	OW	DRL	
LC TRIBAL 9-26D-56	26	050S	060W	4301351381	19433	Indian	OW	DRL	
UTE TRIBAL 8-17D-55	17	050S	050W	4301351413	19388	Indian	OW	DRL	
LC TRIBAL 9-24D-45	24	040S	050W	4301351431	18861	Indian	OW	DRL	
LC TRIBAL 2-29D-45	29	040S	050W	4301351705	99999	Indian	OW	DRL	
LC TAYLOR FEE 14-22D-56	22	050S	060W	4301351744	19508	Fee	OW	DRL	
LC FEE 14-6D-56	6	050S	060W	4301351787	18910	Fee	OW	DRL	
LC FEE 15-6-56	6	050S	060W	4301351792	19334	Fee	OW	DRL	
LC Fee 14-36D-56	36	050S	060W	4301351878	19376	Fee	OW	DRL	
LC Fee 12-36-56	36	050S	060W	4301351883	19377	Fee	OW	DRL	
LC Tribal 6-29D-45	29	040S	050W	4301351902	19402	Indian	OW	DRL	
Federal 4-6D-65	6	060S	050W	4301352005	19173	Federal	OW	DRL	
Federal 12-6D-65	6	060S	050W	4301352006	19174	Federal	OW	DRL	
UTE Tribal 14-18D-54	18	050S	040W	4301352213	19509	Indian	GW	DRL	
UTE Tribal 15-31D-55	31	050S	050W	4301352309	19472	Indian	GW	DRL	
UTE Tribal 16-31D-55	31	050S	050W	4301352318	19473	Indian	GW	DRL	
State Tribal 1-12D-55	12	050S	050W	4301352390	19445	Indian	OW	DRL	
State Tribal 16-6D-54	6	050S	040W	4301352394	19424	Indian	OW	DRL	
State Tribal 10-6D-54	6	050S	040W	4301352395	19425	Indian	OW	DRL	
State Tribal 9-6D-54	6	050S	040W	4301352396	19426	Indian	OW	DRL	
State Tribal 7-7D-54	7	050S	040W	4301352426	19496	Indian	OW	DRL	
State Tribal 1-7D-54	7	050S	040W	4301352427	19497	Indian	OW	DRL	
State Tribal 2-7D-54	7	050S	040W	4301352428	19498	Indian	OW	DRL	
State Tribal 3-7D-54	7	050S	040W	4301352429	19517	Indian	OW	DRL	
State Tribal 4-7D-54	7	050S	040W	4301352431	99999	Indian	OW	DRL	
State Tribal 5-7D-54	7	050S	040W	4301352432	99999	Indian	OW	DRL	
State Tribal 6-7D-54	7	050S	040W	4301352433	19518	Indian	OW	DRL	
State Tribal 11-6D-54	6	050S	040W	4301352452	19474	Indian	OW	DRL	
State Tribal 12-6D-54	6	050S	040W	4301352453	19475	Indian	OW	DRL	
State Tribal 13-6D-54	6	050S	040W	4301352454	19476	Indian	OW	DRL	
State Tribal 14-6D-54	6	050S	040W	4301352455	19477	Indian	OW	DRL	
Ute Tribal 1-9D-54	9	050S	040W	4301352465	19356	Indian	OW	DRL	
Ute Tribal 7-9D-54	9	050S	040W	4301352466	19357	Indian	OW	DRL	
UTE TRIBAL 12-5D-54	5	050S	040W	4301352480	19499	Indian	OW	DRL	
UTE TRIBAL 13-5D-54	5	050S	040W	4301352484	19500	Indian	OW	DRL	
UTE TRIBAL 14-5D-54	5	050S	040W	4301352493	19510	Indian	OW	DRL	
State Tribal 13-11D-54	10	050S	040W	4301352561	19519	Indian	OW	DRL	
State Tribal 1-18D-54	18	050S	040W	4301352568	19434	Indian	OW	DRL	
State Tribal 2-18D-54	18	050S	040W	4301352576	19427	Indian	OW	DRL	
State Tribal 8-18D-54	18	050S	040W	4301352577	19428	Indian	OW	DRL	
State Tribal 4-18D-54	18	050S	040W	4301352607	19435	Indian	OW	DRL	
State Tribal 3-18D-54	18	050S	040W	4301352608	19436	Indian	OW	DRL	
State Tribal 6-18D-54	18	050S	040W	4301352609	19437	Indian	OW	DRL	
State Tribal 5-12-55	12	050S	050W	4301352643	19446	Indian	OW	DRL	
State Tribal 12-12D-55	12	050S	050W	4301352644	19447	Indian	OW	DRL	
State Tribal 6-12D-55	12	050S	050W	4301352645	19438	Indian	OW	DRL	
State Tribal 16-1D-55	1	050S	050W	4301352646	19483	Indian	OW	DRL	
State Tribal 15-1D-55	1	050S	050W	4301352647	19484	Indian	OW	DRL	
State Tribal 10-1D-55	1	050S	050W	4301352648	19485	Indian	OW	DRL	
State Tribal 9-1D-55	1	050S	050W	4301352649	19486	Indian	OW	DRL	
LC FEE 16-15D-56	14	050S	060W	4301352655	19520	Fee	OW	DRL	
LC Tribal 2-22D-56	22	050S	060W	4301352663	99999	Indian	OW	DRL	
LC Tribal 3-22D-56	22	050S	060W	4301352664	99999	Indian	OW	DRL	
Federal 2-13-65	13	060S	050W	4301352801	19501	Federal	OW	DRL	
Federal 8-13D-65	13	060S	050W	4301352803	19502	Federal	OW	DRL	
Federal 12-8D-64	7	060S	040W	4301352832	99999	Federal	OW	DRL	
Federal 5-8D-64	7	060S	040W	4301352833	99999	Federal	OW	DRL	
Federal 4-8D-64	7	060S	040W	4301352834	99999	Federal	OW	DRL	
Federal 3-8D-64	5	060S	040W	4301352845	19503	Federal	OW	DRL	
LC TRIBAL 4H-31-56	31	050S	060W	4301351738		Indian	OW	NEW	
Federal 14-7D-65	31	050S	060W	4301351910		Indian	OW	NEW	
LC Fee 11-22-57	22	050S	070W	4301352127		Fee	OW	NEW	
LC Fee 13-22D-57	22	050S	070W	4301352131		Fee	OW	NEW	

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

LC Tribal 5-22D-57	22	050S	070W	4301352133		Indian	OW	NEW	
LC Tribal 15-22D-57	22	050S	070W	4301352134		Indian	OW	NEW	
LC Tribal 11-18D-56	18	050S	060W	4301352140		Indian	OW	NEW	
LC Tribal 13-18D-56	18	050S	060W	4301352141		Indian	OW	NEW	
LC Tribal 15-18D-56	18	050S	060W	4301352142		Indian	OW	NEW	
LC Tribal 7-18D-56	18	050S	060W	4301352153		Indian	OW	NEW	
LC Tribal 5-18D-56	18	050S	060W	4301352154		Indian	OW	NEW	
LC Tribal 3-18-56	18	050S	060W	4301352155		Indian	OW	NEW	
LC Tribal 6-19D-56	19	050S	060W	4301352247		Indian	OW	NEW	
LC Tribal 4-19D-56	19	050S	060W	4301352248		Indian	OW	NEW	
Abbott Fee 3-6D-54	6	050S	040W	4301352325		Fee	OW	NEW	
LC Fee 9-11D-56	11	050S	060W	4301352479		Fee	OW	NEW	
Williams Tribal 8-4D-54	4	050S	040W	4301352650		Indian	OW	NEW	
Williams Tribal 7-4D-54	4	050S	040W	4301352651		Indian	OW	NEW	
Williams Tribal 2-4D-54	4	050S	040W	4301352652		Indian	OW	NEW	
Williams Tribal 1-4D-54	4	050S	040W	4301352653		Indian	OW	NEW	
Federal 9-8D-64	9	060S	040W	4301352880		Federal	OW	NEW	
Federal 16-8D-64	9	060S	040W	4301352881		Federal	OW	NEW	
LC Nielsen Tribal 6-33D-56	33	050S	060W	4301352896		Indian	OW	NEW	
LC Nielsen Tribal 2-33D-56	33	050S	060W	4301352897		Indian	OW	NEW	
LC Nielsen Tribal 4-33D-56	33	050S	060W	4301352898		Indian	OW	NEW	
LC Nielsen Tribal 5-33D-56	33	050S	060W	4301352899		Indian	OW	NEW	
UTE FEE 13-9D-54	9	050S	040W	4301352906		Fee	OW	NEW	
UTE FEE 2-34D-55	27	050S	050W	4301352971		Fee	OW	NEW	
Federal 13-7D-65	7	060S	050W	4301352974		Federal	OW	NEW	
Federal 14-7D-65	7	060S	050W	4301352975		Federal	OW	NEW	
UTE TRIBAL 6-27D-55	27	050S	050W	4301352976		Indian	OW	NEW	
LC Nielsen Tribal 12-27D-56	27	050S	060W	4301352977		Indian	OW	NEW	
LC Nielsen Tribal 13-27D-56	27	050S	060W	4301352978		Indian	OW	NEW	
LC Nielsen Tribal 16-28D-56	27	050S	060W	4301352979		Indian	OW	NEW	
LC Nielsen Fee 9-28D-56	27	050S	060W	4301352980		Fee	OW	NEW	
LC FEE 9-36D-56	36	050S	060W	4301352982		Fee	OW	NEW	
LC FEE 15-36D-56	36	050S	060W	4301352983		Fee	OW	NEW	
LC TRIBAL 6-36D-56	36	050S	060W	4301352984		Indian	OW	NEW	
LC TRIBAL 5-36D-56	36	050S	060W	4301352985		Indian	OW	NEW	
LC TRIBAL 4-36D-56	36	050S	060W	4301352986		Indian	OW	NEW	
LC TRIBAL 3-36D-56	36	050S	060W	4301352987		Indian	OW	NEW	
LC TRIBAL 2-35D-56	35	050S	060W	4301352988		Indian	OW	NEW	
LC TRIBAL 1-35D-56	35	050S	060W	4301352989		Indian	OW	NEW	
UTE TRIBAL 13-3R-54	3	050S	040W	4301330924	9488	Indian	OW	OPS	
UTE TRIBAL 3-20D-55	20	050S	050W	4301333280	18424	Indian	OW	OPS	
LC TRIBAL 4H-17-56	17	050S	060W	4301333540	18067	Indian	OW	OPS	
LC TRIBAL 16-21-46	21	040S	060W	4301333575	16156	Indian	OW	OPS	
UTE TRIBAL 8-20D-55	20	050S	050W	4301333676	17308	Indian	OW	OPS	
UTE TRIBAL 14-14D-55	14	050S	050W	4301333699	18409	Indian	OW	OPS	
UTE TRIBAL 5-29D-55	29	050S	050W	4301333740	17306	Indian	OW	OPS	
UTE TRIBAL 7-32D-55	32	050S	050W	4301333794	18359	Indian	OW	OPS	
UTE TRIBAL 12-27D-55	27	050S	050W	4301333798	18360	Indian	OW	OPS	
FOY 9-33D-55	33	050S	050W	4301333802	17125	Fee	OW	OPS	
BERRY TRIBAL 2-23D-54	23	050S	040W	4301333805	18546	Indian	OW	OPS	
UTE TRIBAL 13-29D-55	29	050S	050W	4301333807	18378	Indian	OW	OPS	
UTE TRIBAL 16-28D-55	28	050S	050W	4301333887	18594	Indian	OW	OPS	
LC FEE 8-15D-56	15	050S	060W	4301350597	19347	Fee	OW	OPS	
SFW FEE 13-10D-54	10	050S	040W	4301350892	19186	Fee	OW	OPS	
SFW TRIBAL 11-10D-54	10	050S	040W	4301350893	19215	Indian	OW	OPS	
LC TRIBAL 5HH-5-56	4	050S	060W	4301350927	18463	Indian	OW	OPS	
LC TRIBAL 16-34D-45	34	040S	050W	4301350977	18658	Indian	OW	OPS	
LC TRIBAL 3-4D-56	4	050S	060W	4301351000	18852	Indian	OW	OPS	
FEDERAL 7-12D-65	12	060S	050W	4301351058	18717	Federal	OW	OPS	
LC TRIBAL 2-33D-45	33	040S	050W	4301351402	18854	Indian	OW	OPS	
LC TRIBAL 9-3D-56	3	050S	060W	4301351514	18948	Indian	OW	OPS	
LC Tribal 3-34D-56	34	050S	060W	4301352087	19234	Indian	OW	OPS	
LC Tribal 7-34D-56	34	050S	060W	4301352088	19235	Indian	OW	OPS	
Ute Tribal 5-9D-54	9	050S	040W	4301352463	19354	Indian	OW	OPS	
Ute Tribal 3-9D-54	9	050S	040W	4301352464	19355	Indian	OW	OPS	
BC UTE TRIBAL 4-22	22	050S	040W	4301330755	2620	Indian	OW	P	

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

B C UTE TRIBAL 16-16	16	050S	040W	4301330841	9489	Indian	OW	P	
B C UTE TRIBAL 14-15	15	050S	040W	4301330842	9440	Indian	OW	P	
UTE TRIBAL 1-32R	32	050S	040W	4301330872	13020	Indian	OW	P	
UTE TRIBAL 23-3R	23	050S	040W	4301330886	13034	Indian	OW	P	
S COTTONWOOD RIDGE UTE TRIBAL 1-19	19	050S	040W	4301330933	9845	Indian	OW	P	BRUNDAGE CANYON
TABBY CYN UTE TRIBAL 1-25	25	050S	050W	4301330945	9722	Indian	OW	P	
S BRUNDAGE UTE TRIBAL 1-30	30	050S	040W	4301330948	9850	Indian	OW	P	
SOWERS CYN UTE TRIBAL 3-26	26	050S	050W	4301330955	10423	Indian	OW	P	
UTE TRIBAL 3-24R-55 (REENTRY)	24	050S	050W	4301330960	15173	Indian	OW	P	
UTE TRIBAL 1-20	20	050S	040W	4301330966	9925	Indian	OW	P	
T C UTE TRIBAL 9-23X	23	050S	050W	4301330999	9720	Indian	OW	P	
UTE TRIBAL 15-24R	24	050S	050W	4301331129	11985	Indian	OW	P	
S BRUNDAGE CYN UTE TRIBAL 4-27	27	050S	040W	4301331131	9851	Indian	OW	P	
UTE TRIBAL 5-13	13	050S	050W	4301331152	10421	Indian	OW	P	
UTE TRIBAL 7-20R-54	20	050S	040W	4301331281	14088	Indian	OW	P	
Z and T UTE TRIBAL 7-19	19	050S	040W	4301331282	11131	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 13-19	19	050S	040W	4301331284	11134	Indian	OW	P	
Z and T UTE TRIBAL 7-25	25	050S	050W	4301331310	11416	Indian	OW	P	
UTE TRIBAL 13-17	17	050S	040W	4301331546	11921	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 11-19	19	050S	040W	4301331547	11920	Indian	OW	P	
UTE TRIBAL 13-22	22	050S	040W	4301331548	11926	Indian	OW	P	
UTE TRIBAL 1-28	28	050S	040W	4301331549	11925	Indian	OW	P	
UTE TRIBAL 4-30	30	050S	040W	4301331550	11914	Indian	OW	P	
UTE TRIBAL 15-16	16	050S	040W	4301331648	11951	Indian	OW	P	
UTE TRIBAL 16-18	18	050S	040W	4301331650	11946	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 5-20	20	050S	040W	4301331651	11957	Indian	OW	P	
UTE TRIBAL 15-23	23	050S	050W	4301331671	11989	Indian	OW	P	
TABBY CANYON 1-21	21	050S	050W	4301331699	12225	Indian	OW	P	
TABBY CANYON 8-22	22	050S	050W	4301331700	12008	Indian	OW	P	
SOWERS CANYON 9-27	27	050S	050W	4301331701	11997	Indian	OW	P	
UTE TRIBAL 3-19	19	050S	040W	4301331830	12197	Indian	OW	P	
UTE TRIBAL 9-19	19	050S	040W	4301331831	12175	Indian	OW	P	
UTE TRIBAL 15-19	19	050S	040W	4301331832	12180	Indian	OW	P	
UTE TRIBAL 2-25	25	050S	050W	4301331833	12153	Indian	OW	P	
UTE TRIBAL 3-25	25	050S	050W	4301331834	12152	Indian	OW	P	
UTE TRIBAL 11-24	24	050S	050W	4301331909	12190	Indian	OW	P	
UTE TRIBAL 13-24	24	050S	050W	4301331910	12217	Indian	OW	P	
UTE TRIBAL 11-25	25	050S	050W	4301331911	12182	Indian	OW	P	
UTE TRIBAL 1-26	26	050S	050W	4301331912	12235	Indian	OW	P	
UTE TRIBAL 2-19	19	050S	040W	4301332140	12795	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 6-25H	25	050S	050W	4301332143	12750	Indian	OW	P	
UTE TRIBAL 9-18	18	050S	040W	4301332144	12746	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 11-17	17	050S	040W	4301332145	12747	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 12-17	17	050S	040W	4301332146	12745	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 14-17	17	050S	040W	4301332147	12755	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 15-18	18	050S	040W	4301332148	12794	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 6-22	22	050S	040W	4301332163	12974	Indian	OW	P	
UTE TRIBAL 6-21	21	050S	040W	4301332164	12994	Indian	OW	P	
UTE TRIBAL 7-28	28	050S	040W	4301332166	12995	Indian	OW	P	
UTE TRIBAL 11-20	20	050S	040W	4301332168	12946	Indian	OW	P	
UTE TRIBAL 13-25	25	050S	050W	4301332169	12857	Indian	OW	P	
UTE TRIBAL 2-27	27	050S	040W	4301332179	12975	Indian	OW	P	
UTE TRIBAL 1-33	33	050S	040W	4301332185	13024	Indian	OW	P	
UTE TRIBAL 1-34	34	050S	040W	4301332186	13121	Indian	OW	P	
UTE TRIBAL 2-35	35	050S	050W	4301332187	13021	Indian	OW	P	
UTE TRIBAL 4-36	36	050S	050W	4301332188	13063	Indian	OW	P	
UTE TRIBAL 5-28	28	050S	040W	4301332189	13026	Indian	OW	P	
UTE TRIBAL 5-31	31	050S	040W	4301332190	13080	Indian	OW	P	
UTE TRIBAL 9-26	26	050S	040W	4301332191	13101	Indian	OW	P	
UTE TRIBAL 11-28	28	050S	040W	4301332192	13022	Indian	OW	P	
UTE TRIBAL 3-29	29	050S	040W	4301332193	13042	Indian	OW	P	
UTE TRIBAL 5-19	19	050S	040W	4301332204	13090	Indian	OW	P	
UTE TRIBAL 12-15	15	050S	040W	4301332205	13100	Indian	OW	P	
UTE TRIBAL 13-20	20	050S	040W	4301332206	13048	Indian	OW	P	
UTE TRIBAL 1-24-55	24	050S	050W	4301332259	13618	Indian	OW	P	
UTE TRIBAL 3-28-54	28	050S	040W	4301332261	13644	Indian	OW	P	

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

UTE TRIBAL 5-24-55	24	050S	050W	4301332263	13621	Indian	OW	P	
UTE TRIBAL 5-26-55	26	050S	050W	4301332264	13642	Indian	OW	P	
UTE TRIBAL 6-36-55	36	050S	050W	4301332265	13600	Indian	OW	P	
UTE TRIBAL 9-24-55	24	050S	050W	4301332268	13620	Indian	OW	P	
UTE TRIBAL 11-23-55	23	050S	050W	4301332269	13572	Indian	OW	P	
UTE TRIBAL 15-25-55	25	050S	050W	4301332271	13566	Indian	OW	P	
UTE TRIBAL 16-14-55	14	050S	050W	4301332272	13567	Indian	OW	P	
UTE TRIBAL 15-27-55	27	050S	050W	4301332339	14020	Indian	OW	P	
UTE TRIBAL 5-15-55	15	050S	050W	4301332344	13606	Indian	OW	P	
UTE TRIBAL 7-20-55	20	050S	050W	4301332346	13607	Indian	OW	P	
MOON TRIBAL 12-23-54	23	050S	040W	4301332347	14008	Indian	OW	P	
UTE TRIBAL 14-28-55	28	050S	050W	4301332348	13580	Indian	OW	P	
UTE TRIBAL 16-29-55	29	050S	050W	4301332349	13581	Indian	OW	P	
UTE TRIBAL 2-32-55	32	050S	050W	4301332350	13695	Indian	OW	P	
UTE TRIBAL 16-35-55	35	050S	050W	4301332352	14267	Indian	OW	P	
UTE TRIBAL 10-35-55	35	050S	050W	4301332353	13645	Indian	OW	P	
UTE TRIBAL 12-36-55	36	050S	050W	4301332354	13643	Indian	OW	P	
UTE TRIBAL 14-36-55	36	050S	050W	4301332355	14262	Indian	OW	P	
UTE TRIBAL 16-36-55	36	050S	050W	4301332356	14122	Indian	OW	P	
UTE TRIBAL 4-33-55	33	050S	050W	4301332357	13685	Indian	OW	P	
UTE TRIBAL 15-17-55	17	050S	050W	4301332358	13698	Indian	OW	P	
UTE TRIBAL 12-14-54	14	050S	040W	4301332369	13647	Indian	OW	P	
UTE TRIBAL 3-20-54	20	050S	040W	4301332377	13955	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 4-21-54	21	050S	040W	4301332378	13907	Indian	OW	P	
UTE TRIBAL 9-20-54	20	050S	040W	4301332379	13906	Indian	OW	P	
UTE TRIBAL 5-30-54	30	050S	040W	4301332380	13905	Indian	OW	P	
UTE TRIBAL 16-21-54	21	050S	040W	4301332381	13912	Indian	OW	P	BERRY PILOT EOR 246-02
UTE TRIBAL 15-30-54	30	050S	040W	4301332382	13944	Indian	OW	P	
UTE TRIBAL 9-30-54	30	050S	040W	4301332383	14050	Indian	OW	P	
UTE TRIBAL 14-21-54	21	050S	040W	4301332384	13946	Indian	OW	P	
UTE TRIBAL 12-21-54	21	050S	040W	4301332385	13928	Indian	OW	P	
UTE TRIBAL 15-20-54	20	050S	040W	4301332386	13911	Indian	OW	P	
UTE TRIBAL 13-28-54	28	050S	040W	4301332387	13908	Indian	OW	P	
UTE TRIBAL 9-28-54	28	050S	040W	4301332388	13910	Indian	OW	P	
UTE TRIBAL 15-28-54	28	050S	040W	4301332389	13909	Indian	OW	P	
UTE TRIBAL 9-25-55	25	050S	050W	4301332390	13715	Indian	OW	P	
MOON TRIBAL 6-27-54	27	050S	040W	4301332407	13969	Indian	OW	P	
MOON TRIBAL 14-27-54	27	050S	040W	4301332408	13998	Indian	OW	P	
UTE TRIBAL 3-32-54	32	050S	040W	4301332410	13949	Indian	OW	P	
UTE TRIBAL 7-32-54	32	050S	040W	4301332411	13936	Indian	OW	P	
UTE TRIBAL 7-33-54	33	050S	040W	4301332413	13945	Indian	OW	P	
UTE TRIBAL 11-20-55	20	050S	050W	4301332415	14269	Indian	OW	P	
UTE TRIBAL 1-27-55	27	050S	050W	4301332416	13947	Indian	OW	P	
UTE TRIBAL 3-27-55	27	050S	050W	4301332417	14022	Indian	OW	P	
UTE TRIBAL 7-27-55	27	050S	050W	4301332418	13948	Indian	OW	P	
UTE TRIBAL 10-28-55	28	050S	050W	4301332419	14580	Indian	OW	P	
UTE TRIBAL 6-32-55	32	050S	050W	4301332420	14895	Indian	OW	P	
UTE TRIBAL 8-32-55	32	050S	050W	4301332421	14896	Indian	OW	P	
UTE TRIBAL 2-36-55	36	050S	050W	4301332422	13937	Indian	OW	P	
UTE TRIBAL 8-36-55	36	050S	050W	4301332423	14021	Indian	OW	P	
UTE TRIBAL 13-16-54	16	050S	040W	4301332511	13981	Indian	OW	P	
UTE TRIBAL 13-23-55	23	050S	050W	4301332513	13975	Indian	OW	P	
UTE TRIBAL 7-23-55	23	050S	050W	4301332514	13976	Indian	OW	P	
UTE TRIBAL 5-33-54	33	050S	040W	4301332521	14060	Indian	OW	P	
UTE TRIBAL 11-33-54	33	050S	040W	4301332522	14061	Indian	OW	P	
UTE TRIBAL 14-32-54	32	050S	040W	4301332523	14062	Indian	OW	P	
UTE TRIBAL 1-23-55	23	050S	050W	4301332524	14044	Indian	OW	P	
UTE TRIBAL 5-29-54	29	050S	040W	4301332525	14045	Indian	OW	P	
UTE TRIBAL 1-31-54	31	050S	040W	4301332526	14116	Indian	OW	P	
UTE TRIBAL 3-31-54	31	050S	040W	4301332527	14109	Indian	OW	P	
UTE TRIBAL 7-31-54	31	050S	040W	4301332528	14160	Indian	OW	P	
UTE TRIBAL 9-31-54	31	050S	040W	4301332529	14177	Indian	OW	P	
UTE TRIBAL 11-31-54	31	050S	040W	4301332530	14163	Indian	OW	P	
UTE TRIBAL 3-23-55	23	050S	050W	4301332536	14077	Indian	OW	P	
UTE TRIBAL 5-23-55	23	050S	050W	4301332537	14108	Indian	OW	P	
UTE TRIBAL 9-32-54	32	050S	040W	4301332538	14199	Indian	OW	P	

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

UTE TRIBAL 5-32-54	32	050S	040W	4301332539	14112	Indian	OW	P	
MOON TRIBAL 10-27-54	27	050S	040W	4301332540	14195	Indian	OW	P	
MOON TRIBAL 12-27-54	27	050S	040W	4301332541	14161	Indian	OW	P	
MOON TRIBAL 8-27-54	27	050S	040W	4301332543	14139	Indian	OW	P	
UTE TRIBAL 9-33-54	33	050S	040W	4301332549	14162	Indian	OW	P	
WILLIAMSON TRIBAL 3-34-54	34	050S	040W	4301332550	14222	Indian	OW	P	
WILLIAMSON TRIBAL 5-34-54	34	050S	040W	4301332551	14235	Indian	OW	P	
FEDERAL 6-2-65	2	060S	050W	4301332557	14655	Federal	OW	P	
UTE TRIBAL 15-29-54	29	050S	040W	4301332561	14316	Indian	OW	P	
UTE TRIBAL 7-29-54	29	050S	040W	4301332562	14354	Indian	OW	P	
UTE TRIBAL 11-29-54	29	050S	040W	4301332563	14337	Indian	OW	P	
UTE TRIBAL 13-29-54	29	050S	040W	4301332564	14315	Indian	OW	P	
UTE TRIBAL 4-29-54	29	050S	040W	4301332565	14367	Indian	OW	P	
UTE TRIBAL 9-29-54	29	050S	040W	4301332566	14369	Indian	OW	P	
UTE TRIBAL 1-35-54	35	050S	040W	4301332567	14266	Indian	OW	P	
UTE TRIBAL 11-13-54	13	050S	040W	4301332568	14281	Indian	OW	P	
UTE TRIBAL 6-24-54	24	050S	040W	4301332570	14299	Indian	OW	P	
UTE TRIBAL 13-18-54	18	050S	040W	4301332571	14388	Indian	OW	P	
UTE TRIBAL 12-29-54	29	050S	040W	4301332572	14336	Indian	OW	P	
UTE TRIBAL 4-24-54	24	050S	040W	4301332573	14247	Indian	OW	P	
UTE TRIBAL 6-14-54	14	050S	040W	4301332586	15270	Indian	OW	P	
UTE TRIBAL 10-15-54	15	050S	040W	4301332587	14194	Indian	OW	P	
UTE TRIBAL 16-15-54	15	050S	040W	4301332588	14311	Indian	OW	P	
UTE TRIBAL 11-16-54	16	050S	040W	4301332589	14178	Indian	OW	P	
UTE TRIBAL 8-22-54	22	050S	040W	4301332590	14219	Indian	OW	P	
UTE TRIBAL 2-22-54	22	050S	040W	4301332591	14328	Indian	OW	P	
UTE TRIBAL 10-22-54	22	050S	040W	4301332592	14218	Indian	OW	P	
UTE TRIBAL 14-22-54	22	050S	040W	4301332593	14220	Indian	OW	P	
UTE TRIBAL 13-13-55	13	050S	050W	4301332599	15134	Indian	OW	P	
UTE TRIBAL 13-14-55	14	050S	050W	4301332600	14236	Indian	OW	P	
UTE TRIBAL 13-15-55	15	050S	050W	4301332602	14263	Indian	OW	P	
UTE TRIBAL 10-21-55	21	050S	050W	4301332603	14385	Indian	OW	P	
UTE TRIBAL 2-22-55	22	050S	050W	4301332604	14268	Indian	OW	P	
UTE TRIBAL 3-22-55	22	050S	050W	4301332605	14298	Indian	OW	P	
UTE TRIBAL 9-22-55	22	050S	050W	4301332606	14330	Indian	OW	P	
UTE TRIBAL 11-22-55	22	050S	050W	4301332607	14329	Indian	OW	P	
UTE TRIBAL 5-27-55	27	050S	050W	4301332614	14881	Indian	OW	P	
UTE TRIBAL 11-27-55	27	050S	050W	4301332615	14882	Indian	OW	P	
UTE TRIBAL 12-22-55	22	050S	050W	4301332616	14370	Indian	OW	P	
UTE TRIBAL 15-22-55	22	050S	050W	4301332617	14921	Indian	OW	P	
UTE TRIBAL 8-25-55	25	050S	050W	4301332620	14365	Indian	OW	P	
UTE TRIBAL 4-20-54	20	050S	040W	4301332621	14518	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 6-20-54	20	050S	040W	4301332622	14382	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 5-22-54	22	050S	040W	4301332624	14547	Indian	OW	P	
UTE TRIBAL 3-30-54	30	050S	040W	4301332625	14364	Indian	OW	P	
UTE TRIBAL 3-10-54	10	050S	040W	4301332663	14414	Indian	OW	P	
UTE TRIBAL 11-5-54	5	050S	040W	4301332664	14415	Indian	OW	P	
UTE TRIBAL 15-32-54	32	050S	040W	4301332666	14460	Indian	OW	P	
UTE TRIBAL 8-31-55	31	050S	050W	4301332673	14407	Indian	OW	P	
UTE TRIBAL 3-35-54	35	050S	040W	4301332675	14656	Indian	OW	P	
UTE TRIBAL 2-30-55	30	050S	050W	4301332680	14427	Indian	OW	P	
UTE TRIBAL 9-17-54	17	050S	040W	4301332687	15309	Indian	OW	P	
UTE TRIBAL 13-31-54	31	050S	040W	4301332688	14517	Indian	OW	P	
UTE TRIBAL 14-19-54	19	050S	040W	4301332690	14546	Indian	OW	P	
UTE TRIBAL 16-19-54	19	050S	040W	4301332691	14491	Indian	OW	P	
UTE TRIBAL 13-32-54	32	050S	040W	4301332692	14490	Indian	OW	P	
UTE TRIBAL 11-14-55	14	050S	050W	4301332693	15136	Indian	OW	P	
UTE TRIBAL 8-28-55	28	050S	050W	4301332694	14574	Indian	OW	P	
FEDERAL 6-1-65	1	060S	050W	4301332699	15776	Federal	OW	P	
UTE TRIBAL 9-15-55	15	050S	050W	4301332701	14573	Indian	OW	P	
UTE TRIBAL 14-20-54	20	050S	040W	4301332702	14459	Indian	OW	P	
#1 DLB 12-15-56	15	050S	060W	4301332710	14943	Fee	GW	P	
UTE TRIBAL 12-19-54	19	050S	040W	4301332716	14627	Indian	OW	P	
UTE TRIBAL 10-19-54	19	050S	040W	4301332717	14628	Indian	OW	P	
UTE TRIBAL 16-30-54	30	050S	040W	4301332718	14604	Indian	OW	P	
UTE TRIBAL 11-12-55	12	050S	050W	4301332721	14605	Indian	OW	P	

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

NIelsen MARSING 13-14-56	14	050S	060W	4301332737	15060	Fee	OW	P	
TAYLOR HERRICK 10-22-56	22	050S	060W	4301332738	15058	Fee	OW	P	
UTE TRIBAL 16-20-54	20	050S	040W	4301332739	14671	Indian	OW	P	
UTE TRIBAL 10-20-54	20	050S	040W	4301332740	14691	Indian	OW	P	
UTE TRIBAL 4-28-54	28	050S	040W	4301332741	14672	Indian	OW	P	
UTE TRIBAL 13-33-54	33	050S	040W	4301332742	14736	Indian	OW	P	
UTE TRIBAL 15-31-54	31	050S	040W	4301332743	14690	Indian	OW	P	
UTE TRIBAL 8-30-54	30	050S	040W	4301332746	15583	Indian	OW	P	
UTE TRIBAL 10-25-55	25	050S	050W	4301332749	14758	Indian	OW	P	
UTE TRIBAL 14-25-55	25	050S	050W	4301332750	14798	Indian	OW	P	
UTE TRIBAL 3-36-55	36	050S	050W	4301332751	14842	Indian	OW	P	
UTE TRIBAL 16-16-55	16	050S	050W	4301332757	14865	Indian	OW	P	
UTE TRIBAL 3-21-55	21	050S	050W	4301332758	15112	Indian	OW	P	
UTE TRIBAL 16-25-55	25	050S	050W	4301332759	14821	Indian	OW	P	
UTE TRIBAL 1-36-55	36	050S	050W	4301332760	14822	Indian	OW	P	
UTE TRIBAL 7-22-54	22	050S	040W	4301332761	15661	Indian	OW	P	
UTE TRIBAL 2-31-54	31	050S	040W	4301332762	14845	Indian	OW	P	
UTE TRIBAL 2-28-54	28	050S	040W	4301332763	14723	Indian	OW	P	
UTE TRIBAL 10-28-54	28	050S	040W	4301332764	14722	Indian	OW	P	
UTE TRIBAL 12-28-54	28	050S	040W	4301332765	14701	Indian	OW	P	
UTE TRIBAL 8-28-54	28	050S	040W	4301332766	14777	Indian	OW	P	
UTE TRIBAL 4-31-54	31	050S	040W	4301332767	14494	Indian	OW	P	
UTE TRIBAL 15-33-54	33	050S	040W	4301332768	15210	Indian	OW	P	
UTE TRIBAL 12-25-55	25	050S	050W	4301332769	14799	Indian	OW	P	
UTE TRIBAL 16-24-54	24	050S	040W	4301332775	14762	Indian	OW	P	
UTE TRIBAL 14-25-54	25	050S	040W	4301332776	14753	Indian	OW	P	
UTE TRIBAL 8-25-54	25	050S	040W	4301332780	15280	Indian	OW	P	
UTE TRIBAL 9-35-54	35	050S	040W	4301332781	15535	Indian	OW	P	
MYRIN TRIBAL 14-19-55	19	050S	050W	4301332782	15184	Indian	OW	P	
UTE TRIBAL 6-30-55	30	050S	050W	4301332783	15163	Indian	OW	P	
MOON TRIBAL 4-23-54	23	050S	040W	4301332800	14985	Indian	OW	P	
MOON TRIBAL 5-27-54	27	050S	040W	4301332802	14984	Indian	OW	P	
UTE TRIBAL 2-32-54	32	050S	040W	4301332803	15151	Indian	OW	P	
UTE TRIBAL 15-35-54	35	050S	040W	4301332804	15185	Indian	OW	P	
UTE TRIBAL 5-35-54	35	050S	040W	4301332805	15485	Indian	OW	P	
UTE TRIBAL 13-35-54	35	050S	040W	4301332806	15292	Indian	OW	P	
UTE TRIBAL 11-35-54	35	050S	040W	4301332807	15317	Indian	OW	P	
UTE TRIBAL 8-19-54	19	050S	040W	4301332840	14946	Indian	OW	P	BRUNDAGE CANYON
UTE TRIBAL 13-20-55	20	050S	050W	4301332841	15097	Indian	OW	P	
UTE TRIBAL 16-22-54	22	050S	040W	4301332842	15015	Indian	OW	P	
MOON TRIBAL 6-23-54	23	050S	040W	4301332843	15113	Indian	OW	P	
UTE TRIBAL 11-26-54	26	050S	040W	4301332844	15233	Indian	OW	P	
MOON TRIBAL 11-27-54	27	050S	040W	4301332845	15135	Indian	OW	P	
MOON TRIBAL 15-27-54	27	050S	040W	4301332846	15115	Indian	OW	P	
UTE TRIBAL 10-31-54	31	050S	040W	4301332847	14956	Indian	OW	P	
ST TRIBAL 6-15-54	15	050S	040W	4301332848	16656	Indian	OW	P	
ST TRIBAL 2-15-54	15	050S	040W	4301332849	16959	Indian	OW	P	
ST TRIBAL 4-15-54	15	050S	040W	4301332850	17478	Indian	OW	P	
ST TRIBAL 8-15-54	15	050S	040W	4301332851	16279	Indian	OW	P	
UTE TRIBAL 11-25-54	25	050S	040W	4301332856	15430	Indian	OW	P	
UTE TRIBAL 3-30-55	30	050S	050W	4301332862	15340	Indian	OW	P	
UTE TRIBAL 7-19-55	19	050S	050W	4301332863	15279	Indian	OW	P	
UTE TRIBAL 8-19-55	19	050S	050W	4301332864	15241	Indian	OW	P	
UTE TRIBAL 6-19-54	19	050S	040W	4301332865	14947	Indian	OW	P	
UTE TRIBAL 12-20-54	20	050S	040W	4301332866	14924	Indian	OW	P	
UTE TRIBAL 3-21-54	21	050S	040W	4301332867	15554	Indian	OW	P	
UTE TRIBAL 2-26-54	26	050S	040W	4301332868	15231	Indian	OW	P	
UTE TRIBAL 8-31-54	31	050S	040W	4301332869	14970	Indian	OW	P	
UTE TRIBAL 8-32-54	32	050S	040W	4301332870	15152	Indian	OW	P	
UTE TRIBAL 4-33-54	33	050S	040W	4301332871	15040	Indian	OW	P	
UTE TRIBAL 6-33-54	33	050S	040W	4301332872	15059	Indian	OW	P	
UTE TRIBAL 9-22-54	22	050S	040W	4301332889	15607	Indian	OW	P	
UTE TRIBAL 5-26-54	26	050S	040W	4301332890	15268	Indian	OW	P	
UTE TRIBAL 13-26-54	26	050S	040W	4301332891	15287	Indian	OW	P	
UTE TRIBAL 6-28D-54	28	050S	040W	4301332892	15232	Indian	OW	P	
UTE TRIBAL 2-30D-54	30	050S	040W	4301332894	15298	Indian	OW	P	



Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

UTE TRIBAL 4-32-54	32	050S	040W	4301332896	15555	Indian	OW	P	
UTE TRIBAL 6-32D-54	32	050S	040W	4301332897	15312	Indian	OW	P	
UTE TRIBAL 2-33D-54	33	050S	040W	4301332898	15271	Indian	OW	P	
UTE TRIBAL 12-32-54	32	050S	040W	4301332925	15503	Indian	OW	P	
UTE TRIBAL 16-32D-54	32	050S	040W	4301332926	16971	Indian	OW	P	
MOON TRIBAL 16-23-54	23	050S	040W	4301332927	15219	Indian	OW	P	
UTE TRIBAL 4-25-55	25	050S	050W	4301332928	15421	Indian	OW	P	
UTE TRIBAL 7-36-55	36	050S	050W	4301332929	15341	Indian	OW	P	
MOON TRIBAL 10-2-54	2	050S	040W	4301332931	15429	Indian	OW	P	
UTE TRIBAL 10-24-54	24	050S	040W	4301332932	15364	Indian	OW	P	
MYRIN TRIBAL 16-19-55	19	050S	050W	4301332934	15339	Indian	OW	P	
UTE TRIBAL 2-31-55	31	050S	050W	4301332935	15428	Indian	OW	P	
UTE TRIBAL 10-31-55	31	050S	050W	4301332936	15354	Indian	OW	P	
MOON TRIBAL 1-27-54	27	050S	040W	4301332937	15308	Indian	OW	P	
MOON TRIBAL 5-23-54	23	050S	040W	4301332938	15584	Indian	OW	P	
ST TRIBAL 7-18-54	18	050S	040W	4301332952	15724	Indian	OW	P	
ST TRIBAL 5-18-54	18	050S	040W	4301332953	15781	Indian	OW	P	
UTE TRIBAL 15-15-54	15	050S	040W	4301332971	15310	Indian	OW	P	
UTE TRIBAL 4-19-54	19	050S	040W	4301332972	15382	Indian	OW	P	
UTE TRIBAL 8-20-54	20	050S	040W	4301332973	15245	Indian	OW	P	
UTE TRIBAL 2-20-54	20	050S	040W	4301332974	15269	Indian	OW	P	
UTE TRIBAL 7-15-55	15	050S	050W	4301332976	15311	Indian	OW	P	
UTE TRIBAL 10-15-55	15	050S	050W	4301332977	15380	Indian	OW	P	
UTE TRIBAL 1-15-55	15	050S	050W	4301332978	15299	Indian	OW	P	
UTE TRIBAL 14-15-55	15	050S	050W	4301332979	15369	Indian	OW	P	
UTE TRIBAL 11-15-55	15	050S	050W	4301332980	15342	Indian	OW	P	
UTE TRIBAL 14-18-55	18	050S	050W	4301332984	15671	Indian	OW	P	
UTE TRIBAL 14-24-56	24	050S	060W	4301332988	15740	Indian	OW	P	
UTE TRIBAL 7-24-56	24	050S	060W	4301332989	15782	Indian	OW	P	
UTE TRIBAL 11-25-56	25	050S	060W	4301332990	15627	Indian	OW	P	
UTE TRIBAL 7-25-56	25	050S	060W	4301332991	15617	Indian	OW	P	
UTE TRIBAL 5-25-56	25	050S	060W	4301332992	15648	Indian	OW	P	
UTE TRIBAL 3-25-56	25	050S	060W	4301332993	15561	Indian	OW	P	
UTE TRIBAL 13-15D-54	15	050S	040W	4301333039	15368	Indian	OW	P	
UTE TRIBAL 16-28D-54	28	050S	040W	4301333041	15377	Indian	OW	P	
UTE TRIBAL 14-31D-54	31	050S	040W	4301333042	15419	Indian	OW	P	
UTE TRIBAL 4-22-55	22	050S	050W	4301333044	15381	Indian	OW	P	
UTE TRIBAL 2-23-55	23	050S	050W	4301333045	15416	Indian	OW	P	
UTE TRIBAL 16-23-55	23	050S	050W	4301333046	15211	Indian	OW	P	
UTE TRIBAL 9-35-55	35	050S	050W	4301333047	15378	Indian	OW	P	
UTE TRIBAL 7-35-55	35	050S	050W	4301333048	15367	Indian	OW	P	
UTE TRIBAL 15-36-55	36	050S	050W	4301333049	15379	Indian	OW	P	
UTE TRIBAL 10-12-55	12	050S	050W	4301333055	15618	Indian	OW	P	
UTE TRIBAL 5-13-54	13	050S	040W	4301333075	15873	Indian	OW	P	
UTE TRIBAL 16-29-54	29	050S	040W	4301333076	17074	Indian	OW	P	
UTE TRIBAL 12-18-54	18	050S	040W	4301333077	15575	Indian	OW	P	
UTE TRIBAL 8-33-54	33	050S	040W	4301333089	15398	Indian	OW	P	
UTE TRIBAL 12-33-54	33	050S	040W	4301333090	15417	Indian	OW	P	
UTE TRIBAL 16-33-54	33	050S	040W	4301333091	15397	Indian	OW	P	
UTE TRIBAL 10-33-54	33	050S	040W	4301333092	15418	Indian	OW	P	
UTE TRIBAL 14-33-54	33	050S	040W	4301333093	15399	Indian	OW	P	
UTE TRIBAL 2-14-54	14	050S	040W	4301333111	16832	Indian	OW	P	
UTE TRIBAL 14-14-54	14	050S	040W	4301333112	15440	Indian	OW	P	
UTE TRIBAL 13-21-54	21	050S	040W	4301333113	15471	Indian	OW	P	
UTE TRIBAL 11-21-54	21	050S	040W	4301333115	15470	Indian	OW	P	
UTE TRIBAL 11-22-54	22	050S	040W	4301333116	15662	Indian	OW	P	
UTE TRIBAL 2-21-55	21	050S	050W	4301333117	15582	Indian	OW	P	
UTE TRIBAL 4-28-55	28	050S	050W	4301333118	15506	Indian	OW	P	
UTE TRIBAL 8-29-55	29	050S	050W	4301333119	15507	Indian	OW	P	
UTE TRIBAL 6-29-55	29	050S	050W	4301333120	15504	Indian	OW	P	
TAYLOR FEE 13-22-56	22	050S	060W	4301333121	15525	Fee	OW	P	
WILCOX ELIASON 7-15-56	15	050S	060W	4301333122	15526	Fee	OW	P	
UTE TRIBAL 14-16-54	16	050S	040W	4301333123	15639	Indian	OW	P	
UTE TRIBAL 1-16-54	16	050S	040W	4301333128	15420	Indian	OW	P	
UTE TRIBAL 7-16-54	16	050S	040W	4301333130	15455	Indian	OW	P	
UTE TRIBAL 12-16-54	16	050S	040W	4301333131	15456	Indian	OW	P	

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

UTE TRIBAL 16-17-54	17	050S	040W	4301333132	15524	Indian	OW	P	
UTE TRIBAL 10-17-54	17	050S	040W	4301333133	15581	Indian	OW	P	
UTE TRIBAL 12-24D-55	24	050S	050W	4301333134	15567	Indian	OW	P	
WILCOX FEE 1-20-56	20	050S	060W	4301333150	15745	Fee	OW	P	
WILCOX FEE 15-16-56	16	050S	060W	4301333151	15527	Fee	OW	P	
NIELSEN FEE 13-11-56	11	050S	060W	4301333152	15600	Fee	OW	P	
UTE TRIBAL 2-29-54	29	050S	040W	4301333153	15919	Indian	OW	P	
UTE TRIBAL 14-29-54	29	050S	040W	4301333154	15831	Indian	OW	P	
UTE TRIBAL 10-29-54	29	050S	040W	4301333155	15847	Indian	OW	P	
UTE TRIBAL 10-24D-55	24	050S	050W	4301333156	15556	Indian	OW	P	
UTE TRIBAL 10-29D-55	29	050S	050W	4301333157	15505	Indian	OW	P	
UTE TRIBAL 6-29-54	29	050S	040W	4301333172	15846	Indian	OW	P	
UTE TRIBAL 12Q-25-55	25	050S	050W	4301333184	15744	Indian	OW	P	
UTE TRIBAL 3G-31-54	31	050S	040W	4301333185	15746	Indian	OW	P	
UTE TRIBAL 11-36-55	36	050S	050W	4301333186	15865	Indian	OW	P	
UTE TRIBAL 6-23D-55	23	050S	050W	4301333187	15996	Indian	OW	P	
UTE TRIBAL 8-14-54	14	050S	040W	4301333204	15656	Indian	OW	P	
UTE TRIBAL 10-14-54	14	050S	040W	4301333205	15680	Indian	OW	P	
UTE TRIBAL 11-15-54	15	050S	040W	4301333206	15643	Indian	OW	P	
UTE TRIBAL 9-16-54	16	050S	040W	4301333207	15660	Indian	OW	P	
UTE TRIBAL 3-22-54	22	050S	040W	4301333208	15640	Indian	OW	P	
UTE TRIBAL 15-13D-55	13	050S	050W	4301333212	15642	Indian	OW	P	
UTE TRIBAL 6-22D-55	22	050S	050W	4301333213	16831	Indian	OW	P	
UTE TRIBAL 11-36D-55	36	050S	050W	4301333214	15702	Indian	OW	P	
UTE TRIBAL 1-22D-54	22	050S	040W	4301333215	15641	Indian	OW	P	
BERRY TRIBAL 1-23-54	23	050S	040W	4301333216	15931	Indian	OW	P	
BERRY TRIBAL 15-23-54	23	050S	040W	4301333217	15932	Indian	OW	P	
UTE TRIBAL 9-36D-55	36	050S	050W	4301333239	15933	Indian	OW	P	
UTE TRIBAL 12-32-55	32	050S	050W	4301333266	15681	Indian	OW	P	
UTE TRIBAL 16-22D-55	22	050S	050W	4301333267	15703	Indian	OW	P	
UTE TRIBAL 11-13-55	13	050S	050W	4301333268	15692	Indian	OW	P	
UTE TRIBAL 7-14-55	14	050S	050W	4301333269	15693	Indian	OW	P	
UTE TRIBAL 4-14D-54	14	050S	040W	4301333270	15679	Indian	OW	P	
UTE TRIBAL 9S-19-54	19	050S	040W	4301333276	16153	Indian	OW	P	
UTE TRIBAL 14Q-28-54	28	050S	040W	4301333277	15818	Indian	OW	P	
UTE TRIBAL 14-28D-54	28	050S	040W	4301333278	15817	Indian	OW	P	
UTE TRIBAL 1-14D-55	14	050S	050W	4301333279	18408	Indian	OW	P	
UTE TRIBAL 10-18-54	18	050S	040W	4301333300	15747	Indian	OW	P	
UTE TRIBAL 5-21-54	21	050S	040W	4301333324	15748	Indian	OW	P	
UTE TRIBAL 6-31D-54	31	050S	040W	4301333325	16185	Indian	OW	P	
UTE TRIBAL 16-31D-54	31	050S	040W	4301333326	15800	Indian	OW	P	
UTE TRIBAL 16-13D-55	13	050S	050W	4301333327	15891	Indian	OW	P	
UTE TRIBAL 9-13D-55	13	050S	050W	4301333328	15892	Indian	OW	P	
UTE TRIBAL 15-21-55	21	050S	050W	4301333357	15791	Indian	OW	P	
UTE TRIBAL 10-23D-55	23	050S	050W	4301333358	15799	Indian	OW	P	
UTE TRIBAL 9-26D-55	26	050S	050W	4301333359	15853	Indian	OW	P	
UTE TRIBAL 10-26D-55	26	050S	050W	4301333360	15852	Indian	OW	P	
UTE TRIBAL 14-26D-55	26	050S	050W	4301333361	15938	Indian	OW	P	
UTE TRIBAL 15-26D-55	26	050S	050W	4301333362	15869	Indian	OW	P	
UTE TRIBAL 3-32D-55	32	050S	050W	4301333363	15936	Indian	OW	P	
UTE TRIBAL 13-14-54	14	050S	040W	4301333364	15790	Indian	OW	P	
MOON TRIBAL 7-27D-54	27	050S	040W	4301333365	15935	Indian	OW	P	
14-11-56 DLB	11	050S	060W	4301333378	15801	Fee	OW	P	
UTE TRIBAL 4-32-55	32	050S	050W	4301333379	15819	Indian	OW	P	
UTE TRIBAL 13H-16-55	16	050S	050W	4301333380	18357	Indian	OW	P	
BERRY TRIBAL 7-23-54	23	050S	040W	4301333381	15934	Indian	OW	P	
BERRY TRIBAL 9-34-54	34	050S	040W	4301333382	16024	Indian	OW	P	
BERRY TRIBAL 7-34-54	34	050S	040W	4301333383	16102	Indian	OW	P	
BERRY TRIBAL 4-34-54	34	050S	040W	4301333384	16588	Indian	OW	P	
FEDERAL 2-2-65	2	060S	050W	4301333385	16150	Federal	OW	P	
FEDERAL 10-3-65	3	060S	050W	4301333386	16297	Federal	OW	P	
FEDERAL 5-4-65	4	060S	050W	4301333387	17599	Federal	OW	P	
UTE TRIBAL 1A-29-54	29	050S	040W	4301333393	17075	Indian	OW	P	
BERRY TRIBAL 15-34-54	34	050S	040W	4301333411	16037	Indian	OW	P	
BERRY TRIBAL 8-23D-54	23	050S	040W	4301333417	16101	Indian	OW	P	
UTE TRIBAL 12-29D-55	29	050S	050W	4301333418	17307	Indian	OW	P	

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

UTE TRIBAL 8-24-55	24	050S	050W	4301333420	15997	Indian	OW	P
UTE TRIBAL 5-25D-55	25	050S	050W	4301333421	16589	Indian	OW	P
BERRY TRIBAL 10-34D-54	34	050S	040W	4301333422	16038	Indian	OW	P
1-15-56 DLB	15	050S	060W	4301333447	15854	Fee	OW	P
FEDERAL 5-3-64	3	060S	040W	4301333448	16098	Federal	OW	P
FEDERAL 8-1-64	1	060S	040W	4301333449	16152	Federal	OW	P
FEDERAL 5-4-64	4	060S	040W	4301333450	17851	Federal	OW	P
FEDERAL 11-10-65	10	060S	050W	4301333451	16281	Federal	OW	P
BERRY TRIBAL 16-34D-54	34	050S	040W	4301333464	16280	Indian	OW	P
BERRY TRIBAL 9-23-54	23	050S	040W	4301333465	16590	Indian	OW	P
UTE TRIBAL 6-26D-55	26	050S	050W	4301333476	16657	Indian	OW	P
UTE TRIBAL 7-26D-55	26	050S	050W	4301333477	16658	Indian	OW	P
UTE TRIBAL 11-26D-55	26	050S	050W	4301333478	16659	Indian	OW	P
UTE TRIBAL 14Q-30-54	30	050S	040W	4301333479	16151	Indian	OW	P
FEDERAL 5-6-65	6	060S	050W	4301333489	17852	Federal	OW	P
FEDERAL 16-5-65	5	060S	050W	4301333490	16833	Federal	OW	P
FEDERAL 6-11-65	11	060S	050W	4301333491	16335	Federal	OW	P
LC TRIBAL 14-2-56	2	050S	060W	4301333492	18358	Indian	OW	P
UTE TRIBAL 1-31-55	31	050S	050W	4301333501	17104	Indian	OW	P
UTE TRIBAL 9-31-55	31	050S	050W	4301333508	17103	Indian	OW	P
BERRY TRIBAL 11-34D-54	34	050S	040W	4301333529	16099	Indian	OW	P
LC TRIBAL 2-16D-56	16	050S	060W	4301333538	17305	Indian	OW	P
LC TRIBAL 4-16-56	16	050S	060W	4301333539	16272	Indian	OW	P
LC TRIBAL 3-17-56	17	050S	060W	4301333541	16459	Indian	OW	P
FEDERAL 10-2-65	2	060S	050W	4301333542	16181	Federal	OW	P
UTE TRIBAL 4-20D-55	20	050S	050W	4301333549	18075	Indian	OW	P
UTE TRIBAL 8-23D-55	23	050S	050W	4301333552	16662	Indian	OW	P
LC TRIBAL 8-28-46	28	040S	060W	4301333576	16155	Indian	OW	P
LC TRIBAL 7-3-56	3	050S	060W	4301333577	16379	Indian	OW	P
LC TRIBAL 3-5-56	5	050S	060W	4301333580	17082	Indian	OW	P
FEDERAL 8-2D-64	2	060S	040W	4301333581	16100	Federal	OW	P
LC TRIBAL 13H-3-56	3	050S	060W	4301333591	18129	Indian	OW	P
LC FEE 6-12-57	12	050S	070W	4301333593	17083	Fee	OW	P
UTE TRIBAL 4-26D-54	26	050S	040W	4301333595	16591	Indian	OW	P
LC TRIBAL 8-4-56	4	050S	060W	4301333605	17046	Indian	OW	P
LC TRIBAL 12H-6-56	6	050S	060W	4301333606	18037	Indian	OW	P
LC TRIBAL 7-7D-56	7	050S	060W	4301333607	18038	Indian	OW	P
LC TRIBAL 1-9-56	9	050S	060W	4301333608	16380	Indian	OW	P
UTE TRIBAL 5-14-54	14	050S	040W	4301333619	16945	Indian	OW	P
UTE TRIBAL 10-26D-54	26	050S	040W	4301333620	16663	Indian	OW	P
UTE TRIBAL 7-26D-54	26	050S	040W	4301333621	16664	Indian	OW	P
UTE TRIBAL 13-36D-55	36	050S	050W	4301333624	17744	Indian	OW	P
UTE TRIBAL 6-26D-54	26	050S	040W	4301333625	16619	Indian	OW	P
UTE TRIBAL 1-22D-55	22	050S	050W	4301333626	16777	Indian	OW	P
UTE TRIBAL 4-23D-55	23	050S	050W	4301333627	16818	Indian	OW	P
UTE TRIBAL 2-27D-55	27	050S	050W	4301333628	16746	Indian	OW	P
UTE TRIBAL 12-28D-55	28	050S	050W	4301333645	17999	Indian	OW	P
UTE TRIBAL 13-28D-55	28	050S	050W	4301333646	18000	Indian	OW	P
UTE TRIBAL 14-26D-54	26	050S	040W	4301333673	16299	Indian	OW	P
UTE FEE 7-13D-55	13	050S	050W	4301333674	18089	Fee	OW	P
UTE TRIBAL 9-20D-55	20	050S	050W	4301333675	17309	Indian	OW	P
LC TRIBAL 11-17-56	17	050S	060W	4301333677	17600	Indian	OW	P
UTE TRIBAL 1-26D-54	26	050S	040W	4301333680	16638	Indian	OW	P
UTE TRIBAL 3-26D-54	26	050S	040W	4301333681	16665	Indian	OW	P
UTE TRIBAL 8-26D-54	26	050S	040W	4301333682	17031	Indian	OW	P
UTE TRIBAL 10-27D-55	27	050S	050W	4301333683	16666	Indian	OW	P
UTE TRIBAL 14-27D-55	27	050S	050W	4301333684	16667	Indian	OW	P
UTE TRIBAL 12-21D-55	21	050S	050W	4301333694	16296	Indian	OW	P
UTE TRIBAL 5-21D-55	21	050S	050W	4301333706	16298	Indian	OW	P
UTE TRIBAL 2-29D-55	29	050S	050W	4301333714	16854	Indian	OW	P
UTE TRIBAL 7-29D-55	29	050S	050W	4301333715	16853	Indian	OW	P
UTE TRIBAL 13-22D-55	22	050S	050W	4301333716	16668	Indian	OW	P
UTE TRIBAL 14-22D-55	22	050S	050W	4301333717	16669	Indian	OW	P
UTE FEE 2-13-55	13	050S	050W	4301333720	18659	Indian	OW	P
UTE TRIBAL 7-22D-55	22	050S	050W	4301333721	16670	Indian	OW	P
UTE TRIBAL 10-22D-55	22	050S	050W	4301333722	16671	Indian	OW	P

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

UTE TRIBAL 3-29-55	29	050S	050W	4301333723	16857	Indian	OW	P	
BERRY TRIBAL 10-23D-54	23	050S	040W	4301333724	16592	Indian	OW	P	
BERRY TRIBAL 11-23D-54	23	050S	040W	4301333725	16672	Indian	OW	P	
UTE TRIBAL 4-24D-55	24	050S	050W	4301333726	16673	Indian	OW	P	
FEDERAL 6-6D-64	6	060S	040W	4301333745	17084	Federal	OW	P	
UTE TRIBAL 15-26D-54	26	050S	040W	4301333768	17450	Indian	OW	P	
UTE TRIBAL 1-14D-54	14	050S	040W	4301333769	17483	Indian	OW	P	
UTE TRIBAL 12-35D-55	35	050S	050W	4301333782	16856	Indian	OW	P	
UTE TRIBAL 11-35-55	35	050S	050W	4301333783	16855	Indian	OW	P	
UTE TRIBAL 1-28D-55	28	050S	050W	4301333784	16852	Indian	OW	P	
UTE TRIBAL 16-27D-55	27	050S	050W	4301333786	17800	Indian	OW	P	
UTE TRIBAL 9-28D-55	28	050S	050W	4301333787	16887	Indian	OW	P	
UTE TRIBAL 7-28D-55	28	050S	050W	4301333788	16886	Indian	OW	P	
UTE TRIBAL 11-32D-54	32	050S	040W	4301333793	17003	Indian	OW	P	
UTE TRIBAL 9-14D-54	14	050S	040W	4301333796	17482	Indian	OW	P	
UTE TRIBAL 4-27D-55	27	050S	050W	4301333797	16700	Indian	OW	P	
FOY TRIBAL 12H-33-55	33	050S	050W	4301333799	18232	Indian	OW	P	
UTE TRIBAL 9-32D-55	32	050S	050W	4301333800	18361	Indian	OW	P	
UTE TRIBAL 12-26D-54	26	050S	040W	4301333801	16639	Indian	OW	P	
UTE TRIBAL 8-26D-55	26	050S	050W	4301333859	17859	Indian	OW	P	
BERRY TRIBAL 2-34D-54	34	050S	040W	4301333867	17889	Indian	OW	P	
UTE TRIBAL 3-35D-55	35	050S	050W	4301333888	17421	Indian	OW	P	
UTE TRIBAL 10-32-54	32	050S	040W	4301333902	16819	Indian	OW	P	
UTE TRIBAL 12-31D-54	31	050S	040W	4301333907	17480	Indian	OW	P	
UTE TRIBAL 12-23D-55	23	050S	050W	4301333908	17814	Indian	OW	P	
UTE TRIBAL 14-20D-55	20	050S	050W	4301333909	18559	Indian	OW	P	
UTE TRIBAL 6-20D-55	20	050S	050W	4301333910	18481	Indian	OW	P	
UTE TRIBAL 12-20-55	20	050S	050W	4301333911	18520	Indian	OW	P	
UTE TRIBAL 14-24D-55	24	050S	050W	4301333912	16943	Indian	OW	P	
UTE TRIBAL 14-23D-55	23	050S	050W	4301333915	17457	Indian	OW	P	
ST TRIBAL 1-15D-54	15	050S	040W	4301333916	16889	Indian	OW	P	
ST TRIBAL 7-15D-54	15	050S	040W	4301333950	16972	Indian	OW	P	
ST TRIBAL 9-15D-54	15	050S	040W	4301333951	16973	Indian	OW	P	
UTE TRIBAL 15-35D-55	35	050S	050W	4301333954	17417	Indian	OW	P	
UTE TRIBAL 14-35D-55	35	050S	050W	4301333955	17416	Indian	OW	P	
UTE TRIBAL 16-26D-55	26	050S	050W	4301333965	17418	Indian	OW	P	
FEDERAL 1-2D-65	2	060S	050W	4301333966	16888	Federal	OW	P	
UTE TRIBAL 1-35D-55	35	050S	050W	4301333967	17420	Indian	OW	P	
UTE TRIBAL 10-36D-55	36	050S	050W	4301333968	17743	Indian	OW	P	
UTE TRIBAL 4-26D-55	26	050S	050W	4301333978	17455	Indian	OW	P	
UTE TRIBAL 2-26D-55	26	050S	050W	4301333979	17456	Indian	OW	P	
BERRY TRIBAL 14-23D-54	23	050S	040W	4301333989	17903	Indian	OW	P	
FEDERAL 3-2D-65	2	060S	050W	4301334001	16944	Federal	OW	P	
UTE TRIBAL 13-26D-55	26	050S	050W	4301334002	17481	Indian	OW	P	
FEDERAL 7-1D-65	1	060S	050W	4301334015	17775	Federal	OW	P	
FEDERAL 2-2D-64	2	060S	040W	4301334018	17086	Federal	OW	P	
FEDERAL 7-6D-64	6	060S	040W	4301334020	17085	Federal	OW	P	
UTE TRIBAL 6-35D-55	35	050S	050W	4301334028	17785	Indian	OW	P	
UTE TRIBAL 16-26-54	26	050S	040W	4301334042	17413	Indian	OW	P	
BERRY TRIBAL 13-23-54	23	050S	040W	4301334043	17100	Indian	OW	P	
UTE TRIBAL 11-28-55	28	050S	050W	4301334057	18001	Indian	OW	P	
UTE TRIBAL 8-27D-55	27	050S	050W	4301334058	17842	Indian	OW	P	
ST TRIBAL 3-15D-54	15	050S	040W	4301334059	17477	Indian	OW	P	
ST TRIBAL 5-15D-54	15	050S	040W	4301334060	17479	Indian	OW	P	
FEDERAL 7-11D-65	11	060S	050W	4301334061	17776	Federal	OW	P	
FEDERAL 7-3D-65	3	060S	050W	4301334065	17124	Federal	OW	P	
MOON TRIBAL 16-27D-54	27	050S	040W	4301334109	17414	Indian	OW	P	
UTE TRIBAL 15-22D-54	22	050S	040W	4301334116	17415	Indian	OW	P	
UTE TRIBAL 13-35D-55	35	050S	050W	4301334117	18442	Indian	OW	P	
UTE TRIBAL 12-26D-55	26	050S	050W	4301334118	17786	Indian	OW	P	
LC TRIBAL 13-16D-56	16	050S	060W	4301334282	17601	Indian	OW	P	
FEDERAL 11-6D-64	6	060S	040W	4301334284	17615	Federal	OW	P	
FEDERAL 14-6D-64	6	060S	040W	4301334285	17616	Federal	OW	P	
FEDERAL 2-6D-64	6	060S	040W	4301334286	17663	Federal	OW	P	
FEDERAL 3-5D-64	5	060S	040W	4301334287	17617	Federal	OW	P	
FEDERAL 6-5D-64	5	060S	040W	4301334288	17649	Federal	OW	P	

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

SFW TRIBAL 10-10D-54	10	050S	040W	4301334295	17564	Indian	OW	P	
SFW TRIBAL 9-10D-54	10	050S	040W	4301334296	17565	Indian	OW	P	
STATE TRIBAL 16-10-54	10	050S	040W	4301350245	17553	Indian	OW	P	
UTE TRIBAL 6-14D-55	14	050S	050W	4301350246	17602	Indian	OW	P	
SFW FEE 15-10-54	10	050S	040W	4301350247	17566	Fee	OW	P	
FEDERAL 5-5D-64	5	060S	040W	4301350259	17648	Federal	OW	P	
LC TRIBAL 6-22D-56	22	050S	060W	4301350260	17567	Indian	OW	P	
FEDERAL 12-6D-64	6	060S	040W	4301350261	17618	Federal	OW	P	
LC TRIBAL 4-27D-56	27	050S	060W	4301350262	17568	Indian	OW	P	
FEDERAL 4-5D-64	5	060S	040W	4301350263	17661	Federal	OW	P	
FEDERAL 1-6-64	6	060S	040W	4301350266	17662	Federal	OW	P	
FEDERAL 4-6D-64	6	060S	040W	4301350267	17651	Federal	OW	P	
FEDERAL 3-6D-64	6	060S	040W	4301350268	17650	Federal	OW	P	
FEDERAL 5-6D-64	6	060S	040W	4301350269	17652	Federal	OW	P	
FEDERAL 8-6D-64	6	060S	040W	4301350325	17664	Federal	OW	P	
FEDERAL 10-1D-65	1	060S	050W	4301350326	18027	Federal	OW	P	
FEDERAL 11-1D-65	1	060S	050W	4301350327	18039	Federal	OW	P	
FEDERAL 12-1D-65	1	060S	050W	4301350328	18040	Federal	OW	P	
FEDERAL 13-1D-65	1	060S	050W	4301350329	18042	Federal	OW	P	
FEDERAL 14-1D-65	1	060S	050W	4301350330	18041	Federal	OW	P	
FEDERAL 13-5D-64	5	060S	040W	4301350337	17714	Federal	OW	P	
FEDERAL 14-5D-64	5	060S	040W	4301350338	17715	Federal	OW	P	
FEDERAL 9-1D-65	1	060S	050W	4301350342	18026	Federal	OW	P	
FEDERAL 13-6D-64	6	060S	040W	4301350347	17619	Federal	OW	P	
FEDERAL 11-5D-64	5	060S	040W	4301350348	17690	Federal	OW	P	
FEDERAL 12-5D-64	5	060S	040W	4301350349	17713	Federal	OW	P	
FEDERAL 8-1D-65	1	060S	050W	4301350350	18025	Federal	OW	P	
UTE TRIBAL 3-14D-54	14	050S	040W	4301350389	17904	Indian	OW	P	
UTE TRIBAL 1-34D-55	34	050S	050W	4301350408	17931	Indian	OW	P	
UTE TRIBAL 7-14-54	14	050S	040W	4301350409	17924	Indian	OW	P	
UTE TRIBAL 8-21D-55	21	050S	050W	4301350435	17963	Indian	OW	P	
UTE TRIBAL 8-34D-55	34	050S	050W	4301350436	17952	Indian	OW	P	
UTE TRIBAL 5-16D-54	16	050S	040W	4301350475	17991	Indian	OW	P	
UTE TRIBAL 12-14D-55	14	050S	050W	4301350476	17973	Indian	OW	P	
UTE TRIBAL 8-15D-55	15	050S	050W	4301350477	17974	Indian	OW	P	
UTE TRIBAL 3-14-55	14	050S	050W	4301350478	18002	Indian	OW	P	
UTE TRIBAL 5-14-55	14	050S	050W	4301350479	18021	Indian	OW	P	
UTE TRIBAL 8-10D-54	10	050S	040W	4301350488	18099	Indian	OW	P	
UTE TRIBAL 7-34-55	34	050S	050W	4301350510	17949	Indian	OW	P	
FEDERAL 4-4D-65	4	060S	050W	4301350521	18557	Federal	OW	P	
FEDERAL 6-3D-64	3	060S	040W	4301350522	18073	Federal	OW	P	
FEDERAL 1-1D-64	1	060S	040W	4301350524	18088	Federal	OW	P	
FEDERAL 7-2D-65	2	060S	050W	4301350525	18100	Federal	OW	P	
BERRY TRIBAL 12-34D-54	34	050S	040W	4301350527	17998	Indian	OW	P	
FEDERAL 15-5D-65	5	060S	050W	4301350553	18537	Federal	OW	P	
FEDERAL 11-4D-64	4	060S	040W	4301350565	18043	Federal	OW	P	
FEDERAL 6-6D-65	6	060S	050W	4301350566	18521	Federal	OW	P	
LC TRIBAL 3-15D-56	15	050S	060W	4301350598	18097	Indian	OW	P	
LC TRIBAL 8-16D-56	16	050S	060W	4301350599	18161	Indian	OW	P	
LC FEE 16-16D-56	16	050S	060W	4301350601	18165	Fee	OW	P	
LC TRIBAL 10-16D-56	16	050S	060W	4301350602	18586	Indian	OW	P	
LC TRIBAL 15-22D-56	22	050S	060W	4301350606	18278	Indian	OW	P	
LC TRIBAL 5-23D-56	23	050S	060W	4301350625	18285	Indian	OW	P	
LC TRIBAL 5-14D-56	14	050S	060W	4301350661	18219	Indian	OW	P	
SFW FEE 14-10D-54	10	050S	040W	4301350686	18070	Fee	OW	P	
LC FEE 1-22D-56	22	050S	060W	4301350718	18101	Fee	OW	P	
FEDERAL 8-2D-65	2	060S	050W	4301350719	18614	Federal	OW	P	
FEDERAL 1-2D-64	2	060S	040W	4301350730	18585	Federal	OW	P	
FEDERAL 7-2D-64	2	060S	040W	4301350734	18584	Federal	OW	P	
FEDERAL 10-6D-64	6	060S	040W	4301350735	18162	Federal	OW	P	
FEDERAL 4-3D-64	3	060S	040W	4301350736	18621	Federal	OW	P	
FEDERAL 12-3D-64	3	060S	040W	4301350737	18620	Federal	OW	P	
LC TRIBAL 3-21D-56	21	050S	060W	4301350751	18462	Indian	OW	P	
LC TRIBAL 5-21D-56	21	050S	060W	4301350752	18286	Indian	OW	P	
FEDERAL 2-1D-65	1	060S	050W	4301350759	18172	Federal	OW	P	
FEDERAL 3-1D-65	1	060S	050W	4301350760	18173	Federal	OW	P	

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

FEDERAL 5-1D-65	1	060S	050W	4301350761	18174	Federal	OW	P	
FEDERAL 9-2D-65	2	060S	050W	4301350762	18245	Federal	OW	P	
FEDERAL 11-2D-65	2	060S	050W	4301350763	18589	Federal	OW	P	
FEDERAL 15-2D-65	2	060S	050W	4301350764	18590	Federal	OW	P	
LC TRIBAL 14-14D-56	14	050S	060W	4301350776	18287	Indian	OW	P	
LC FEE 2-20D-56	20	050S	060W	4301350777	18622	Fee	OW	P	
LC TRIBAL 12-22D-56	22	050S	060W	4301350780	18341	Indian	OW	P	
FEDERAL 3-4D-65	4	060S	050W	4301350782	18556	Federal	OW	P	
FEDERAL 6-4D-65	4	060S	050W	4301350783	19162	Federal	OW	P	
FEDERAL 12-4D-65	4	060S	050W	4301350784	19171	Federal	OW	P	
LC TRIBAL 14-15D-56	15	050S	060W	4301350834	18362	Indian	OW	P	
UTE TRIBAL 7I-21D-54	21	050S	040W	4301350852	18423	Indian	OW	P	BERRY PILOT EOR 246-02
UTE TRIBAL 8L-21D-54	21	050S	040W	4301350853	18423	Indian	OW	P	BERRY PILOT EOR 246-02
UTE TRIBAL 10S-21D-54	21	050S	040W	4301350854	18423	Indian	OW	P	BERRY PILOT EOR 246-02
UTE TRIBAL 11-11-54	11	050S	040W	4301350861	18775	Indian	OW	P	
LC TRIBAL 2-28D-56	28	050S	060W	4301350866	18592	Indian	OW	P	
LC FEE 8-28D-56	28	050S	060W	4301350867	18342	Fee	OW	P	
LC TRIBAL 6-27D-56	27	050S	060W	4301350868	18480	Indian	OW	P	
LC FEE 15-23D-56	23	050S	060W	4301350870	18410	Fee	OW	P	
LC TRIBAL 15-26-56	26	050S	060W	4301350871	18377	Indian	OW	P	
UTE TRIBAL 16-11-55	11	050S	050W	4301350888	18707	Indian	OW	P	
LC TRIBAL 2-5D-56	5	050S	060W	4301350925	18568	Indian	OW	P	
LC TRIBAL 2-9D-56	9	050S	060W	4301350926	18425	Indian	OW	P	
LC FEE 8-29-45	29	040S	050W	4301350928	18313	Fee	OW	P	
LC FEE 13-29-45	29	040S	050W	4301350929	18426	Fee	OW	P	
LC FEE 9-12D-57	12	050S	070W	4301350963	18541	Fee	OW	P	
LC FEE 1-22-57	22	050S	070W	4301350965	18558	Fee	OW	P	
LC TRIBAL 11-3D-56	3	050S	060W	4301350966	18464	Indian	OW	P	
LC TRIBAL 3-34-45	34	040S	050W	4301350976	18661	Indian	OW	P	
LC TRIBAL 9-10D-56	10	050S	060W	4301350987	18944	Indian	OW	P	
LC TRIBAL 10-9D-56	9	050S	060W	4301350990	18864	Indian	OW	P	
LC FEE 10-31D-45	31	040S	050W	4301350994	18443	Fee	OW	P	
VIEIRA TRIBAL 4-4-54	4	050S	040W	4301350997	18747	Indian	OW	P	
LC TRIBAL 10-21-56	21	050S	060W	4301350999	18439	Indian	OW	P	
FEDERAL 1-5D-64	5	060S	040W	4301351012	18720	Federal	OW	P	
FEDERAL 2-5D-64	5	060S	040W	4301351013	18723	Federal	OW	P	
FEDERAL 7-5D-64	5	060S	040W	4301351014	18722	Federal	OW	P	
FEDERAL 8-5D-64	5	060S	040W	4301351015	18721	Federal	OW	P	
MYRIN TRIBAL 15-10-55	10	050S	050W	4301351024	18771	Indian	OW	P	
LC TRIBAL 15-15D-56	15	050S	060W	4301351030	18440	Indian	OW	P	
LC TRIBAL 9-15D-56	15	050S	060W	4301351031	18441	Indian	OW	P	
LC TRIBAL 6-28-45	28	040S	050W	4301351034	18700	Indian	OW	P	
FEDERAL 1-12D-65	12	060S	050W	4301351055	18739	Federal	OW	P	
FEDERAL 8-12D-65	12	060S	050W	4301351056	18718	Federal	OW	P	
FEDERAL 2-12D-65	12	060S	050W	4301351057	18738	Federal	OW	P	
LC TRIBAL 15-8D-56	8	050S	060W	4301351060	18862	Indian	OW	P	
LC TRIBAL 8-22D-56	22	050S	060W	4301351069	19233	Indian	OW	P	
LC TRIBAL 9-17D-56	17	050S	060W	4301351070	18945	Indian	OW	P	
LC TRIBAL 7-27-45	27	040S	050W	4301351073	18685	Indian	OW	P	
LC TRIBAL 11-24-45	24	040S	050W	4301351076	18745	Indian	OW	P	
FEDERAL 3-12D-65	12	060S	050W	4301351093	18705	Federal	OW	P	
FEDERAL 4-12D-65	12	060S	050W	4301351094	18704	Federal	OW	P	
FEDERAL 5-12D-65	12	060S	050W	4301351095	18702	Federal	OW	P	
FEDERAL 6-12D-65	12	060S	050W	4301351096	18703	Federal	OW	P	
LC TRIBAL 9-8D-56	8	050S	060W	4301351112	18522	Indian	OW	P	
UTE TRIBAL 4-9-54	9	050S	040W	4301351126	19059	Indian	OW	P	
UTE TRIBAL 6-9-54	9	050S	040W	4301351127	19017	Indian	OW	P	
UTE TRIBAL 2-9-54	9	050S	040W	4301351128	18946	Indian	OW	P	
UTE TRIBAL 1-10-54	10	050S	040W	4301351129	18879	Indian	OW	P	
LC TRIBAL 8-30D-56	30	050S	060W	4301351131	18539	Indian	OW	P	
LC TRIBAL 16-30D-56	30	050S	060W	4301351132	18540	Indian	OW	P	
FEDERAL 1-1D-65	1	060S	050W	4301351142	18623	Federal	OW	P	
UTE TRIBAL 8-9-54	9	050S	040W	4301351143	18947	Indian	OW	P	
FEDERAL 15-1D-65	1	060S	050W	4301351175	18654	Federal	OW	P	
FEDERAL 16-1D-65	1	060S	050W	4301351176	18655	Federal	OW	P	
LC TRIBAL 11-29D-56	29	050S	060W	4301351183	18873	Indian	OW	P	

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

STATE TRIBAL 8-12-55	12	050S	050W	4301351188	18986	Indian	OW	P	
LC TRIBAL 11-20D-56	20	050S	060W	4301351189	18819	Indian	OW	P	
LC FEE 5-20D-56	20	050S	060W	4301351190	18818	Fee	OW	P	
LC FEE 9-19-56	19	050S	060W	4301351192	18596	Fee	OW	P	
LC TRIBAL 9-9D-56	9	050S	060W	4301351198	18595	Indian	OW	P	
FEDERAL 16-6-64	6	060S	040W	4301351217	18792	Federal	OW	P	
FEDERAL 9-6D-64	6	060S	040W	4301351218	18791	Federal	OW	P	
UTE TRIBAL 5-17-55	17	050S	050W	4301351220	18841	Indian	OW	P	
UTE TRIBAL 16-3-54	3	050S	040W	4301351226	18664	Indian	OW	P	
STATE TRIBAL 15-6-54	6	050S	040W	4301351227	18746	Indian	OW	P	
STATE TRIBAL 8-7-54	7	050S	040W	4301351228	18743	Indian	OW	P	
STATE TRIBAL 12-1-55	1	050S	050W	4301351229	18741	Indian	OW	P	
STATE TRIBAL 11-2-55	2	050S	050W	4301351230	18742	Indian	OW	P	
FEDERAL 1-11-65	11	060S	050W	4301351231	18689	Federal	OW	P	
FEDERAL 8-11D-65	11	060S	050W	4301351232	18688	Federal	OW	P	
FEDERAL 2-11D-65	11	060S	050W	4301351233	18690	Federal	OW	P	
STATE TRIBAL 12-3-55	3	050S	050W	4301351236	18744	Indian	OW	P	
UTE TRIBAL 11-4-55	4	050S	050W	4301351237	18663	Indian	OW	P	
UTE TRIBAL 4-9-55	9	050S	050W	4301351238	18796	Indian	OW	P	
UTE TRIBAL 15-5-55	5	050S	050W	4301351239	18740	Indian	OW	P	
UTE FEE 9-9-54	9	050S	040W	4301351259	18642	Fee	OW	P	
LC TRIBAL 4-29-45	29	040S	050W	4301351260	18719	Indian	OW	P	
UTE FEE 14-9D-54	9	050S	040W	4301351271	18684	Fee	OW	P	
UTE FEE 15-9D-54	9	050S	040W	4301351272	18687	Fee	OW	P	
LC FEE 10-28D-56	28	050S	060W	4301351288	18591	Fee	OW	P	
UTE TRIBAL 8-16D-54	16	050S	040W	4301351295	19003	Indian	OW	P	
FEE TRIBAL 4-5-54	5	050S	040W	4301351303	19187	Indian	OW	P	
LC TRIBAL 1-26-56	26	050S	060W	4301351306	18816	Indian	OW	P	
UTE TRIBAL 6-16D-54	16	050S	040W	4301351307	19060	Indian	OW	P	
LC TRIBAL 7-22D-56	22	050S	060W	4301351308	18795	Indian	OW	P	
LC TRIBAL 9-22D-56	22	050S	060W	4301351309	18794	Indian	OW	P	
LC TRIBAL 9-32D-56	32	050S	060W	4301351316	19228	Indian	OW	P	
LC TRIBAL 7-26D-56	26	050S	060W	4301351319	18817	Indian	OW	P	
LC FEE 8-6D-56	6	050S	060W	4301351342	18657	Fee	OW	P	
LC FEE 10-29D-45	29	040S	050W	4301351343	18850	Fee	OW	P	
LC TRIBAL 1-7D-56	7	050S	060W	4301351344	18774	Indian	OW	P	
LC TRIBAL 9-7D-56	7	050S	060W	4301351346	18773	Indian	OW	P	
LC TRIBAL 11-10D-56	10	050S	060W	4301351369	18840	Indian	OW	P	
LC FEE 1-31D-45	31	040S	050W	4301351371	18686	Fee	OW	P	
LC TRIBAL 14-21D-56	21	050S	060W	4301351384	18877	Indian	OW	P	
LC TRIBAL 4-22D-56	22	050S	060W	4301351385	18878	Indian	OW	P	
LC TRIBAL 8-21D-56	21	050S	060W	4301351392	18874	Indian	OW	P	
UTE TRIBAL 1-17-55	17	050S	050W	4301351393	18848	Indian	OW	P	
LC TRIBAL 4-33D-45	33	040S	050W	4301351401	18853	Indian	OW	P	
LC TRIBAL 16-21D-56	21	050S	060W	4301351407	18875	Indian	OW	P	
UTE TRIBAL 2-10D-54	10	050S	040W	4301351411	19172	Indian	OW	P	
UTE TRIBAL 4-10D-54	10	050S	040W	4301351414	19069	Indian	OW	P	
LC TRIBAL 2-21D-56	16	050S	060W	4301351418	19252	Indian	OW	P	
LC TRIBAL 1-23D-45	23	040S	050W	4301351425	18855	Indian	OW	P	
LC TRIBAL 2-28D-45	28	040S	050W	4301351429	18701	Indian	OW	P	
LC TRIBAL 9-28D-45	28	040S	050W	4301351430	18656	Indian	OW	P	
LC TRIBAL 1-29-56	29	050S	060W	4301351442	18876	Indian	OW	P	
LC FEE 1-1-56	1	050S	060W	4301351458	18829	Fee	OW	P	
LC Tribal 12-32-45	32	040S	050W	4301351465	18772	Indian	OW	P	
UTE TRIBAL 2-5-54	5	050S	040W	4301351520	18880	Indian	OW	P	
LC Tribal 3-32D-45	32	040S	050W	4301351561	18842	Indian	OW	P	
LC TRIBAL 5-15D-56	15	050S	060W	4301351562	19253	Indian	OW	P	
LC FEE 16-36-56	36	050S	060W	4301351611	19096	Fee	OW	P	
LC TRIBAL 15-34-56	34	050S	060W	4301351647	18962	Indian	OW	P	
LC TRIBAL 1-34D-56	34	050S	060W	4301351660	18988	Indian	OW	P	
LC FEE 13-23-56	23	050S	060W	4301351706	18994	Fee	OW	P	
LC FEE 11-23D-56	23	050S	060W	4301351707	18995	Fee	OW	P	
LC TRIBAL 3-33-56	33	050S	060W	4301351711	19242	Indian	OW	P	
LC FEE 11-29D-45	29	040S	050W	4301351743	19188	Fee	OW	P	
LC FEE 4-28D-45	29	040S	050W	4301351745	18849	Fee	OW	P	
CC Fee 7R-28-38	28	030S	080W	4301351852	18863	Fee	OW	P	



Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

FEDERAL 6-7-64	7	060S	040W	4301351915	19117	Federal	OW	P	
FEDERAL 3-7D-64	7	060S	040W	4301351916	19115	Federal	OW	P	
FEDERAL 4-7D-64	7	060S	040W	4301351917	19110	Federal	OW	P	
FEDERAL 5-7D-64	7	060S	040W	4301351918	19111	Federal	OW	P	
FEDERAL 2-7-64	7	060S	040W	4301351919	19139	Federal	OW	P	
FEDERAL 1-7D-64	7	060S	040W	4301351920	19140	Federal	OW	P	
FEDERAL 12-7D-64	7	060S	040W	4301351924	19025	Federal	OW	P	
FEDERAL 11-7D-64	7	060S	040W	4301351925	19039	Federal	OW	P	
FEDERAL 13-7D-64	7	060S	040W	4301351926	19026	Federal	OW	P	
FEDERAL 14-7D-64	7	060S	040W	4301351927	19040	Federal	OW	P	
FEDERAL 7-7D-64	7	060S	040W	4301351933	19141	Federal	OW	P	
FEDERAL 8-7D-64	7	060S	040W	4301351934	19142	Federal	OW	P	
FEDERAL 9-7D-64	7	060S	040W	4301351935	19143	Federal	OW	P	
FEDERAL 10-7D-64	7	060S	040W	4301351936	19144	Federal	OW	P	
ABBOTT FEE 2-6D-54	6	050S	040W	4301351949	18974	Fee	OW	P	
ABBOTT FEE 8-6D-54	6	050S	040W	4301351950	18964	Fee	OW	P	
ABBOTT FEE 4-6-54	6	050S	040W	4301351952	18965	Fee	OW	P	
Federal 15-12D-65	12	060S	050W	4301351992	19051	Federal	OW	P	
Federal 10-12D-65	12	060S	050W	4301351999	19052	Federal	OW	P	
Federal 9-12D-65	12	060S	050W	4301352000	19053	Federal	OW	P	
Federal 16-12D-65	12	060S	050W	4301352003	19054	Federal	OW	P	
Federal 1-6D-65	6	060S	050W	4301352012	19189	Federal	OW	P	
Federal 3-6D-65	6	060S	050W	4301352014	19190	Federal	OW	P	
Federal 2-6-65	6	060S	050W	4301352017	19191	Federal	OW	P	
Federal 7-6D-65	6	060S	050W	4301352018	19192	Federal	OW	P	
Federal 16-11D-65	11	060S	050W	4301352045	19070	Federal	OW	P	
Federal 15-11D-65	11	060S	050W	4301352046	19076	Federal	OW	P	
Federal 10-11D-65	11	060S	050W	4301352047	19077	Federal	OW	P	
Federal 9-11D-65	11	060S	050W	4301352048	19071	Federal	OW	P	
Federal 11-12D-65	12	060S	050W	4301352049	19121	Federal	OW	P	
Federal 12-12D-65	12	060S	050W	4301352050	19122	Federal	OW	P	
Federal 13-12D-65	12	060S	050W	4301352052	19123	Federal	OW	P	
Federal 14-12D-65	12	060S	050W	4301352053	19124	Federal	OW	P	
LC Tribal 12-28D-45	28	040S	050W	4301352089	19378	Indian	OW	P	
LC Tribal 2-32D-45	32	040S	050W	4301352113	19348	Indian	OW	P	
LC Tribal 16-29D-45	32	040S	050W	4301352114	19349	Indian	OW	P	
Vieira Tribal 3-4D-54	4	050S	040W	4301352145	19210	Indian	OW	P	
Vieira Tribal 5-4D-54	4	050S	040W	4301352146	19193	Indian	OW	P	
Vieira Tribal 6-4D-54	4	050S	040W	4301352147	19216	Indian	OW	P	
Lamplugh Tribal 6-3D-54	3	050S	040W	4301352148	19289	Indian	OW	P	
Lamplugh Tribal 5-3D-54	3	050S	040W	4301352149	19290	Indian	GW	P	
Lamplugh Tribal 4-3D-54	3	050S	040W	4301352150	19291	Indian	OW	P	
Lamplugh Tribal 3-3D-54	3	050S	040W	4301352151	19292	Indian	OW	P	
UTE Tribal 6-35D-54	35	050S	040W	4301352158	19254	Indian	GW	P	
UTE Tribal 4-35D-54	35	050S	040W	4301352159	19255	Indian	GW	P	
Heiner Tribal 3-11D-54	11	050S	040W	4301352165	19194	Indian	OW	P	
Heiner Tribal 4-11-54	11	050S	040W	4301352166	19195	Indian	OW	P	
Heiner Tribal 5-11D-54	11	050S	040W	4301352167	19196	Indian	OW	P	
Conolly Tribal 1-11D-54	11	050S	040W	4301352168	19270	Indian	OW	P	
Conolly Tribal 2-11D-54	11	050S	040W	4301352169	19197	Indian	OW	P	
Conolly Tribal 7-11D-54	11	050S	040W	4301352170	19280	Indian	OW	P	
Conolly Tribal 8-11D-54	11	050S	040W	4301352171	19281	Indian	OW	P	
Casper Tribal 1-5D-54	5	050S	040W	4301352180	19198	Indian	OW	P	
Fee Tribal 6-5D-54	5	050S	040W	4301352181	19199	Indian	OW	P	
Fee Tribal 5-5D-54	5	050S	040W	4301352182	19200	Indian	OW	P	
Fee Tribal 3-5D-54	5	050S	040W	4301352184	19201	Indian	OW	P	
Casper Tribal 7-5D-54	5	050S	040W	4301352185	19202	Indian	OW	P	
UTE Tribal 10-35D-54	35	050S	040W	4301352198	19320	Indian	OW	P	
UTE Tribal 14-35D-54	35	050S	040W	4301352199	19311	Indian	GW	P	
UTE Tribal 12-35D-54	35	050S	040W	4301352200	19312	Indian	OW	P	
UTE Tribal 16-35D-54	35	050S	040W	4301352230	19321	Indian	OW	P	
Evans Tribal 1-3-54	3	050S	040W	4301352234	19264	Indian	OW	P	
Evans Tribal 2-3D-54	3	050S	040W	4301352235	19265	Indian	OW	P	
Evans Tribal 7-3D-54	3	050S	040W	4301352236	19256	Indian	OW	P	
Evans Tribal 8-3D-54	3	050S	040W	4301352237	19257	Indian	OW	P	
Ute Tribal 9-3D-54	3	050S	040W	4301352249	19236	Indian	OW	P	

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

Ute Tribal 15-3D-54	3	050S	040W	4301352250	19237	Indian	OW	P	
Ute Tribal 10-3-54	3	050S	040W	4301352251	19238	Indian	OW	P	
Ute Tribal 14-3D-54	3	050S	040W	4301352298	19258	Indian	OW	P	
Ute Tribal 12-3D-54	3	050S	040W	4301352299	19259	Indian	OW	P	
Ute Tribal 11-3D-54	3	050S	040W	4301352300	19260	Indian	OW	P	
Ute Tribal 16-4D-54	4	050S	040W	4301352302	19350	Indian	OW	P	
Ute Tribal 15-4D-54	4	050S	040W	4301352303	19293	Indian	OW	P	
Ute Tribal 9-4D-54	4	050S	040W	4301352305	19304	Indian	OW	P	
Ute Tribal 10-4D-54	4	050S	040W	4301352307	19294	Indian	OW	P	
UTE Tribal 2-35D-54	35	050S	040W	4301352319	19322	Indian	OW	P	
UTE Tribal 8-35D-54	35	050S	040W	4301352320	19323	Indian	OW	P	
Abbott Fee 5-6D-54	6	050S	040W	4301352326	19351	Fee	OW	P	
Ute Tribal 6-11D-54	11	050S	040W	4301352330	19243	Indian	OW	P	
Ute Tribal 12-11D-54	11	050S	040W	4301352331	19244	Indian	OW	P	
Ute Tribal 14-11D-54	11	050S	040W	4301352332	19245	Indian	OW	P	
Ute Tribal 11-4D-54	4	050S	040W	4301352343	19305	Indian	OW	P	
Ute Tribal 12-4D-54	4	050S	040W	4301352344	19352	Indian	OW	P	
Ute Tribal 13-4D-54	4	050S	040W	4301352345	19353	Indian	OW	P	
Ute Tribal 14-4D-54	4	050S	040W	4301352346	19306	Indian	OW	P	
Ute Tribal 16-5D-54	5	050S	040W	4301352545	99999	Indian	OW	P	
Ute Tribal 15-5D-54	5	050S	040W	4301352546	99999	Indian	OW	P	
Ute Tribal 10-5D-54	5	050S	040W	4301352547	99999	Indian	OW	P	
Ute Tribal 8-5D-54	5	050S	040W	4301352548	99999	Indian	OW	P	
SCOFIELD-THORPE 26-31	26	120S	070E	4300730987	15218	Fee	D	PA	
SCOFIELD-THORPE 26-43	26	120S	070E	4300730990	14922	Fee	D	PA	
SCOFIELD CHRISTIANSEN 8-23	8	120S	070E	4300730999	15172	Fee	D	PA	
CC FEE 7-28-38	28	030S	080W	4301350887	18288	Fee	D	PA	
CC FEE 8-9-37	9	030S	070W	4301350896	18660	Fee	D	PA	
ST LOST CREEK 32-44	32	110S	070E	4304930023	14450	State	D	PA	
SCOFIELD THORPE 22-41X RIG SKID	22	120S	070E	4300730890	13719	Fee	GW	S	
SCOFIELD-THORPE 35-13	35	120S	070E	4300730991	14846	Fee	GW	S	
SCOFIELD-THORPE 23-31	23	120S	070E	4300731001	14923	Fee	GW	S	
NUTTERS RIDGE FED 5-1	5	060S	040W	4301330403	8231	Federal	OW	S	
WIRE FENCE CYN FED 15-1	15	060S	050W	4301330404	8233	Federal	GW	S	
R FORK ANTELOPE CYN FED 25-1	25	060S	050W	4301330406	8234	Federal	OW	S	
WOLF HOLLOW 22-1	22	060S	050W	4301330425	10370	Federal	GW	S	
ANTELOPE RIDGE 24-1	24	060S	050W	4301330426	10371	Federal	OW	S	
B C UTE TRIBAL 8-21	21	050S	040W	4301330829	8414	Indian	OW	S	BERRY PILOT EOR 246-02
Z and T UTE TRIBAL 10-21	21	050S	040W	4301331283	11133	Indian	GW	S	BERRY PILOT EOR 246-02
Z and T UTE TRIBAL 12-22	22	050S	040W	4301331311	11421	Indian	OW	S	
UTE TRIBAL 15-17	17	050S	040W	4301331649	11956	Indian	OW	S	
UTE TRIBAL 7-30	30	050S	040W	4301332167	12945	Indian	OW	S	
UTE TRIBAL 8-35-55	35	050S	050W	4301332267	13571	Indian	OW	S	
UTE TRIBAL 10-16-55	16	050S	050W	4301332345	13693	Indian	OW	S	
FOY TRIBAL 11-34-55	34	050S	050W	4301332351	13648	Indian	OW	S	
UTE TRIBAL 13-30-54	30	050S	040W	4301332409	13968	Indian	OW	S	
UTE TRIBAL 3-33-54	33	050S	040W	4301332412	13938	Indian	OW	S	
UTE TRIBAL 1-20-55	20	050S	050W	4301332414	14548	Indian	OW	S	
UTE TRIBAL 11-30-54	30	050S	040W	4301332512	13982	Indian	OW	S	
UTE TRIBAL 2-24-54	24	050S	040W	4301332569	14314	Indian	OW	S	
UTE TRIBAL 10-14-55	14	050S	050W	4301332601	14331	Indian	OW	S	
MOON TRIBAL 3-27-54	27	050S	040W	4301332613	14416	Indian	OW	S	
UTE TRIBAL 7-21-54	21	050S	040W	4301332623	14383	Indian	OW	S	BERRY PILOT EOR 246-02
UTE TRIBAL 16-24-55	24	050S	050W	4301332672	14384	Indian	GW	S	
UTE TRIBAL 7-35-54	35	050S	040W	4301332774	15019	Indian	OW	S	
UTE TRIBAL 16-25-54	25	050S	040W	4301332779	15078	Indian	OW	S	
MOON TRIBAL 13-27-54	27	050S	040W	4301332801	15057	Indian	OW	S	
UTE TRIBAL 15-15-55	15	050S	050W	4301332855	15114	Indian	OW	S	
UTE TRIBAL 5-36-55	36	050S	050W	4301332930	15301	Indian	OW	S	
UTE TRIBAL 8-24-54	24	050S	040W	4301332933	15402	Indian	OW	S	
UTE TRIBAL 12-15-55	15	050S	050W	4301332981	15348	Indian	OW	S	
UTE TRIBAL 9-21-54	21	050S	040W	4301333040	15360	Indian	OW	S	BERRY PILOT EOR 246-02
UTE TRIBAL 15-21-54	21	050S	040W	4301333114	15441	Indian	OW	S	BERRY PILOT EOR 246-02
UTE TRIBAL 10-16-54	16	050S	040W	4301333129	15454	Indian	OW	S	
TAYLOR FEE 7-14-56	14	050S	060W	4301333140	15601	Fee	OW	S	
UTE TRIBAL 9S-25-55	25	050S	050W	4301333245	15962	Indian	OW	S	

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)  
Effective June 1, 2014

UTE TRIBAL 9-5-54	5	050S	040W	4301351111	18909	Indian	OW	S	
ABBOTT FEE 6-6-54	6	050S	040W	4301351948	18963	Fee	OW	S	